



Icterus		<p>Mary Martin aet: Nov. 20<sup>th</sup></p> <p>21</p> <p>22</p> <p>23</p> <p>24</p> <p>25</p> <p>26</p> <p>27</p> <p>Dec.11</p>	<p style="text-align: center;"><b>Icterus</b></p> <p>Complains of dull pain in the region of the Liver; torpid bowels; defective appetite; skin yellow, especially the conjunctivae; face tumid, menses defective.</p> <p><i>Rx. pulv. Jalap g<sup>r</sup>. xij Hyd. Sub. g<sup>r</sup>. ij Saponis g<sup>r</sup>. vj M ft. pil iij.s.s.</i></p> <p>Last night she was rather feverish, she felt much uneasiness in the right hypochondrium; pain in the head &amp; thirst: the bowels have moved, but they are still torpid.</p> <p><i>Rep. pil</i> 5P.M.</p> <p>Slightly acute pain at times in the liver; short dry cough; dyspnoea; pulse 120, soft. tongue moist; skin dry</p> <p><i>Rx. pulv. Antim. g<sup>r</sup> iij Hyd: Submur g<sup>r</sup> ifs Mucil. Acaciae q.s. M ft. pil s.s. Imponator Empl: Lyttae parti affectae</i></p> <p>I opened a vein to see the effects of it over the hepatic obstruction; - when 2 oz were abstracted, the pulse fell; and this quantity shewed much serum.</p> <p>Rather better</p> <p><i>Rep. pil. Jalap. s.</i> <i>Rep. pil. Antim. h.s.</i></p> <p><i>Rep. remedia</i></p> <p>No pain in the side; pulse 100; skin hot.</p> <p><i>Rx. pulv. Ipecac. Comp. g<sup>r</sup> v. Hyd. Submur g<sup>r</sup> j Mucilag: Acaciae. q.s. M fiat pil ter die s.</i></p> <p>Considerably better; she has been much purged; the motions are natural in colour: her mind seems to be troubles by sorrowing after absent friends, pulse 96. appetite deficient.</p> <p><i>Rx. pil. Hydrargy. g<sup>r</sup> v. bis die</i></p> <p>No change; but various nervous sensations arise in the abdomen, with other signs of Hysteria.</p> <p><i>Rep. pil</i> <i>Rx, Mist. Camphoræ zij Tinct: Opii. g<sup>tt</sup> xv. M ft. haust. h.s.s.</i></p> <p>No change: her complaints seem all to be the effects of a depression of the mind, hence a torpor in various secreting organs.</p> <p><i>Rep. pil. h.s. Dieta. Vinum, Sago et caro.</i> <i>Rep. pil purgantis cum opus sit</i></p> <p>No pain in any part but the gums &amp; teeth; bowels regular: pulse 80. weak. tongue moist.</p> <p><i>Rx. Acid. Nitr. dil. g<sup>tt</sup> vj Aq. Puræ Zij M ft. haust. ter die. s.</i></p> <p><i>Rep. pil purgantis pro re nata.</i> Discharged.</p>
		Notæ	<p>Many of the Women, but none of the children, are now affected with Sea Sickness. In some there is only straining without vomiting, in these cases an emetic gives much relief. The bowels are generally torpid, and require repeated Cathartics to move them. Some of the infants are affected with Diarrhoea from an irritated state of the bowels; - opiates afford relief to these. I have given to many <i>Spt. V. R.. g<sup>tt</sup> x super saccharo</i> with I think benefit.</p>

PB051102.JPG			
Obstipatio		<p>Mary Turner aet: Dec<sup>r</sup> 10</p>	<p style="text-align: center;"><b>Obstipatio</b></p> <p>This young woman has lain many days in a state of torpor, careless of everything, not having any appetite; always in bed, &amp; silent. A fortnight ago she suffered much indisposition from Sea Sickness and the bowels required repeated strong purgatives before they were moved. The pulse &amp; respiration are regular; tongue clean; skin cool.</p> <p><i>Rx pulv. Ipecac. g<sup>r</sup> xv. Ant. tart. g<sup>r</sup> ij M. fiat emeticus vespere s, et hora somni habeat sequentem.</i></p> <p>11 <i>Rx. Mist. Salin. Zifs</i> <i>Tinct. Opii g<sup>ss</sup> xx Ant. tart gr ¼ M. fiat haust.</i></p> <p>No change; she vomited much bile.</p> <p>12 <i>Rx. pil. Jalap. s.s.</i> <i>Vespere, Utator pediluvium.</i></p> <p>No change: the motion of the vessel seems to have reproduced sickness &amp; vomiting; and to have continued the torpid state of the bowels.</p> <p>13 <i>Rx. Ext: Colocynth. C. ʒj divide in pilulas quatuor; omnes serat statim capienda.</i></p> <p>better; bowels have been briskly moved. This woman continued for several days in a lazy torpid state, without any sign of disease, acute or chronic, wherefore imagining she had some heavy burden on her mind, some concealed crime, I urged her so closely by tender persuasion, to disclose her sorrow, that at length I found she had no other mental disease than indolence; upon which I turned her out of the Hospital.</p> <p style="text-align: right;">Discharged</p>
Scrophula		<p>Mr. Butler's child aet:6 December 15<sup>th</sup> at Sea</p>	<p style="text-align: center;"><b>Scrophula</b></p> <p>This child, a boy, whose parents are Scrophulus, embarked in the following condition, - an abscess in the hip joint, which discharged a thin acrid semi purulent fluid, a little below the trochanter major, a considerable curvature of the middle dorsal vertebrae outwards; extreme emaciation of the body, incapability of an erect posture; hectic (hectic fever); a good appetite at times, bowels always very lax: he has been ill several months; and under the care of Sir. A. Cooper.</p> <p>Jan 1 <i>Rx. Mist. Cratae. Zij. Conf. Aromat. zfs.</i> <i>Tinct. Opii g<sup>ss</sup> x M fiat Mistura.</i></p> <p>Daily sinking</p> <p>20 <i>Rx. Tinct. ferri.mur – Cinnam C. aa zi Aq Puræ ʒvj M sumat. cochl. j. minimum bis in die.</i></p> <p>The integuments about the hip are thinning, and the orifice for the discharge of the abscess has ulcerated: a thin, foetid fluid, very acrid is now poured out, reddening the integuments. The only local application is a Saturnine lotion. Porter &amp; Wine are liberally used. The pulse has always been small, &amp; quick; it is now become very frequent, &amp; small.</p> <p>21 Convulsions have come on. <span style="float: right;">Died 21<sup>st</sup></span></p>

<p>Phthisis</p> <p>PB051103.JPG</p>		<p>Mr E. Butler aet: 35</p> <p>April 5</p>	<p style="text-align: center;"><b>Phthisis</b></p> <p>He has been ill with symptoms of tubercles in the Lungs, for nearly 3 years; and this complaint is hereditary in the family of both his, and his wife's. He has resided both at Nice, and at Madeira; but only derived temporary relief. His emaciation is great; the pulse has been for a long period at 120: respiration short, frequent, and easily deranged by gentle exertions of the body; frequent cough with a copious expectoration of purulent matter; night sweats; incapability of a horizontal position; swellings of the feet. appetite good; no pain in the chest. not capable of making a full inspiration: cheeks often flushed, finger nails much curved. In a few words, it may be said that his body presents the true consumptive habit; and the symptoms of the disease are such as shew that dissolution will take place in a few weeks. Having been somewhat professionally educated, he prescribes for himself occasionally.</p> <p>After a slow progress, the respiratory powers became at last unable to perform their office; mental aberration occurred, in the two nights preceding his death; but it was not of long continuance: the appetite continued vigorous to the last day or two, and his hopes of recovery were often lively.</p> <p style="text-align: right;">Died 5<sup>th</sup>.</p>
<p>Atrophia</p>		<p>Mary Kewley's infant December 24<sup>th</sup>.</p>	<p style="text-align: center;"><b>Atrophia</b></p> <p>This infant was brought on board extremely emaciated, and seemed to have suffered from want of nourishment, and want of proper nursing; its mother being indolent, and without much milk. The infant was placed under the care of the Hospital woman, and every attention paid to it; but its constitution was past amendment.</p> <p style="text-align: right;">Died 24</p>
<p>Cachexia</p>		<p>Mr J. Falloon aet.45</p>	<p style="text-align: center;"><b>Cachexia</b></p> <p>This man joined the Ship at Woolwich:- he had an unhealthy aspect, his cheeks being puffy &amp; pale; feet and ankles œdematous; breath foetid; gums spongy. He didn't complain of illness; and I soon discovered that he had destroyed his constitution, nearly, by habits of intemperance; and drinking of Spirits. From certain causes he, and his family, which was numerous, made no provision for the long voyage they were about to perform, altho' I warned them of the consequences of living on nothing but the Ship rations.</p> <p>After a time he found his strength begin to fail, because his allowance of Rum was too small; it was likewise not pleasant to his stomach; upon which he engaged with the Master to supply him with Rum, daily. He seemed to become better, by having this supply of Spirits, yet his limbs were daily wasting, and his appetite for food declining. At length; finding his strength greatly reduced; he sent to inform me of it; and to shew me his legs. I found him sinking from constitutional decay induced by habits of intemperance; the legs presented a tight glossy surface, of a red colour; and covered with purple maculæ; and numerous petechiæ: the muscles greatly emaciated; the feet of a pale doughy appearance; face</p>

PB051104.JPG			<p>sallow; breath extremely foetid, gums spongy; teeth decayed; sometimes a trifling epistaxis had occurred:- he felt rheumatic pains in the large joints. The pulse was 75, and weak. tongue clean;- no appetite for his usual rations: want of sleep; temper naturally irascible.</p> <p>I recommended him instantly to apply to the Master to victual him from the Cabin table, which he did, giving him also Wine &amp; Porter. The change of Diet procured an immediate amendment. and he bid fair to live to arrive at New South Wales. The only Medicines I prescribed were Tonics, and an Opiate at bedtime but he would only take the latter, with a liberal supply of his usual potion. But at last the powers of the stomach failed; stimulants no longer roused them, and he died without pain, or struggle; having only kept his bed a few hours. Died Feb 28<sup>th</sup>.</p>
Hysteria, Nostalgia? (sic)		Miss M. Falloon aet.18 December 17 at Sea	<p style="text-align: center;"><b>Hysteria, Nostalgia?</b></p> <p>This young woman took to her bed a fortnight ago as soon as the Ship got under weigh at Gravesend. Much stormy weather assailed us, and sea sickness immediately affected her and all the rest of the passengers. Her bowels being torpid, she has repeated taken purgative medicines. She now complains of nausea; languor; a melancholy pervades her mind; pulse regular; tongue covered with a thick dirty mucus, and along the middle; a dry brown crust, teeth encrusted; and dry; breath foetid; skin moist; pain rather acute in the cardiac region of the thorax; no cough; pain felt in the left side, of the thorax when a full inspiration is made; and also when the hand is laid on this part: she is irritable, will not allow any examination to be made, nor even scarcely admit her hand to be touched. She has no appetite; bowels are confined; no thirst; menses have been suppressed for the last 6 months and she has had not much good health since childhood. The remote cause of her present state seems to be mental affliction at being taken from England &amp; having a lover behind; a torpor of the Liver, &amp; other organs connected with it, being induced, the foregoing symptoms appear to be the effects.</p> <p><i>Rx. Ext. Colocynth. C. gr. v</i> <i>Hyd. Submur. gr. i M fiat pilula ter die s.</i> <i>Rx. pulv. Antim. gr. iv. ter die s. in melli.</i></p> <p>18 No change <i>Rep. omnia</i> <i>Rx. Ol. Ricini. zvj. statim</i></p> <p>19 bowels have been twice moved; the motions very solid. Skin always moist. <i>Rep. pil è Colocynth.</i></p> <p>20 <i>Rep. pil. Rx. pil. Hydrargy gr v. o. nocte s.</i></p> <p>21 No motions since 18<sup>th</sup>. <i>Rep. Ol. Ricini statim</i> <i>Rep. pilula è Colocynth. vespere.</i></p> <p>22 Tongue remains furred – the motions passed since yesterday have been copious, moist, and clay coloured: she takes food when she can get what she wishes. <i>Rx. pil. Hydrargyri. gr. v. h.s.s. et mane.</i></p> <p>23 One clay coloured motion yesterday. She is more</p>

PB051105.JPG		Therm. 78° 1 <sup>st</sup> Jan <sup>y</sup> .	<p>cheerful; tongue is cleaner; she sleeps moderately well; gums are sore:  <i>Omitt<sup>r</sup>. pil. Hydr.</i>  <i>Rx. Sulp. Magnes. zij. pulv. Rhei. g<sup>r</sup> xv. Aq. Menth. pip. Zij M ft. haust. s.s.</i></p> <p>23 4 P.M. Melancholic state of the mind; internal senses wander at times; general uneasiness of the head; moaning; unwilling to be disturbed; bowels torpid; pulse 80. tongue much furred; skin moist.  <i>Rx. Inf. Sennæ Zijj. Sulph. Magnes zi M fiat haust. s.s.</i>  <i>Imponator Empl. Lyttæ nuchæ.</i></p> <p>24 She has passed several dark green coloured foetid motions; after which her mind became clear, and cheerful; she does not recollect when the blister was applied. tongue less furred: gums sore.  <i>Rep. pil. Hyd. h.s.</i></p> <p>25 <i>Rep. Haust. purgans.</i></p> <p>26 bowels free – moderate appetite  <i>Rx. Inf. Anthemid. Zij Acid. Nit<sup>r</sup>. d. g<sup>tt</sup> x M ft. haust. ter die.</i></p> <p>28 bowels torpid; mind clouded; tongue furred; pulse 78. appetite moderate.  <i>Rep. Haust. purgans.</i>  <i>Rep. pil. Colocynth. h.s.</i></p> <p>29 No motion: no change  <i>Rep. pil. Colocynth. ter die</i></p> <p>30 bowels open: tongue cleaner  <i>Rep. Inf. Anthemid.</i></p> <p>bowels torpid; tongue furred, &amp; moist. appetite vigorous.  <i>Rx. Ext. Colocynth. C. g<sup>r</sup> x. h.s.s.</i>  <i>Rep. Haust. è Sennæ c. m. s.</i></p> <p>No appetite; slight headach. &amp; thirst; pain on the left side more sensibly felt; pulse 80. She has passed one dark watery motion.  <i>Rx. Mist. Salin. Inf. Anthemid. aa Zijj</i>  <i>Sulph. Magnes. Zij M fiat mistura pars tertia ter die sumendus.</i></p> <p>2 <i>Rep. Mist.</i></p> <p>4 P.M. Much uneasiness in the Stomach which seems to oppressed by undigested aliment. bowels torpid.  <i>Rx Ol. Ricini. ziv. Tinct. Rhei zi Aq. M.P. Zifs M fiat haust. omni 2<sup>ta</sup> hora donec alvus responderit.</i>  <i>Utator fatus communis ad epigastrium</i></p> <p>3 Gums not sore; the fomentation removed the gastric uneasiness; only one stool has been procured, from 3 draughts.  <i>Rx. pulv. Jalap. g<sup>r</sup> x.</i>  <i>---- Rhei g<sup>r</sup> v</i>  <i>Hyd. Submur. g<sup>r</sup> iv Theriacæ q.s. M ft. Colus. statim s.</i>  <i>Rx. pil. Hydr. g<sup>r</sup> v. o.n.</i>  <i>Rep. Mist.</i></p> <p>10 P.M. a muttering delirium from which she can be roused, she complains of acute pain in the left side, &amp; also in the region of the spleen: pulse 84. she ate a dinner today. skin hot &amp; moist; has passed one clayey motion; tongue dry; and with teeth covered by a brown thick fur.  <i>Imponator Empl. Lyttæ. magnum parti dolenti.</i>  <i>Rx. Jalap. pulv. et Rhei. aa ʒj. Sulph. Magnes. zij.</i>  <i>Inf. Sennæ Zijj Ol. M.P. g<sup>tt</sup> ij M fiat haustus primo luce sumendus</i></p>
--------------	--	---	---

			<p>4 P.M. Delirium more or less remained till 9 o'clock this morning; she is quiet, and the mind clear.  <i>Rep. Mist.</i></p> <p>10 P.M. Delirium, with frequent screaming, general irritability, so much so, that she will not permit anyone to touch her: she complains of pain in the side &amp; epigastrium: pulse 96; soft: skin moist, tongue brown, &amp; dry: she has passed 5 copious liquid, yellow motions: respiration natural.  <i>Rx. Mist. Camph. Zvj. Carb. Ammon. zfs. Tinct. Opii g<sup>tt</sup> xxx M fiat Mistura. Sumat Cochl. magnum omni 4<sup>ta</sup> hora fouctus? episgastrium.</i></p> <p>5  <i>Habeat Vini Cochl. ij pro re nata.</i></p> <p>8 A.M. Delirium, and fits of screaming prevailed nearly all night; at the intervals she slept: she also took some Sago &amp; Wine in the night. She is now perfectly sensible; has no pain; has a good appetite; the tongue is moist, and covered with a dirty yellow mucus; the pulse 84, soft; skin moist, urine always natural; at least her mother says so.  <i>Rx. pil. Hyd. g<sup>r</sup> v. ter die s.</i>  <i>Rx. Inf. Anthemid. Zij. Mist. Salin Zij. Tinct. Opii g<sup>tt</sup> xx M fiat Mistura cujus Sumat Cochl. magn. iij 5<sup>ta</sup> q. hora</i></p> <p>6  She slept well, and has a good appetite; tongue cleaner than it has been, no motions since the 4<sup>th</sup>.  <i>Rx. Inf. Anthemid. Z vj</i>  <i>Sulph. Magn. zj M Mist. pars tertia 3 die s.</i>  <i>Rx. Ext. Colocynth. C. g<sup>r</sup> xij</i>  <i>Hyd. Submur g<sup>r</sup> iv M fiat pilula iij. h.s.s.</i>  <i>rep. pil. Hyd.</i></p> <p>7  No motions; she is uneasy, &amp; passed a restless night, feels something obstructing inspiration.  <i>Rep. Haust. Sennæ (dici 3<sup>ter</sup>?) statim</i>  <i>Rep. Mist.</i>  <i>Rep. pil. Hyd.</i></p> <p>8  For the first time the tongue is clean, &amp; moist; she has passed a large, very solid, natural motion; appetite vigorous; no pain in any part; pulse 80, soft; she feels an internal swelling in the side on inspiring; she will not quit her Bed.  <i>Rx. Inf. Gentian. C. Zij. Sulph. Magn. Zj M ft Mist? pars tertia ter die sumenda</i>  <i>Rx. pil. Hyd. pulv. Rhei aa g<sup>r</sup> v M f.t pil. omni nocte sumenda.</i></p>
Synocha Mites <b>PB051106.JPG</b>		Sarah Evens aet. 24 Convict Dec 22  A. Raisin? aet.18 C. Biggs aet 21 S. Brain? aet 24 S. Williams aet 24 M.A. Williams aet 25 E. Benson aet18 H. Hutchings -- 19 E. Moore? -- 22 M .Shaw --15 H. McKenna --29	<p style="text-align: center;"><b>Synocha Mites</b></p> Complains of pain in the limbs, and forehead; lassitude; heat; restlessness, thirst: bowels confined; pulse regular. <i>Rx. Sulph. Mag. zij. Aq. M.P. Zij M s.s. et repetatur hic haustus donec alvus bene responderit</i> <i>Mittatur Sanguis è brachio usque ad syncopen.</i> <p>All these women had similar complaints and were treated in the above manner. Some required considerable purging,- and several had the blood letting repeated. Of course these cases were soon discharged.</p>



PB051107.JPG			<p>8 <i>Rep. Haust. purg.</i> <i>Emplas. Lyttæ pone aurem adhibendum.</i> better; less acute pain; visuals less disturbed.</p> <p>9 <i>Rep. Collyr.</i> Red vessels fast diminishing; pulse natural.</p> <p>11 <i>Rep. Collyr</i> Very few vessels are seen in the left conjunctiva;- but the right eye is beginning to be inflamed. The patient is confined to a dark place; and all stimuli avoided. <i>Rx. Jalap. ꝑi Sulph. Magn. zj</i> <i>Inf. Sennæ. Zij M haust. s.s.</i> <i>Utator Collyrium</i></p> <p>12 better</p> <p>13 “</p> <p>14 both eyes are free from pain, a few red vessels are seen on each cornea. <i>Rx. Sulph. Zinci. g<sup>r</sup> vj</i> <i>Aq. puræ Hfs M fiat Collyr. pro oculis</i></p> <p>20 Right eye is inflamed. <i>Rep. Haust. purgans. s.</i> <i>Rx. pil. Calom. ꝑ Opii bis die s.</i> <i>Admoventus Emplastra è Lyttæ ad tempus, et pone aurem dextram.</i></p> <p>21 Mouth slightly sore – there is less pain the eye; vessels are distended. <i>Rep. Collyr.</i></p> <p>22 No change <i>Rx. Pulv. Cinchon. zj ter die s.</i></p> <p>23 Inflammation has appeared passive, but it now seems disposed to be again active; pulse soft; bowels open. <i>Rep. Cinch.</i></p> <p>24 Active inflammation in each eye. much pricking pain &amp; intolerance of light: bowels not open. <i>Rx. pulv. Jalap.g<sup>r</sup> xv Hyd. Submur. g<sup>r</sup> ij</i> <i>Saponis.q.s. M ft pil iv. s.s.</i> <i>admoveantor Emp. Lyttæ pone aures.</i> <i>omitt<sup>r</sup>. Cinch. Rep. Colly. è plumb.</i></p> <p>25 better <i>Rep. Colly<sup>r</sup>.</i></p> <p>26 the left eye is nearly a natural state; right eye less inflamed. <i>Imponatur Empl. è Lyttæ temp. dextro</i> <i>Rx. Hyd. Sub. g<sup>r</sup> ij Ant. tart. g<sup>r</sup> ¼ opii g<sup>r</sup> ½ Mucilag. q.s. fiat pil bis dis s.</i></p> <p>27 Gums tender; appetite bad: the transparent cornea is not affected, but the opaque cornea of the right eye is inflamed; some pain in the head. <i>Rx. Ant. tart.g<sup>r</sup> j Super tart. potass. zj m fiat. pulv. ter die sum<sup>s</sup>.</i> <i>Imponatur Empl. Lyttæ magnum nuchæ.</i> <i>Rx. Sulph. Zinci g<sup>r</sup> vj Aq. puræ Zvij M fiat Colly<sup>r</sup>.</i></p> <p>28 Considerable amendment; bowels open <i>Rep. pulveris.</i></p> <p>29 The vessels of the right are more distended, but there is not so much action, as appeared on the 27<sup>th</sup>. The left eye is again inflamed. The powders have briskly operated on the primæ viæ; pulse 80 firm; some pain in the forehead. <i>Admoveator Empl. Lyttæ pone aures. V.S. ad Zxx</i> P.M. Great amendment, both locally and generally, has resulted from the abstraction of blood.</p>
--------------	--	--	--

		30 Feb. 3	better The eyes are nearly in a healthy state. <i>Rep. Collyr.</i>
		5	No local or constitutional complaint.
		6	Contrary to orders she yesterday quitted the Hospital & went on the fore-castle, remained there several hours, and also drank some spirits. The consequence is a distended state of the vessels of the right eye, with the common symptoms of inflammation of this organ. <i>Instillantor interpalpebral Liq. Plumbi. subacet. gutta dua.</i> <i>Rep. Collyr.</i> <i>Rep. pil purgantis</i>
		7	In the evening very few red vessels were seen. <i>Rep. Liq. plumbi</i> This treatment was continued for a few days, with tonics internally, and the constitution became healthy. Discharged
Hysteria PB051108.JPG		Sarah Day 18 February 3 Therm 75° 10 A.M.	<b>Hysteria</b> A delicate made girl, who had been on the town. Having had her bowels confined for several days, with a slight general indisposition; she was seized in the night by a pain in the bowels and a purging. The pain ceased. Half an hour ago she was suddenly seized by a pain in the course of the colon; pain increased, and removed to the umbilicus, where it is now excessively acute, and she screams in a terrific manner; the pain remits for 5 or 10 minutes; it is accompanied with globus hystericus; the pain when present is mitigated by pressure. The menses have just appeared: the pulse unaffected; tongue clean. <i>Rx. Tinct: Opii g<sup>ii</sup> xi</i> <i>Aq. Ment. p. Zifs M fiat haust. s.s.</i> <i>Rx. Hyd. Submur. g<sup>i</sup> iv</i> <i>Jalapa g<sup>r</sup> vj Mucilagnus Acacia q.s. M fiat pilulae duo s.s.</i> <i>fovetur Abdomen assidue aqua calida</i> 6 P.M. After the application of the fomentation the pain remitted; and in an hour ceased entirely: the bowels have been several times moved; and she has also vomited; she now seems very drowsy, and the eyes have an appearance of intoxication,- the vessels of the conjunctiva are relaxed, and distended. 4 3 P.M. A return of pain in the umbilical, & hypogastric regions; globus hystericus. <i>Rep. fotus</i> <i>Rx. Opii g<sup>i</sup> j statim s.</i> 5 No particular complaint; the menses are copious – 14 Having been sitting on deck, more than two hours, the weather being damp she felt chilly and went below & after a few minutes was seized by uneasiness in the hypogastric region. She is now affected with convulsions of the muscles of the abdomen & limbs, which continue a few minutes, & then remit, feet very cold; severe pain in the region of the uterus. <i>Utator fotus pro abdomine et pedibus instanter, donec cessas dolor</i> <i>Rx. Tinct. Opii g<sup>ii</sup> xxx</i> <i>Cinnam. C. zi</i>

PB051109.JPG		<p>15</p> <p>16</p> <p>16<sup>th</sup>.</p> <p>17</p> <p>18</p>	<p><i>Aq. M.P. Zij M fiat haust. s.s.</i> <i>Rep. pil Jalap.</i></p> <p>9 A.M. The pain &amp; convulsions went off in about half an hour after the commencement of the fomentation: she has passed a quiet night:- the eyes are red, and the countenance has a wildness overspreading it.</p> <p>A lethargic state is present, from which she can be roused, but she is not conscious of surrounding objects; and immediately falls again into a state of lethargy; temperature of the skin below natural; feet covered by a cold sweat: pulse 50, regular; she has been twice purged. Friction was ordered to be applied to the limbs; the body to be constantly agitated; stimulants to be applied to the nostrils; wine to be given in small quantities frequently, whenever deglutition were practicable. By this treatment the temperature gradually increased together with the pulse; and consciousness was revived.</p> <p>6 P.M. Lethargic state, with the before mentioned symptoms of diminished nervous power, recurred this evening, &amp; remained an hour or more, requiring the treatment prescribed in the morning. She has taken half a pint of wine today, and ate a good dinner: the menses ceased a day or two ago.</p> <p>Passed a tranquil night – objects around her appear confused, and her brains feel disturbed.</p> <p>4 P.M. Soon after having taken dinner, she was found lying in a lethargic state; and when she is roused from this, she talks rationally but on irrational subjects, and is not conscious of the objects that surround her; the pulse 50, feet, &amp; palms of the hands covered by a cold sweat. before this paroxysm occurred the feet were warm, &amp; pulse was 70. Respiration natural; she sometimes sighs, and then falls into a fit of laughter in which she continues, till, being exhausted, she falls into a state of insensibility. The pupils are natural; tongue clean. Her looks indicate wildness. Sometimes she is unable to articulate for the duration of some seconds.</p> <p><i>Empl. Lyttæ nuchæ admovendum</i> <i>Rx. Hydr. Submur. g<sup>r</sup> v. s.s.</i> <i>Utator pediluvium</i> <i>Rx. Sp<sup>r</sup> Aether. Vit. C. g<sup>ss</sup>xx in Cynth. Aqua. sumenda pro re nata.</i></p> <p>The paroxysm continued till 4 o'clock this morning. She has no recollection of past events; pulse is weak. 70. She has passed one natural motion.</p> <p><i>Rx. pulv. Cinch. ʒj Mist. Camph. Z iij.</i> <i>Sp<sup>r</sup> Aeth. Vit. C. zij M Sumat, Cochl. ij magn. 4<sup>ta</sup> q.h.</i> <i>Habeat Vini. ant? Zj. ter die.</i></p> <p>8 P.M. A paroxysm recurred at 4 P.M. &amp; continued two hours, – there was delirium, laughing; &amp; a certain degree of wantonness in the looks as if furor uterinus were present. She sat up &amp; discoursed freely on a few subjects that seemed to have strongly impressed her mind; but she was not conscious of all this, and after the paroxysm had ceased she appeared to awake, without any recollection of what had passed.</p> <p>Passed a quiet night; some uneasiness in the forehead; pulse 70; feet cold; tongue clean; appetite good.</p> <p><i>Rep. Mist.</i></p> <p>8 P.M. At 4 o'clock the usual train of symptoms of</p>
--------------	--	---	--

PB051110.JPG		<p>19</p> <p>20</p> <p>21</p> <p>22</p> <p>March 4.</p> <p>5</p>	<p>disturbed nervous power came on, &amp; remained two hours.</p> <p>No complaint, but debility.</p> <p><i>Rx. pulv. Cinchon. zi. omni 4<sup>a</sup> hora, s. sed. à Meridie ad horam quartam usque, capiatus cinchona omni hora.</i></p> <p><i>Rep. Vinam.</i></p> <p>8 P.M. at 4 o'clock an uneasiness was felt in the forehead, and it was expected that a paroxysm would occur, but the uneasiness gradually ceased: feet are warm.</p> <p>No change</p> <p><i>Rep. Cinchona omni hora usque ad horam quartam post meridiem dein repetatur omni 3<sup>a</sup> hora.</i></p> <p>About 5 P.M. yesterday the feet became cold; a coldness gradually ascended upwards to the abdomen, where it ceased; at the same time she felt a depression of spirits, and uneasiness in the forehead;- after a few minutes these threatening signs of a paroxysm went off:- the Cinchona has deranged the bowels.</p> <p><i>Rx. Tinct. ferri. mur. g<sup>ss</sup> xij ter die s. in quavis vehiculo.</i></p> <p><i>Rx. pulv. Cinch. zj. Aq. Puræ Zij Sp<sup>i</sup> Ammon. g<sup>ss</sup> x. M ft. haust. ter die s.</i></p> <p>She continued well until last night when a fit of Hysteria ushered in the Catamenia.</p> <p><i>Rep. Cinch. ter die.</i></p> <p>A single fir recurred last night.</p> <p><i>Rep. Cinch.</i></p> <p style="text-align: right;">Discharged March 10</p>
Partus		Mrs Butler Passenger Feb 17 at Sea	<p style="text-align: center;"><b>Parturition</b></p> <p>This lady was taken ill yesterday, and at an early hour this morning passed through the process of parturition. Nothing unusual occurred; and she, with the infant, are doing well.</p>
Partus		Bridget Hanning aet 44 March 17 at Sea	<p>19</p> <p>This female was put to bed at an early hour this morning, of her 11<sup>th</sup> child. The mother's health has been long inferior? and the infant is extremely weak &amp; puny; from its weight and size it does not appear to have arrived at a full period of pregnancy. One of the other prisoners having a full breast of milk has taken care of the infant.</p> <p>At day break, the infant was found dead in its mother's arms, who was sleeping; the face shewed signs of compression; and I think the mother had overlain it, whilst sleeping. I made attempts to resuscitate it, but in vain.</p>
Neuralgia faciei		A. Wright March 15 at Sea	<p style="text-align: center;"><b>Neuralgis faciei</b></p> <p>10 A.M. Complains of pain at times in the right cheek, and also in the alveolar process of the lower jaw of the right side, whence the 2<sup>nd</sup> molar tooth was extracted a few weeks ago. No apparent morbid state of this part is seen; a little tumefaction is seen about the infra orbital foramen; bowels regular; appetite natural.</p> <p><i>Empl. Lyttæ. pone aurem applicandum</i></p> <p>Noon. Pain is more severe, &amp; diffused.</p>

PB051111.JPG		<p>16</p> <p>17</p> <p>18</p> <p>19</p> <p>20</p>	<p><i>Rx. pulv. Cinch. zj</i>  <i>Aq. purae Zifs Tinct: Opii g<sup>ii</sup> xxx M fiat haust. s.s.</i>  8 P.M. Pain is more severe at times; pulse regular; she menstruated a fortnight ago; she is subject to pain in the teeth.</p> <p><i>Rx. Opii g<sup>r</sup> ij s.s.</i>  <i>Rx. Sulph. Magn. Zij Mist. Salin. Zifs M ft. h.s.s.</i>  Passed a bad night; and this morning she has had a fit of Hysteria, with much palpitation, and convulsions of the abdominal muscles; pulse weak; hands cold. cheek very painful; touching it does not affect it.</p> <p><i>Rx. Haust. purgans .s.s.</i>  <i>Rx. pulv. Cinchon. zj. Aq. purae Zij Acid. Sulph. dilut. g<sup>ii</sup> xx M fiat h. ter die s.</i>  1 P.M. The pain is excruciating; a cold saturnine embrocation is now applied to the face.  4 P.M. No change.</p> <p><i>Rx. Opii g<sup>r</sup> ij s.s.</i>  8 PM. No change: she has had two more fits of Hysteria; the bowels are open; pulse regular, but weak; tongue clean; skin cool. The pain has scarcely remitted today. The only remaining molar tooth having a black spot on the crown, I extracted it, and caused the mouth to be well fomented by hot water.</p> <p><i>Rx. Mist: Salin. Zifs. pulv. Ipecac. Comp. g<sup>r</sup> x M fiat haust. s.s.</i>  8 AM. Had very little rest; hysteric paroxysms with opisthotonics often recur; but they are not severe. The continuance of pain prevents her taking any food; but the motions of the jaw do not affect the pain.</p> <p><i>Rx. Ant. tart. g<sup>r</sup> ij. pulv. Ipecac. g<sup>r</sup> x M fiat emeticus. s.s.</i>  <i>Rx. Ext. Hyoscyami. g<sup>r</sup> v. pulv. Cinch. zfs. Mist. Camph. Zifs M ft. haust. ter in die s.</i></p> <p>18  8 PM. The same as yesterday  <i>Rep. Opium</i>  8 A.M. She slept at intervals, and there is less pain in the face, but various anomalous symptoms, of a fugacious kind, exists, and disturb her. Hysteria as before: bowels open.  <i>Rep. Haust. ter die.</i>  8 P.M. No change.</p> <p>19  <i>Rep. Opium</i>  10 AM. Passed a bad night; she had a severe &amp; long fit of Hysteria this morning, during which the pulse was small and weak; extremities cold. During the fits a stimulant cathartic enema was injected, and this stopped the paroxysm.</p> <p><i>Rx. Tinct. ferri. mur. g<sup>ii</sup> xxx Vini rubri. Zij. M fiat haust. s.s. et post horam repetendus.</i>  1PM. No change; secretions &amp; excretions are regular; circulation languid from the long watching of the patient.</p> <p><i>Rx. Ext Hyoscyam. g<sup>ii</sup> x.</i>  <i>pulv. Cinchon. Zj. Aq. purae. Zij M fiat. haust. actava hora sum.-</i>  8 P.M. She has passed this day as before; but a remission of pain has now taken place; she has been thrice purged. The Hyoscyamus is all expended.</p> <p>20  <i>Rx. Hyd. Submur. gr ij Ant. tart. gr ¼. Opii g<sup>r</sup> iifs M ft pil. s.s.</i></p>
--------------	--	---	--

PB051112.JPG		<p>21</p> <p>9AM. Had some hours sleep; &amp; freedom from pain; it has again recurred, with the usual fits of hysteria.  <i>Rep. pil. è Opii, tantum g<sup>r</sup> fs ter die.</i>  2P.M. Severe pain which causes this patient to moan &amp; weep.  <i>Rx. Opii g<sup>r</sup> ij s.s.</i>  8 P.M. Intervals of freedom from pain, and then a severe renewal of it.  <i>Rx. Opii g<sup>r</sup> j s.s.</i>  She has not had any sleep. Nor has the pain remitted; it is very severe.  <i>Rx. Opii g<sup>r</sup> ij s.s.</i>  10 A.M. No change; head confused from the opium; pulse beginning to sink in strength. She has vomited much green bilious fluid: bowels open; nausea &amp; vomiting are present from the pitching of the Ship. The mouth is slightly affected by the Mercury: tongue has a dirty white fur.  <i>Rep. pil. ter die.</i>  <i>Rx. Cinch. pulv. zj. Vini. rubri Zj.</i>  <i>Aq. puræ Zfs. M fiat. haust omni 4<sup>a</sup> hora s.</i>  2 P.M. Constant pain, &amp; frequent fits of hysteria.  <i>Empl. Lyttæ magnum, inter scapulas applicandum.</i>  8 P.M. No change. All the teeth of the upper jaw are sound. I have scarified the gums down to the bone, in the situations lately occupied by the extracted molares(sic), but no relief has been afforded. The face has a natural appearance. She takes very little food.</p> <p>22</p> <p><i>Rx. Haust. Salin. è Tinct. Opii g<sup>tt</sup> xxxv s.s.</i>  10 A.M. She was tortured by the pain all night; at 7 this morning she fell into a slumber, and now she has awoken, and is free from pain. A subacute pain is however now felt under the lower end of the sternum. A very slight ptyalism is present; gums are not sore.  <i>Rep. pil. ter die.</i>  <i>Rep. Cinchona.</i>  <i>Empl. Lyttæ. sterno admovendum.</i>  4 P.M. A renewal of the pain at noon; with a fit of Hysteria which continued 15 minutes, during which she lay insensible to all stimuli: the hands &amp; feet being cold: the gums are sore; ptyalism increasing.  <i>Omitt<sup>r</sup>. pil.</i></p> <p>23</p> <p>8 P.M. The pain is less severe.  <i>Rep. Haust. Salin, cum Tinct. Opii zfs. s.</i>  10 A.M. Had some sleep; pain less severe; no pain under the sternum: menses have appeared.  <i>Rx. pulv. Cinch. ʒj pulv. Zinzib. g<sup>r</sup> v.</i>  <i>Aq. puræ Zifs. Acid Sulph. dil. g<sup>tt</sup> v M ft. Haust. om. 2<sup>a</sup> hora.</i>  <i>Habeat acgra Vinum ad libitum.</i></p> <p>24</p> <p>1 P.M. the pain has shifted from the cheek to the temple, to the great joy of the patient, as in this situation she says it is sufferable.  7 P.M. About half an hour ago the pain suddenly returned to its original seat, and it is very severe. She takes about half a pint of Port Wine daily.  <i>Rx. Tinct. Opii g<sup>tt</sup> v s.s.</i>  <i>Empl. Lyttæ. pone aurem applicandum.</i>  10 A.M. The pain continued till midnight, it then moderated and she fell into sleep. Having slept 4 or 5</p>	
--------------	--	---	--

			<p>hours she was awakened suddenly by a most excruciating pain, which caused her to scream, and this roused the attendants. This severe pain continued a short time, and then suddenly ceased. She has now no complaint.</p> <p><i>Rep. Cinch.</i>  <i>Rx. Opii gr ij. s.s. et meridie, acgra habeat granum.</i>  8 P.M. No complaint.</p> <p>25 <i>Rep. Opii gr ij.</i>  10 A.M. At 11 last night the pain returned, it has continued with more or less severity till now: bowels free. The Menses are flowing in natural quantity. Ptyalism has ceased: teeth sore.</p> <p><i>Rx. Liq. Arsenicatis gr<sup>ii</sup> x in Aqua cyathe. 8<sup>ta</sup> hora sumenda.-</i></p> <p>26 8 P.M. No change.  10 A.M. The pain gradually abated last night, and she fell asleep. She has now no complaints, and has left her bed, having kept it for 8 days.</p> <p><i>Rep. Liq. Arsenicalis.</i></p> <p>27 P.M. No complaint.  9 A.M. She slept well; has a good appetite, &amp; is very cheerful: but she feels some griping, &amp; pain in the stomach. She has taken 40 drops of the Liq. Asenicali in 36 hours; the Neuralgia ceased after the second dose and the disease appears to be cured.</p>
Vulnus cum tendinum divisione		<p>Mary A. Lacy  Aet. 24  Febraury 18</p>	<p style="text-align: center;"><b>Vulnus cum tendinum divisione</b></p> <p>Whilst carrying an earthen vessel she fell &amp; broke it into many pieces some of which inflicted several simple wounds on the arms &amp; hands. On the dorsal side of the left hand the integuments, and two extensor tendons were divided by a transverse wound, 3 inches in extent; the metacarpel bone of the middle finger was fissured &amp; its periosteum lacerated.</p> <p>Dressed the wounds simply; having placed the fore arm &amp; hand on a splint, &amp; supported them by a sling.</p> <p>22 Renewed the dressings; a large portion of the wound is united; a small quantity of purulent secretion is poured out from the other portion.</p> <p>27 Renewed the dressings: a small discharge of an oily composition, is poured out. The patient is on Hospital diet.</p> <p>29 Renewed the Dressings; adhesion has taken place in all the extent of the wounds; and the other wounds are healed.</p> <p>March 7 Wound healed: no power of extending the 1<sup>st</sup> &amp; 2<sup>nd</sup> fingers.</p>
PB051113.JPG			
Sanguis Congestio in pulmone		<p>Mary Partridge  aet 21 Convict  at Sea March 15</p>	<p style="text-align: center;"><b>Sanguinis Congestio in pulmone</b></p> <p>This woman is of a pale countenance, morbid aspect, retired habits and since she has been on board has indulged in silent grief, from being separated from her Mother. So says her sister, who is a girl of different habits. Partridge has not menstruated for several months. At present there is no other evident complaint, than general debility. She is ordered Hospital diet, and Cinchona.</p>

PB051114.JPG		<p>Weather stormy Therm. 56°</p>	<p>22 Slight catarrhal affection. <i>Omitt' Cinchona.</i> <i>Rx. Haust. Salin. Common. ter die s. cum Sulph. Magnes. zfs.</i> P.M. A sensation of tightness under the sternum in coughing &amp; inspiring; pulse weak. <i>Empl. Lyttæ sterno applicandum</i></p> <p>24 has a slight cough, and small expectoration of mucus: a soreness is felt under the sternum; pulse 80. weak bowels regular. no appetite. <i>Applicitor. Empl. Lyttæ. parti dolenti.</i> <i>Rx. Ext. Conii. g' iij ter die.</i></p> <p>26 Frequent short cough, without pain: appetite but little; bowels regular; respiration obstructed, but not painful. strength diminishing daily. pulse 70, tongue clean &amp; moist; skin moist. <i>Rep. Haust. Salin ter die.</i> A.M. There seems to be some morbid state of the bronchiæ. <i>Rep. Empl. Lyttæ.</i></p> <p>27 10 A.M. A febrile odour of the body; lips dry &amp; black; a dirty mucus along the middle of the tongue, and thicker &amp; darker towards the base; skin moist. pulse small &amp; feeble, 90. a dull pain in inspiring is felt below the right breast. moderate appetite; bowels open. She is ordered to be washed with warm water &amp; soap, &amp; placed in the Hospital. <i>Empl. Lyttæ. parti dolenti applic.</i> <i>Rep. Haust. Salin.</i> <i>RX. pulv. Antim. Hyd. Subm. aa. g' ij Opii g' fs. Mucilag. q.s. ut fiat pilula. ter die. s.</i> 9 P.M. pulse small &amp; feeble 120. she can lie easily in any position; slight febrile heat of skin; mucus expectorated is small in quantity &amp; foetid – breath foetid. bowels regular.</p> <p>28 Sweated freely during the night, &amp; slept: pulse 100. extremely small. <i>Rep. pil.</i> <i>Rx. Inf. Gentian. C. Zifs. pulv. Ipecac. Comp. gr v. M ft. haust. 6<sup>ta</sup> q. h.s.</i> P.M. No change. Skin cool: pulse two(sic) small to be numbered: appetite good: short hoarse cough: no pain in any part, but an impediment in the chest, preventing a full &amp; free inspiration. bowels free: slight mercurial odour of the breath: great debility. <i>Omitt' pil.</i> <i>Rep. Haust.</i> <i>Vin. Rubrium pro re nata libendum est.</i></p> <p>30 8 P.M. No change. Irritability of the stomach &amp; bowels, with loss of appetite; and a purging of bilious matters. <i>Rep. Haust. Vin?. pulv. Ipecac. C.</i> <i>Rx. Mist. Crete. – pro re nata.</i></p> <p>31 P.M. bowels easy; appetite improving; the other symptoms remain. A hectic flush in the face: a strong typhoid exhalation from the body, skin moist; pulse small &amp; indistinct. <i>Rep. Haust.</i> 5 P.M. Suddenly seized with rigor: pulse indistinct.</p>
--------------	--	--------------------------------------	---

		<p>April 1</p>	<p><i>Rx. Vini. Rubri. Zifs. Tinct. Opii g<sup>ss</sup> xx M.ft. haust. s.s.</i>  Was delirious in the night. pulse scarcely to be felt:  senses clear.  <i>Rep. remedia</i>  8 P.M. Sinking.</p> <p style="text-align: right;">April 1<sup>st</sup>.  Died</p> <p style="text-align: center;"><b>Dissectio</b></p> <p>In the right cavity of the thorax were found about 5 pints of fluid blood, very thin, and several coagula. lungs on this side hepatized. In the inferior part of the lung was found an empty sac, formed by the pleura pulmonis, which had been filled with blood, several coagula were remaining in it. No tubercula in the lungs: liver healthy.</p>

ABSTRACT of the preceding JOURNAL, being a  
Summary of all Cases contained therein.

Nature of the Disease or Hurt.	Put on the Sick List.	Discharged to Duty.	Sent to the Hospital.	Died on Board.
Continued Fevers....				
Fluxes .....				
Scurvy .....				
Ulcers.....				
Wounds & Accidents..	/	/		
Rheumatism .....				
Pulmonic Inflammation	/	/		
Intermittent Fevers ..				
<i>Catarhus</i>	8	8		
<i>Icterus</i>	/	/		
<i>Cholera</i>	/	/		
<i>Scrophula</i>	/	"		/
<i>Tubercis</i>	/	"		/
<i>Atrophia</i>	/	"		/
<i>Cachexia</i>	/	"		/
<i>Hysteria</i>	/	/		
<i>Synocha vicia</i>	23	23		
<i>Phlegmon</i>	/	/		
<i>Ophthalmia</i>	/	/		
<i>Parus</i>	2	2		
<i>Neuralgia</i>	/	/		
<i>Sanguinis con-</i> <i>it pulmon</i>	/			/
Other Complaints....	100	100		
Total .....	146	141		5

## GENERAL REMARKS

PB051115.JPG

James Hall  
Surgeon Superintendent

Gentlemen,

The preceding cases afford little matter for Remarks as they were simple, and their histories, will, I hope, be considered sufficiently elucidatory to show forth their characters.

Among female convicts the principal complaints originate from Dyspepsia, functional disturbance of the Uterine System, and Obstipatio: hence arise a numerous train of symptoms, all which are easily removed by early and correct discernment? of the cause. I have always found myself much retarded in my treatment of these complaints, by want of a few remedies applicable to the Uterine System in their modus operandi; and also in the great deficiency of emollient and resinous purgative medicines. Indeed the cases of obstipatio are so many, and very often the lower portion of the intestinal tube is so loaded; as not only to create difficulty, but often excite alarm. Obstructions for a fortnight are often occurring; sometimes, even, no evacuation had been passed for three weeks. It is not necessary to mention the host of symptoms which this simple cause would excite in the vital and organic systems. In this department of the public Service, the labours of the Surgeon are much more essentially required in preventing diseases, by constantly attending to the cleanliness and exercise of the women, with an uniform system of kind, but strict management, than in curing them. –

I have the honour to be  
Gentlemen  
Your most obedient  
humble servant  
James Hall (2)  
Surgeon

22 Arundel St  
17 January 1825



**James Hall**  
1784-1869

James hall made four voyages to Australia as Surgeon Superintendent of a convict ship. In 1820 on board the *Agamemnon*, 1821 on the *Mary-Ann*, 1824 on the *Brothers* and in 1832 on the *Georgiana*. The first and fourth were male convict ships and were uneventful voyages. The voyages on the female ships were much more eventful.

He is listed on the Australian Dictionary of Biography Online.

Family history is well documented.