

SURGEON'S JOURNAL OF HIS MAJESTY'S FEMALE CONVICT SHIP MARY ANNE 1822
MR JAMES HALL(2) SURGEON SUPERINTENDENT
BETWEEN 27th OCTOBER 1821 and 23^d MAY 1822

108 convicts departed Portsmouth England on 25 December 1821 via Rio De Janeiro
 & arriving at Hobart Town VDL on 2nd May 1822 (45 women disembarked) and arriving at Port Jackson, New
 South Wales on 20th May 1822 (62 women disembarked) (1 woman died at sea)

ADM 101/52/1

PA310957JPG

[JOURNAL COVER PAGE]


21

ADM 101 5/011

339 ⁵²/₁

Stamped PUBLIC RECORDS OFFICE

[signed]



[TAB RIGHT SIDE - ADM101/52/1 MARY ANN 1821-1822 (108 FEMALES)]

MEDICAL AND SURGICAL JOURNAL OF THE FEMALE CONVICT SHIP,
MARY ANN

between the 27th October 1821 and the 23^d May 1822 during which Time the said Ship has been
employed in a voyage to N.S. Wales

Mens' Names, Ages, Qualities, Time when and where taken ill.	The History, Symptoms, Treatment, and daily Progress of the Disease or Hurt	When discharged to Duty, Died, or sent to the Hospital.
PA310958JPG Sarah Best Ellen McNelly æt. 40 et. supra.	<p style="text-align: center;">Die Jovis 29^{no} Novembris</p> Obstipatio intestinorum vexat <i>Rx. pil: purgantes è Jalapa s.s.</i> <i>(Rx. Jalapæ g^r iv. Subm. Hydr. g^r. Sapon g^r ij ꝯꝯ</i> <i>ft pilulæ)</i> Morbus uteri chronicus, aliaque mala <i>Rx. pil. è Rhes. s.s.</i> <i>Rx. Rhei g^r iv. Submur Hyd g^r i ꝯꝯ.</i> <hr style="width: 50%; margin: auto;"/> <p style="text-align: center;">Die Solis 2^{de} December</p> Hemorrhoides <i>Rx. pil. Rhei. N^o iij. s.s.</i> Obstipatio <i>Rx. pil. Jalapæ N^o 3. s.s.</i>	

Elizabeth Boucher	Obstipatio <i>Rx. pil. Jalap N^o 3. s.s.</i>
Mary Champion	idem <i>Rx. pil. Jalap N^o 3.</i>
<hr/> Die Luna 3 <hr/>	
M. Taylor) A. Phillips) M. Hamill	Obstipatio <i>Rx. pil. Jalap N^o 3.</i> Cruris erythema – <i>Adhibeatur liquor, plumbi subacelatis dilutum</i> <i>Rx. pil. Jalap N^o 3.</i>
McNelly	Consider the chronic disease of the Uteris, she has a palpitation of the heart, and an aneurismal pulsation in the epigastrics region, pulse quick & small; no appetite. The sign of internal aneurism has been visible, she says, several months. <i>Rx. pil: Rhei N^o 3.</i>
<hr/> Die Martis <hr/>	
M. Easterbrook	Rheumatalgia <i>Rx. pulv. Ipecac. comp. g^r iij ter die s.</i>
Ann Williams	Scald of the arm <i>Applicⁿ catapl. calid</i>
<hr/> Die 12^{mo} Decembris <hr/>	
PA310959JPG Mary Davis	Contusion & sprain of the tarsus & a painful tumefaction of a small space of the left side 8 th rib. <i>Adhib^s. Lotio frigidæ ad pedem.</i> <i>V.S. ad ℥x ij. Rx. pil. purgantes Jalapæ tres s.s.</i>
Mary Burtenwood	When formerly at N.S. Wales, she had a Dysentery: a slight chronic state of that disease exists. <i>Rx. Hydrargy. Submur g^r ij.</i> <i>Ant. tart. g^r ¼ Opii. g^r fs ℥ s.s.</i> <i>Cilaginis q.v. ft. pilulæ ter die s.</i>
Mary A. Newland	A painful enlargement of some of the lactiferous tubes of the right mamma – menses irregular. <i>Rx. Sulph. Sodæ ziiij statim</i> <i>R.x pil. Hyd. submur. g^r iij h.s.</i> <i>fovetur mamma ter die et applicetur</i> <i>Cataplasma calidum</i>
M. Kinchley	Contusion of the side, by a fall. <i>V.S. ad ℥8.</i>
<hr/> Die 14^{mo} <hr/>	
N^o 1	
Sarah Fletcher æt. 23	A robust, country woman, complains of symptoms of pleuritis. <i>V.S ad ℥x ij. Rx. pil. Jalap. N^o 3. s.s.</i>
Davis	<i>Rep. pil.</i>
Keziah Hulley	Exhibits symptoms of insanity; but they seem feigned. <i>Rx. pulv. Jalap. comp. ʒj.s.s.</i>
S. Princes Child	Febricula. <i>Rx pulv. Rhei g^r iij</i> <i>Submur. Hyd g^r ij ℥ s.s.</i>
N^o 2	
Mary Ann Smith æt 26	This woman is very low in spirits, and relates a number of ailments of a chronic nature, under which she has been labouring for several years, the most prominent seem to have been diseases of the abdomen viscera, & dropsy, with

		amenorrhœa. During the last six years the menses has been absent: she has never conceived, she asserts. She has no desire for food, has a great aversion to the taking of Medicines, & is very irritable in her temper. <i>Rx. pil. Jalap. N^o iij.</i>
C. Flanagan		Has slight attack of pleuritis. <i>V.S. ad ̄x ij. Rx. pil. purgantes.</i> <i>N^o 3. s.s. Rx. pulv. Ipecac. Comp.</i> <i>g^r. v.h.s.s.</i>
Fletcher	P.M.	Difficult inspiration; pleuritic symptoms augmented: pulse 98. <i>V.S. ad ̄xvj. Rx. pil. purgantes.</i> <i>N^o 3 cras peruio mane. s.</i> <i>Rx. pulv. Ipecac. comp. g^r.v.h.s.s.</i>
		Die 15^{mo}
Fletcher		Blood not cupped; the symptoms continue, with acute pain under the left mamma; pulse weak- bowels open. <i>Imponator Empl è Lyttæ parti dolente.</i> <i>Rx. pulv. Antim: g^rr iij. ter die s.</i>
J. Jarvis æt 40		Amenorrhœa et urino retention <i>Rx. pulv. Jalap. Comp. ̄ij.s.s.</i>
Newland		<i>Rep. remedia externa, et haustus purgantem</i>
E. Cattle		Obstipatio <i>Rx. pil. purgantes. N^o iij.s.</i>
Smith		<i>Rx. Sulph. Magnes. zij. pulv. Rhei</i> <i>g^rx. Aq. Ment. pip ̄zifs. ̄f haust. s.s.</i>
Flanagan		Better <i>Rx. Sulph. Sodæ. zij. s.s.</i>
		Die 16^{mo}
Davis		<i>Rx. Sulph. Sodæ zij. s.s.</i>
Mary Loyd æt 21		Has an attack of pleuritis. <i>V.S. ad ̄xv Rx. Sodæ Sulph. ziv. s.s.</i>
Smith		Complains of great pain in the vertex; pulse regular; but rather quick. <i>V.S. ad ̄xx</i> <i>Rx. pil. Antim – g^r v. ter die s.</i>
Flanagan		Has an augmentation of the pleuritic symptoms. <i>V.S. ad ̄x ij. Rx. Sulph. Sodæ.</i> <i>zij. s.s. Empl. Lyttæ pectori imponendum.</i>
Fletcher		No change for the better, pulse 118 soft; bowels open. no cough. <i>V.S. ad ̄xvj. Rep pulv. Antim</i>
PA310960JPG M. Brooks æt 20		Has rising symptoms of pleuritis <i>V.S. ad ̄xx – Rx Sulph. Sodæ zij.s.s.</i> <i>Rx. pulv. Antimon: g^r iij ter die s.</i>
C. Brian		Has a slight Catarrh. <i>Rx. Haust. purgans. s.s.</i> <i>Rx. pil. Antim. g^r iij ter die s.</i>
Fletcher	P.M.	General symptoms diminished; acute pain is felt under the left mamma, laterally. <i>Imponator Empl. Lyttæ. lateri.</i> <i>Rx. Tinct. Opii g^{ss}x. Liq: Antim tart.</i> <i>zfs. Mist: Salinæ communis ̄zifs ̄f haust. s.s.</i> <i>̄zifs M f. haust. s.s.</i>
Brooks Loyd		Better- <i>Imponator Empl. Lyttæ. lateri.</i> Better, pain is felt in the side, & confined bowels.

Mrs Ray's Child æt 2	<p><i>Imponator Empl. Lyttæ. lateri</i> <i>Rx. Ext. Colocynth C. g^r x ij Submur</i> <i>Hyd. g^r iij ℥^f pil iij. s.s.</i></p> <p>Has a diarrhœa from irritability of the intestines. <i>Rx. Mist. Cretæ. ℥ij. Tinct. Opil</i> <i>g^{tt}x. Capiat cochl. minima duobus p.r.n. .</i></p>	
Mrs McLeod's Child æt 6	<p>Has an Ophthalmia <i>Rx. pulv. Rhei. g^rx Hyd. Submur</i> <i>g^r ij ℥ s.s. Ututor per oculis liquor plumbi dilutum</i></p>	
Die 17^{mo}		
Fletcher	<p>Passed a bad night; pulse 104 soft & small, respiration oppressed; head-ach, thirst, no cough; skin dry. <i>Rx. Mist: Salinæ. ℥ij. 4^{ta} q.h.s.</i> <i>Rx. pil. Mercur. g^r ij ter die</i></p>	
Brooks	<p>Better <i>Rx. Mist. Saline. ter die s.</i></p>	
Loyd	<p>Better considerably, but a pain is now felt in the left side. <i>Rx. Sulph. Sodæ ℥ij s.s.</i> <i>Empl. Lyttæ lateri affect imp^m</i></p>	
McLeod's Child	<p><i>Empl. Lyttæ temporibus imp^m</i> <i>Rx. pulv. Jalap g^rx s.s.</i></p>	
Smith	<p>Much heaviness in the occiputi & flatulency of the abdomen, bowels confined; appetite defective. <i>Rx. Sulph. Magnes. ℥ij. Jalap. ℞ifs.</i></p>	
A.Griffith's Child æt 1	<p><i>Aq. M. P. ℥ij ℥ s.s.</i> Ophthalmia, bowels open. <i>Empl. Lyttæ pone aures</i> <i>applicetur liquor plumbi. dil.</i></p>	
Die 18^{mo}		
Fletcher [stamped PUBLIC RECORDS OFFICE	<p>Her general state is better; expectoration has commenced: pulse 96 small, soft: pain is felt under the sternum, and in the forehead, respiration less oppressed. <i>Empl. Lyttæ. sterno applicandum</i> <i>Rep. aliaque</i></p>	
P.M.	<p><i>Rx. pulv. Ipecac. Comp. g^r v. h.s.s.</i></p>	
Loyd	<p>Better. <i>Rep. Mist, et pilula h.s.</i></p>	
Brooks	<p>Dry, feverish state of the surface, coryza, head-ach, Thirst – oppressed respiration. <i>Rx. Mist. Salin. ℥ij ter die.</i></p>	
Smith	<p>A tumid state of the abdomen from a collection of fluid. <i>Rx. Mist. Salin. ℥ij Tinct. Digit.</i> <i>g^{tt}xx. Sp. Ath. nitr. ℥fs ℥. s.s.</i></p>	
Die 19^{mo}		
Fletcher	<p><i>Rep. Mist. Salin. cum. Sulph</i> <i>Magnes. ℞j. ter die. vel quater</i></p>	
Brooks	<p><i>Habeat haustum ut Supra 4 indie.</i></p>	
Loyd	<p><i>Habeat ut Supra.</i></p>	
Smith	<p>She passes but a small quantity of urine, the bowels are open and the abdomen is less swoln: pulse weak. <i>Rx. Supertart: potass. ℥ij in aqua cyaths sumendus</i></p>	
Die 20^{mo}		
Fletcher	<p>Acute pain under the left mamma; head-ach, thirst, pulse 96 soft, small. Slight expectoration</p>	

Brooks) Loyd) Smith		<p><i>Rx. pulv. Rhei. g^{ij}xij Submur. Hyd. g^{ij} Saponis q. s. cum aqua ut facit pil. tres. s.s. Rep. Mist.</i> <i>Empl. Lyttæ. parti. dolente impon^m.</i> <i>Rep^r Medic.</i> Bowels torpid – belly tumid, no appetite.</p>
Fenton		<p><i>Rx. pil. Jalapæ. tres. s.s.</i> Catarrh. <i>Rx. pil. Submur. Hyd. g^{ij} cum. Mist: Salina h.s.s.</i></p>
Smith	P.M.	<p>Heaviness in the vertex. <i>Empl. Lyttæ ad Nuchæ applicⁿ.</i></p>
PA310961JPG Gravesend		<hr/> Die 21^{mo} <hr/>
Fletcher		<p>Pulse weak & quick: no cough; respiration easy. <i>Rep. Mist ter die</i></p>
Loyd		<p>No complaints, but uneasiness in the head from the motion of the Ship. <i>Rep. Mist.</i></p>
Brooks Loyd	P.M.	<p><i>Rep.</i> Owing to the having imprudently passed some time in the open air, she has an acute pain under the sternum, with dyspnœa – pulse 120, small & firm. <i>V.S. ad ȝxvj.</i> <i>Empl. Lyttæ sterno applicand.</i></p>
Fletcher		<p><i>Habeat in haustus mistura.</i> <i>Tinct: Opii g^{tt}xv hora somni.</i></p>
Fletcher		<hr/> Die 22^{do} <hr/>
Fletcher		<p>Easy. <i>Rep. Mist.</i></p>
Brooks) Loyd) Fletcher	P.M.	<p>Easy. <i>Rep. Mistura</i> " Acute pain in inspiration in the <u>right</u> side; head-ach, thirst, bowels open, pulse 120, fuller than usual; very slight cough. <i>V.S. ad ȝxvj.</i> ease was given by the bloodletting; syncope came on, the blood was only a little cupped: the crassamentum was firm. <i>Rx. Tinct Opii. g^{tt}xx. Sp^t Aether Nit.</i> <i>ȝfs. Liq. Antim. tart. g^{tt}xx Mist Salin. ȝifs AA fiat haustus. s.s.</i></p>
Fletcher		<hr/> Die 23^{tio} <hr/>
Fletcher		<p>Better. Very little pain: pulse 104 small, soft. <i>Rep. pilulæ è Rhabarbaro statim</i> <i>Rep. Mistura.</i></p>
Smith		<p>Very capricious and obstinate in her temper – sometimes she will not tell her complaints, at other times will not take Medicines: has an uncertain appetite – has now nausea & head-ach: pulse regular – belly not swoln, tongue furred. <i>Habeat Emeticum s.s.</i> <i>Rx. Inf. Anthemid ȝij ter die s.</i></p>
Loyd		<p>Head-ach; pains in the chest; pulse regular <i>Rx. pil. purg. iij s.s.</i> <i>Rx. Mistura</i></p>
Fletcher Loyd		<hr/> Die 24^{to} <hr/>
Fletcher Loyd		<p><i>Rep. Mistura</i> <i>Rep. Mist.</i></p>

McLeod		<i>Ulcus in pedem. Applic. Catapl.</i>
Fletcher	None	<hr/> Die 25 <hr/>
		<i>Rep. Mist</i>
Margaret Roads		<hr/> Die 27^{mo} <hr/>
Fletcher		Note. All complaints are absorbed by sea sickness, which prevails to a large extent over the prisoners. The only complaint is dizziness in the head, & debility: bowels torpid.
	P.M.	<i>Rep. pil Rhei.</i> bowels torpid – appetite variable, dull pain on pressing the Liver, and constant uneasiness in the forehead; tongue moist & white, pulse 90 soft; motions are dark. <i>Empl. Lyttæ. hypochondris imp^m</i> <i>Rx. Submur. Hydr. g^{ij} Opii</i> <i>g^½ Ant. tart. g^¼ Mucilag. q.s.</i> <i>fiat pil. Mercurialis. h.s.s.</i>
Fletcher		<hr/> Die 28 <hr/>
		Less uneasiness in the hypochondrium. <i>Rep. pil. bis. die</i>
Keziah Hulley æt 50		A severe contusion of the great toe, by an accidental blow. <i>Applic: Cataplasma cum Aceto.</i>
Fletcher		<hr/> Die 29^{no} <hr/>
		Gums sore – much uneasiness about the course of the colon, recurring at intervals: no pain in the hypochondrium, debility – appetite but little – nausea, pulse 94 soft; skin cool; tongue brown. <i>Rx. Inf: sennæ. ℥ijj. pulv. Rhei ʒj</i> <i>Sulph. Magnes. ʒj. Ol. Menth. pip. g^{ttj}. ℞ f^o haust. s.s.</i> <i>Rep. pil. h.s. hora post</i>
PA310962JPG near Madeira		<hr/> Die Luna 14 Januarii 1822 <hr/>
Fletcher		Since the 30 th of December she has been convalescent, and daily on deck; but still much debilitated. She now complains of a nausea, uneasiness in the forehead & defective appetite. <i>Rx. pulv. Ipecac ʒj. s.s.</i>
C. Wilson		Has much nausea; tongue furred. <i>Hab^t Emeticum s.</i>
Smith		Dull in her countenance, melancholy in her manner, & irascible, pulse regular, but weak – appetite very weak, & bowels torpid. <i>Rep. Inf. Anthemid cum. acid. N. Oil</i> <i>g^{ttx}. ter die s.</i>
Mrs Lake	f.w.	She has suffered violently from sea sickness; and fears for the safety of the Ship have very much saddened her mind: her debility is very great. Wine, cordial & fresh diet are given her. <i>Rx. Inf. Quassia. ℥ij. acid</i> <i>Nit. dilute. g^{ttx} ℞ ter die s.</i>
Sharman		<hr/> Die 15^{mo} <hr/>
		Has head-ach, lassitude uneasiness in the stomach, with various other symptoms; the consequences of a change of climate operating on the various systems in the body. <i>V.S. ad ℥x vj</i>

Easterbrook		<p><i>Rx. Inf. Sennæ ℥ijj Sulph. Sodæ ꝑiv</i> <i>Ol. M. P. g^{ttj} ℥ fiat haustus s.s.</i></p> <p>Queritus ut supra.</p> <p><i>Habeat eadem remedia</i></p>
Davis		<p>Much pain in the tumour of the left side; head-ach, & dyspnea <i>V.S. ad ℥xviiij.</i> <i>Rx. Haustus è Senna st. s.</i></p>
Fletcher		<p>Seems only to have a debility of the stomach, & system at large.</p> <p><i>Rx. Inf. Quassiæ cum. Acid. Nit.</i> <i>Oil. g^{ttx} ter die. s.</i></p>
Walton æt 18		<p>When in Gaol, Smith gave her a severe blow in the right iliac region, causing a pain which she often feels rather severe, this happened 2 or 3 months ago: her menses have since then been irregular, & did not appear lately, as they ought to have. She now has Epistaxis, pulse regular.</p> <p><i>V.S. ad ℥xxiv</i> <i>Rx. pil. Jalap. iv. s.s.</i></p>
Smith	P.M.	<p>Great depression of mind, irritability of the stomach, especially excited by any medicines, pulse small, weak, skin cool; tongue clear & moist, bowels torpid; she sleeps naturally:</p> <p><i>Imponator Empl. Lyttæ. parv.</i> <i>ad Epigastrium.</i></p>
Fletcher		<p>Has some pain in the forehead.</p> <p><i>Rep. pil. Rhei. N^o iij. s.s.</i></p>
Die 16^{mo}		
Smith		<p>More lively in spirits than usual, her diet is nutritive and varied by her wish: diluted wine is given her now & then.</p>
Campbell æt 30		<p>Head-ach, pain in the epigastrium, loss of appetite, & strength.</p> <p><i>V.S. ad ℥xij. Rx. Haust. è Senna. s.s.</i></p>
Webster æt 24		<p>Has much pain in the head, apparent debility, loss of appetite &c.</p> <p><i>V.S. ad ℥xx. Rx. pil. Jalap. iij s.s.</i></p>
Gray æt 19		<p>Head-ach &c as above.</p> <p><i>Habeat remedia ut supra.</i></p>
Pendard		<p>Much nausea with frequent pain in the head, tongue furred.</p> <p><i>Rx. pulv. Ipecac. ꝑj. Ant. tart. g^{ij}</i> <i>℥ pro emetic statim sumendæ.</i></p>
Fletcher	6 P.M.	<p>Some nausea; dull pain in the right hypochondrium, & forehead.</p> <p><i>Habeat haustus è Senna.</i></p> <p>Increased pain in the hypochondrium, bowels open; pulse 80, soft, tongue moist, skin cool, appetite moderate. <i>Empl. Lyttæ. hypochondriæ Imponendum.</i></p> <p><i>Rx. pil. Hydrargyri g^x pulv. Rhei g^{vj} ℥^f. Pil. iij statim sum^æ.</i></p>
Fenton æt 30	9 P.M.	<p>Subject to inflammation of the bowels & urinary calculi, with constipation, complains of tenderness of the umbilical region, & distension of the belly; nausea, & vomiting, thirst, pulse regular, skin cool; menses are present.</p> <p><i>Rx. Ol Ricini. ℥j in Aq. M. P. s.</i></p> <p>Increased tenderness & swelling of the belly; acute pricking pain over the internal surface of the belly, & twisting of the bowels; occasionally slight rigors are felt in the back.</p>

<p>PA310963JPG</p> <p>midnight</p>	<p>The bowels have been these times moved by the oil: pulse small & firm, 100. <i>V.S. ad 340. (Synscope commenced).</i> <i>Rx. Hydr: Submur: g^r iv. Mucilaginis q.s. f^o pil. s.s.</i> A return of the pricking, burning pain, pulse small & firm: skin not hot, much twisting of the bowels. <i>V.S. ad 3xxvj: (pulse sank).</i> <i>Imponator Empl. Lyttæ. mag^m Circum Umbilicum.</i> <i>Rx. Tinct: Opii. g^{tt}xxx s.s.</i></p>	
<p>Smith</p>	<p style="text-align: center;">Die 17^{mo}</p> <p>Stomach is more irritable than before, as soon as any kind of Medicine is swallowed; a dull pain is felt at the Epigastrium. The blister has scarcely acted: the pulse is small, & soft; tongue clear:- the treatment is dietetic. <i>Rep. Empl. Lyttæ.</i></p>	
<p>Fletcher Hulley</p>	<p><i>Rep. pil Hydr.</i> A considerable slough is coming away from the contusion of the toes, & the phalanges of the 2nd joint grate on each other. <i>Rx. Cinchon ʒj. Vin. Rubri. ʒj. ʒʒ</i> <i>f^o haust. ter die s.</i> <i>Rep. Cataplasma ter die.</i></p>	
<p>Campbell's Child æt 2½</p>	<p>Ophthalmia <i>Rx. pulv. Rhei g^rx. Hyd. Sub. g^rij ʒʒ. s.s. Empl^a Lyttæ temporibus Imponenda. Adhibeatur Liquor plumbi subacet. dilutum.</i></p>	
<p>Fenton</p>	<p>Passed an easy night, being only now & then disturbed by vomiting; thirst is present: bowels free. <i>Bibat acgra. Decoct. Hordie p.r.n.</i></p>	
<p>Burton</p>	<p>Head-ach, nausea, confined bowels, & loss of appetite. <i>V.S. ad 3xvj.</i> <i>Rx. Haustus è Senna s.s.</i></p>	
<p>Halliwell</p>	<p>Head-ach, dull pain in the left hypochondrium; debility; nausea. <i>V.S. ad 3xx. Rx. pil. Jalapæ. iij. s.s.</i></p>	
<p>Easterbrook æt 22</p>	<p>Head-ach, giddiness, pain in the right side (hypochondrium) debility. <i>V.S. ad 3xx. Rx. Haust. è Senna s.s.</i></p>	
<p>Dowd æt 28</p>	<p>Has the same kind of complaints as Easterbrook; cause the same. <i>Habeat Haustum è Senna.</i></p>	
<p>Stevenson</p>	<p><i>ut Supra –</i> <i>Capiat idem remedium.</i></p>	
<p>Edyvean æt 18 Rawlings æt 24 Burgess æt 22 Cattle æt24</p>	<p>These complain of much uneasiness in the region of the liver, pain in the forehead, giddiness; loss of muscular power, nausea, torpid bowels. <i>V.S. ad 3xx.</i> <i>Rx. Haust.è Senna statim.</i></p>	
<p>Prince's Child Blake's Children</p>	<p>Nausea, disordered condition of the intestines; loss of appetite. <i>Rx. pulv. Rhei cum Sub. Hyd.</i></p>	
<p>Ray's Child P.M. Champion alias Burton Hilton) Bridge)</p>	<p>Fresh diet. <i>Rx. Haustus Emeticus s.s.</i> These complain of slight head-ach, & giddiness; from heat & increased secretion of bile. <i>Rx. Haust. è Senna.</i></p>	

Fenton	Pulse regular, small, soft: blister has vesicated well; bowels open, & abdomen easy; tongue white. <i>Rep. pil. Submur. Hyd.</i>
	Die 18^{mo}
Fenton Fletcher Chapman	<i>Rx. Haust. è Senna. s.s. et Vespere.</i> <i>Rep. pil.</i> Head-ach, loss of appetite, &c. nausea, &c. <i>V.S. ad ℥xvj. Rx. pil. Jalap. iij. s.s.</i>
Wheeler	Head-ach, nausea &c. <i>V.S. ad ℥xvj. Rx. pil. Jalap. iij. s.s.</i> Note. Above a dozen persons daily receive purgative medicines, to remove slight complaints arising from heat; & torpid bowels.
	Die 19^{no}
Fletcher Fenton	No change: <i>Rep. pil. Hydr.</i> Bowels torpid. <i>Rep. Ol. Ricini.</i>
	Die 20^{mo}
PA310964JPG Fenton	Passed several motions in the night, & is now free from complaint.
Fletcher	The bowels are very indolent, and the head is frequently uneasy.
Smith	Remained as before: <i>Rep. Inf. Anthemid.</i>
	Die 21^{mo}
Fletcher	Debility; variable appetite, and throbbing pain at the temples. <i>Rx. Haust. purgans.</i> <i>Imponator Emplastria è Lyttæ temporibus</i> <i>Rep. Inf. Anthemid.</i>
Smith Bridge	Head-ach, pain in the side, torpid bowels. <i>V.S. ad ℥xij. Rx. pil. Jalap. iij. s.s.</i>
Dowd Bryan C. Taylor Payne Blake	idem morbus – eadem remedia idem “ eadem “ idem “ eadem “ idem “ eadem “ <i>Rx. Haust. è Sennæ s.</i> <i>Rx. Sulph. Magnes. zij. Aq. M.P. ℥jfs. ℞. s.s.</i>
	Die 22
Fletcher	Pain removed from the temples – no other change: bowels torpid, & only one or two small motions are generally procured by the purgative given. <i>Rep. Haust. purgans.</i>
Campbell Moreton	<i>Rep. Haustus è Senna.</i> Languor, debility, loss of appetite, torpid bowels. <i>Rx. Haustus è Senna. s.s.</i>
Fletcher	<i>Rx. Sulph. Magnes. ℥ijj Rhei. ℞j. Aq. Ment. pip. ℥jfs M s.s. et meridie repetendus si. opus. sit</i>
Webster	Head-ach, languor, loss of muscular power, nausea; hurried circulation. <i>V.S. ad ℥xij. Rx. Haustus è Senna s.s.</i>
Bush	Head-ach, thirst, quick pulse <i>V.S. ad ℥xvj, Rx. Haust. purgans. s.</i>
Slater	<i>ut supra. Adhibeatur eadem remedia.</i>

Sullivan		<i>ut supra. Adhib^s remedia.</i>
		Die 23^{to}
Campbell and 3 chldn.		Are all infected with scabies. The family dirty, & mother indolent. <i>Utator Ung. Sulph. bic bis die</i>
Webster		No other uneasiness than what is caused by undigested food irritating the stomach. <i>Rx. Ipecacuan – ʒj. pro. singulis</i>
Sharman Fletcher		<i>ut emeticus</i> As before: <i>Rep. pil. Rhei.</i>
Smith		Wastes daily; stomach & temper equally capricious & irritable, pulse regular, & small. <i>Rx. Inf. Quassia: ʒijfs. Tinct. Lav. C. g^{tt}xx</i> <i>M fiat haustus 3 vel 4: in die s.</i> Diet sago, wine. Preserved Meats.
		Die 24^{to}
McCarthy		Pain in the head, lassitude, debility, loss of appetite; thirst; torpid bowels; quick pulse. <i>V.S. ad ʒxij. Rx. Haust. purgans. è Senna statim s.</i>
Fenton		Is troubled with calculi; but refuses to take medicines, other than what she pleases. <i>Rep. Haust. purgans.</i>
Fletcher Smith		<i>Rep. Haust. purgans.</i> A serious disturbed state of the stomach exists – the mildest food, and most simple medicines are vomited up, some after they have been swallowed. A quantity of a dark green fluid is now vomited at intervals, a smarting or burning pain is now constantly felt at the scrobiculis cordis, and is increased by pressure; the bowels are now relaxed, and the stools are thin, pulse 120 small, & weak: thirst – tongue clear. The last blister scarcely inflamed the skin. Her mind is very irritable, & revengeful. <i>Rep. Inf. Quassia</i> <i>Habeat Vinum cum Aromatibus</i>
PA310965JPG Williams æt 26		Severe pain in the head from exposure to the sun's rays. <i>V.S. ad ʒxx. Rx. pil. Jalap. iv. s.s.</i>
Smith	6 P.M.	In the afternoon she got out of bed to examine her bag of clothes, when, missing some things, she entered into a violent fit of anger which, by exhausting her powers, nearly deprived her of life. After an hour, the pulse, previously imperceptible, gradually rose, and her senses returned, frictions & volatiles having been employed. She now lies in a very languid state, & frequently vomits abundantly of an inky or dark green water, having a sediment. <i>Rx. Tinct. Lavand. C. Tinct</i>
	9 P.M.	<i>Opii è g^{tt}xxv. M. s.s.</i>
Mary Loyd æt 22		A few days ago she scalded her arm; it was cured by suppuration. During the day she has been indisposed generally, with an uneasiness in the abdomen. She now complains of severe acute pain around the umbilicus, with much tenderness on pressure; head-ach; thirst; bowels regular. <i>V.S. ad ʒxxvj.</i> <i>Rx. Hydr. Submur: g^r vj. pulv: Antim. g^r iij.</i>

		<i>Opii g' ifs Mucilag: q.s. M fiant pil. tres. s.s.</i>	
	11 P.M.	The pain remitted by the blood-letting, but has now returned with violence: pulse 110, small & firm. <i>V.S. ad ℥xxx. Empl. Lyttæ. mag. abdomini applic.</i> <i>Rx. Ol. Ricini. ℥fs. Aq: M.P.</i> <i>℥ifs. Tinct. Opii g^{tt}xxv. ℞. s.s.</i> Acute pain in the tumour of the side, & quick pulse. <i>V.S. ad ℥xx.</i> Note: The weather being hot, & calm, many of the women have fainted tonight.	
	5 A.M.	Die 25^{mo}	
Loyd		There is still much pain, tenderness & distension of the belly, but considerably less than before: pulse small & tense. <i>V.S. ad ℥x. Rep. Ol. Ricini sine Opio</i>	
Smith		She has had some sleep; pulse stronger than it was: she has vomited a blackish fluid twice; the bowels have been moved; the stools are feculent & watery; tongue brown & moist: constant burning pain in the epigastrium. <i>Empl. Lyttæ parvus epigastrio</i> <i>Habeat acgra vinum. saepe; et Cerevisæ</i>	
Fenton		Has been troubled with cordiolgia, nausea, & vomiting: tongue furred. <i>Habeat Emeticum</i> <i>Rx. Inf. Quassia ℥ij. ter die s.</i>	
Fletcher		Appears to suffer from the heat, & is often troubled with fits of Hysteria.	
	8 P.M.	Complains of much pain in the Hypogastric & Umbilical regions which are tender on pressure, and the belly is much distended. The bowels are torpid; she has not had a motion for two days and has not passed any urine since the 23 ^d or 72 hours: she concealed her state from motives of delicacy, and a fear of taking medicine. The pulse is 100, small, soft: thirst, strong desire to pass her urine, with total inability: tongue clear, moist – she refuses both the administering of all Enema, & the introducing of a Catheter. <i>Rx. Ol. Ricini. ℥vj. Tinct. Opii g^{tt}xxv.</i> <i>Aq. M. P. ℥ifs. ℞^f haust s.s.</i> <i>fovetur abdomen aqua calida.</i>	
	10 P.M.	Symptoms increasing: no motion. <i>Rx. Ol. Ricini. ℥j. s.s.</i>	
Smith		Hiccup has commenced, with a frequent vomiting of black fluid; tongue brown, & dry; frequent small liquid bilicus stools: the blister has only slightly vesicated the skin; pulse 130 small, weak. The saline draught with cordials & opiates, given effervescing, will not remain many minutes in the stomach, but Bottled porter does, & it has a sedative power over the patient.	
		Die 26^{mo}	
PA310966JPG Fletcher	5 A.M.	Symptoms greatly augmented, the whole belly, from the pubes to the sternum, is now greatly swoln, & tender, pulse soft, but very quick; much thirst & great restlessness. She now consented to have an Enema, and to permit the introduction of a Catheter. The belly has been assiduously fomented, no stool has been passed; pulse 120. <i>V.S. ad ℥ij.</i> The pulse gradually increased in frequency and	

		diminished in force & diameter as the blood issued from the arm; & the vein was therefore closed: the patient then fell into syncope. About 2 pints of urine of a high colour were drawn off. <i>Rx. Sulph. magnes. ℥ij. pulv.</i> <i>Rhei g'xxv. Inf. Senna ℥ijj ℥ f' haust. s.s.</i> <i>Injiciatur Enema Communis purgans statim.</i>	
Smith	9 A.M.	She was relieved greatly by the discharge of urine; she is now generally better; she has passed one copious feculent stool: the pulse 120, small & soft. <i>Repetatur fatus. ad Abdomen</i> <i>Rx. Inf. Quassia. ℥ij. pulv. cinch. g'x –</i> <i>Rhei g'xij. Tinct. Lav. C. g'txx ℥ fiat haust. ter die s.</i>	
Fenton		The only change is a greater degree of fullness of the pulse: the senses are very clear. Beer is her favourite drink, & the only medicine of any service to her.	
Fletcher	3 P.M.	Is debilitated; and capricious. <i>Rx. Inf. Quassia cum acidis.</i> <i>Sulph. dil. g'tx ter die s.</i>	
Davis		Has passed one stool, & also urine, in a small quantity: acute pain is occasionally felt in the belly, & much tenderness is felt below & about the umbilicus, on pressure. The belly is still swoln: pulse 118 small & weak. <i>Omitt' fatus – Imponator Empl. Lyttæ magnum. infra. umbilicum.</i> <i>Rep. Enema purgans.</i>	
Fletcher	9 P.M.	Complains of acute pain in the side; tongue dry, & system a little feverish, bowels confined.	
Smith		Some abdominal uneasiness and confined bowels. <i>Rx. Ol. Ricini. ℥ij.s.</i>	
		She now makes preparation to meet her fate in another world: the mind is very clear, but her temper irascible & vindictive: the pulse increases in frequency, but diminishes in force. The stools at times pass involuntary, are very offensive, black, & watery: vomiting less frequent.	
		Die 27	
Smith		Pulse scarcely perceptible, and she often appears to be articulo mortis ^[at the point of death] .	
Fletcher		Much better; much less swelling of the belly; has passed these motions in the night; pulse 108, fuller than before. <i>Rx. Inf. Quass. ℥ijfs Sulph. magnes. ℔j.</i> <i>pulv. cinchon. g'v. ℥ fiat haustus. ter die s.s.</i>	
Fenton		No stool, much griping, and uneasiness in the belly. <i>Rx. pulv. Rhei. g'x Hyd. Submur</i> <i>g'iv. mucilaginis. q.s. fiat bolus. s.s.</i>	
Mrs Leake	Noon f.w.	This woman is labouring under great debility and depression of spirits, the consequence of sea sickness and imaginary fears: her bowels are very torpid, & she has not had a motion for above a week; she now feels great uneasiness in the belly. She has long been on the Hospital diet: pulse small. <i>Rx. pil. purgantes. iij. s.s.</i>	
Smith		No pulse can be felt at the wrist; the hands & feet all cold, & purple in colour. She now & then is raised on her pillow to drink porter; when she still gives vent to her irritable temper.	
PA310967JPG Mary Walton æt 17		This girl is affected with amenorrhœa. Two periods having	

		<p>passed without the return of the menses. Three or four months ago she received a severe blow in the right iliac region, from Smith (the woman is now dying), and since then she has been much troubled with pains in the belly, & ailment. At various periods during the last fortnight she was attacked with discharges of blood from the stomach, and nostrils. Bloodletting, purging &c. only suspended the haemorrhage for 2 or 3 days. Last night I gave her <i>Ol. Terebinth. ℥j. pro se.</i> She vomited it after a few minutes. Today she took only <i>℥ij</i> combined with mucilage, but this was vomited.</p> <p><i>V.S. ad ℥xxiv. Rep. Haust. Ol. Tereb. h.s.</i></p>	
Lake	4 P.M.	<p>Violent abdominal pain; no stool has been passed: belly hard, & distended.</p> <p><i>Rx. Inf Sennæ Hj. Sulph. Sodæ ℥vj. Ol[ivæ] Comm. ℥ij. ℞ f Enema s. injicienda Rx. Ol. Ricini ℥ Aq. puræ ℥ij ℞ s.s.</i></p>	
Percival		<p>Much pain in the head, and languor.</p> <p><i>V.S. ad ℥xx.</i></p>	
Smith Lake	8 P.M.	<p><u>Obiit</u> Has, after manual labour, passed a very indurated motion, and this has been followed by others, with great relief to her.</p> <p><i>Rx. Ext. Colocynth. C. g'xv. f pil. iij. h.s.s. ℥i</i></p>	[27 January 1822]
Fletcher		<p>Belly is tumid, painful, & tender to the touch, especially about the Hypogastrium, she has not passed any urine since yesterday: no stool today: pulse 110, small, soft, tongue moist: in the morning she ate a little food.</p> <p><i>Rx. Mist Salin. ℥ij. Comp Aromat. ℞fs Ol. Menth. pip. g'.j. Sp^t Ath. Nit. ℥fs ℞ f haustus statim. Rx. Ext. Colocynth C. g'xv f pil. iij s.s.</i></p>	
	midnight	<p>Increase of pain, tenderness, & distension of the belly; great restlessness, urgent desire to pass the urine: she refused in the early part of the night to allow the Catheter to be passed, but having now consented, about 3 pints of urine were drawn off, with instant relief to her.</p> <p><i>Rx. Haust cum Tinct. Opii g^{tt}xxx.</i></p>	
		<hr/> <p>Die 28</p>	
Fenton		<p>Pain & tenderness of the abdomen occasional vomiting: bowels open. She refuses to take any medicine.</p>	
Fletcher		<p>Some pain, tenderness & distension of the abdomen; has passed two motions, with some urine, pulse 106, small weak: now and then a slight desire for food is present.</p> <p><i>Rx. pil. Hydrargyri g'v.</i></p>	
	noon	<p><i>bis die s.</i></p>	
Walton		<p>Has much pain in the hypogastric region; urine scalds, & comes away guttatim; this strangury came on early in the morning, but she did mention it, when she took the draught of <i>Ol. Terebinth</i> today.</p> <p><i>Habeat Inf. Sambuci ad libitum.</i></p>	
Lake		<p><i>Rep. pil. Colocynth h.s. Rx. Inf. Quassia ℥j. Vin Rubri: ℥j ℞ f haust. ter die s.</i></p>	
Walton	2 P.M.	<p>Violent pain in the hypogastric region: great restlessness, pulse 120, small & firm: not passed any stool, nor urine.</p> <p><i>V.S. ad ℥xij. fovetur pars affecta</i></p>	
Fletcher		<p>The belly is greatly swoln; the swelling is equable, & tense, like an accumulation of serous fluid in the peritoneal sac; the belly</p>	

<p>Walton 6 P.M. PA310968JPG Fletcher 9 P.M.</p>	<p>is painful, & very tender on pressure. <i>Rx. Mist. Salin. ℥ij. Sp^t Aeth. Nit g^{tt} Tinct. Digitalis g^{tt}xx ℥ f^t haust: Vespere Sum^t.</i> <i>Rx. Ol. Ricini ℥vj mucilage. ℥iv.</i> <i>Aq. Puræ. ℥ijfs. Tinct: Opii g^{tt}xx ℥ f^t haust s.s.</i> Introduced the Catheter, and evacuated the urine.</p>	
	<hr/> <p>Die 29^{no}</p>	
<p>Owen's child æt 7</p>	<p>This is a delicate little girl; yesterday at play, she received a slight blow on the nose, which produced a trifling hæmorrhage, today she received an accidental blow on the head. A very profuse hæmorrhage ensued from the mouth & nostrils; syncope soon followed, but no sooner did this abate; than the bleeding returned, with the discharge of a large coagula from the fauces; the child lost above half a pint of blood, and seemed in danger. The little patient had all its clothes removed from the upper parts of the body, over which were laid clothes wetted with vinegar & water, especially along the course of the large vessels; the body lying with the head elevated, in a current of air. The child was kept in this position six hours; the Epistaxis did not return. <i>Rx. Mist. Salin. ℥vj. Sulph magnes. ℥ij. ℥ sumat cochl. ij Om 2^{da} hora.</i></p>	
<p>Fletcher</p>	<p>The blistered surface discharges much pus: the belly is tender, & swoln, pulse 114, small & weak; thirst.</p>	
<p>Loyd</p>	<p><i>Rx. pil. Hydrargy. g^v. ter die s.</i> <i>Rx. Inf. Quassia ℥ij. ter die s.</i></p>	
	<hr/> <p>Die 30^{mo}</p>	
<p>Fletcher</p>	<p>She is tolerably easy; has passed two motions, & also some urine: pulse 108. <i>Rep. pil. nocte maneque; Rep. Haust, cum Tinct digitalis. g^{tt}xx ter die s.</i></p>	
<p>Ellerbeck</p>	<p>Pain in the head, & left hypochondrium, lassitude. <i>V.S. ad ℥xvj.</i></p>	
<p>Fletcher A.M. 9 P.M.</p>	<p>Removing her to a fresh bed overcame her powers, & she fainted. She has some appetite, & ate a small quantity of rice. Complains of much uneasiness in the hypogastrium, and about the umbilicus; urgent desire to pass urine, but inability to do it, pain on pressing the belly, which is much distended: about 20 hours have passed since the urine was discharged or the bowels freed: pulse 110 small soft. She refuses to allow the Catheter to be introduced. <i>Rx. Ol. Ricini. ℥iv. Mucilaginis. ℥vj. Aq. M: pip. ℥j Tinct. Opii g^{tt}xx ℥ fiat haust s.s.</i> She vomited the draught. <i>Rx. Ext. Colocyth. C. g^x fiant pil. ij. s.s.</i></p>	
<p>11 P.M.</p>	<p>Symptoms increase fast: she now allowed Instrument to be passed; about a pint of high coloured urine was discharged: and relief followed. <i>Rx. Mist. Salin. ℥ij. Tinct Opii g^{tt}xx ℥ s.s.</i></p>	
<p>2 A.M.</p>	<p style="text-align: center;"> <hr/> <p>Die 31^{mo}</p> </p>	<p>Violent acute pain around the umbilicus, and in the Hypogastric region, excessive tenderness, much distension; great restlessness; much thirst; nausea; skin perspiring;</p>

		<p>tongue moist; pulse 124, small, & soft: part of the lately vesicated surface still discharges. This case seems hopeless, and I find myself between <i>Scylla & Charybdis</i> as to the safest mode to be adopted in the treatment of it – as here is an active local disease in a system labouring under great debility.</p> <p><i>V.S. ad ℥xxvj.</i> <i>fovetur abdomen aqua calida per tres horas.</i> <i>Rx. Aq. Marinae tepidæ Hj</i> <i>Sulph magnes. ʒiv. Ol. Ricini ℥ij.</i> <i>Tinct: Opii ʒj M ʒ Enema s. injicienda et repetatur post horas duas sine Opio</i></p> <p>During the flowing of the blood, the violence of the pain abated.</p> <p>The pulse diminished in diameter & fullness, but increased in rapidity, till syncope approached – the vein was then closed. After the second enema she passed two copious natural motions; the symptoms diminished; she drank some tea and fell into a slumber.</p>	
PA310969JPG			
	9 A.M.	No change: pulse 110. <i>Rep. pil: Colocynth</i> <i>Rep. Haust. cum Digitalis tincture</i>	
	10 A.M.	The severe symptoms returning: the blood drawn abounded in serum; the crassamentum was not firm. <i>Rep. Empl. Lyttæ.</i> <i>Rx. Hydr: Sumur: gʻv. Opii gʻ ¼ ℥ ʒ pil. omni 4^{ta} hora s</i> <i>Rx. Mist. Salini. ℥8. Tinct. Digitalis g^{tt} 30. Nitr: potassæ ʒfs. ℥</i> <i>fiat Mistura. sumat. cochl. ij subinde Bibat acgra infusum Sambuci vini ad libitum.</i>	
Fenton		Appetite variable; stomach irritable. <i>Rep. pil.</i>	
Walton		<i>Rx. pulv. Jalap. Comp ʒj s.s.</i>	
Loyd		Slight febrile irritation. <i>Rx. pulv. ut supra.</i>	
King		Head-ach & lassitude. <i>Rx. pil. è Jalap. N^o iij s.s.</i>	
Owen's Child		No return of the haemorrhage. <i>Rx. Sulph. magn. ℥j in aqua s.s.</i>	
Fletcher	6 P.M.	(This produced some stools in which were many coagula of blood). The symptoms are moderate – she has passed 3 copious natural motions since midnight; & also urine. She has slumbered at times during the day: pulse 112 small.	
Fletcher		Die Veneris 1^{mo}Februarie	
Loyd		Much less distension of the belly and less tenderness: the stomach is irritable, and rejects the mixture, only half of which has been taken. A mercurial odour in the patient's breath. She has taken 5 pills: pulse 108. <i>Rep. Inf. Quassiæ</i>	
Elizabeth Smith)	These women complain of head-ach, lassitude, torpor of the bowels, furred tongue.	
Beldon)	<i>Habeat singular pilulæ è Jalap</i>	
Clarke)	<i>quatres statim.</i>	
Benjamin)		
Fenton		Nothing can be done, she is captious, & perverse: says she has much abdominal uneasiness, but will not take medicine: pulse regular.	
Fletcher	noon	Having some appetite, she at a small quantity of food, and	

		drank some porter – after an hour, the stomach rejected everything it had taken: some pain is felt in the epigastrium when she vomits: the pulse was 120 at this time: the gums are not tender. <i>Rx. Hydr. submur. g^fij Opii g^fj. fiat pilula statim, et hora somni s.</i> <i>Injiciatur Enema purgans.</i>	
	Vespere		
Latitude 1° S			
Fletcher		Die 2^{do} Passed an easy night; belly swoln, & tender; patient cheerful, but complains of her mouth being sore. Stomach still irritable; now & then she vomits a bitter black fluid, like coffee grounds but generally she only vomits water & mucus. She passed a black stool after the injection, & felt much relieved – pulse 116. <i>Rep. pil. ter die</i> <i>Rep. Enema.</i>	
	Vespere		
Taylor		Head-ach, nausea, furred tongue. <i>Rx. pil. Jalap. iij.</i>	
Helliwell æt 28		Much pain in the head, giddiness. <i>V.S. ad ʒxx s.</i> <i>Rx. pil. Jalap. N^o tres s.</i>	
PA310970JPG			
Fenton	8 P.M.	Complains of acute pain in the right hypochondrium, her mind is much disturbed by the fear of death; and the state of her soul distresses her. Pulse 94, tongue clean, bowels regular. <i>V.S. ad ʒxij. Rx. Ol. Ricini ʒf. Aq. M. P. V ʒifs. Tinct Opii g^{tt} ʒf haust. s.s.</i> <i>Empl. Lyttæ parti dolente applic.</i>	
		Die 3^{tio}	
Fenton		Better, pulse regular. She passed two black stools in the night. <i>Rx. haust è senna s.s.</i>	
Fletcher		She would not admit the Enema; she passed a quiet night; stomach less irritable: mouth very sore; she has a slight ptyalism; belly still swoln, & tender: the blistered surface secretes abundantly, pulse 120. <i>Rx. pil. Colocynth. g^fxij. Hyd. submur g^fij</i> <i>ʒf pil. ij. s.s.</i> <i>Rep. pil. submur. Hyd. h.s.s.</i>	
Taylor		<i>Rx. pulv. Ipecac. ʒj. s.s.</i>	
Helliwell		<i>Rx. Haust. purgans. s.s.</i>	
McGilvray		Complains of lassitude, debility, loss of appetite: strong fear of death, bowels torpid. <i>Rx. pil. è Jalap. iij s.s.</i>	
Fletcher	noon	Violent griping pain in the bowel. <i>Rx. Opii g^fij. s.s.</i>	
		Die 4^{to}	
Fletcher		She passed three natural motions yesterday, and also voided urine. She ate some breakfast; the stomach however is still irritable: ptyalism does not increase: the teeth ache, & the mouth is sore: the irritability of the sanguiferous system continues, the pulse still being still 120: tongue clean, moist. <i>Rep. pil Hydr. submur. h.s.s.</i>	
Fenton		Is easy: her stomach will not retain bitter tonics: pulse regular. Prostration of strength, head-ach, cough, loss of appetite. <i>V.S. ad ʒxvj.</i>	
Burtenwood			
Jackson æt 22		Plethoric habit; retention of menses for several periods: slight	

Ray's Child	<p>head-ach. <i>V.S. ad ℥xviiij. Rx. Sulph. magnes.</i> <i>℥io. o.n. s.</i> Emaciation; irregular & lax state of the bowels; appetite defective. <i>Rx. Hydrarg. Submur. gʳ Cretæ ppʳ gʳ iij</i> <i>℞ fʳ pulv. O. Nit. s.</i></p>	
Flanagan's Child	<p>Has some suspicious sores about the mouth anus, which have hitherto resisted local stimulants. <i>Habeat pulverem ut supra. omni. nocte s.</i></p>	
J. Smith æt 28	<p>Hemorrhoides <i>℥ij Aq. Puræ. ℥ifs. ℞ fʳ haust. s.s.</i></p>	
Die 5^{to}		
Fletcher	<p>She ate some solid food yesterday, with an appetite; at midnight the stomach rejected it: she passed an easy night. Ptyalism is very slight, but the mouth is sore, & has some small ulcers in it. The bowels are open, & the motions are natural: the belly is swoln as before; she passes urine: some of the glands of the left axilla are swoln: pulse 120, tongue moist, rather brown, slight appetite; some thirst. Menses present. <i>Rx. Inf. Quassiæ ℥j. acid sulphur diluti gʳx</i> <i>℞ fiat haust. 4 in die s.</i></p>	
Fenton Rowlings æt	<p>No change. <i>Rx. pil. Mercur. bis die.</i> Much pain in the left hypochondrium, & heaviness in the head. <i>V.S. ad ℥xvj.</i></p>	
Die 6^{to}		
Fletcher	<p>No change. <i>Rx. Decoct: Cinchonæ. ℥ifs.</i> <i>Conf. Aromat: gʳx Vini. Subm. ℥ifs. ℞ fʳ haust: 3 vel. 4 in die s.</i> <i>Rx. Ext: Colocynth C. gʳx h.s.s.</i></p>	
Fenton PA310971JPG Walton	<p>There seems to be a narrowing of some part of the rectum or other of the intestines, as she passes fæces with difficulty; they are generally in small scybalæ: she often feels "a knotting" of the bowels: stomach irritable. Yesterday in the evening she complained of much uneasiness in the belly; the Hypogastric region was considerably swoln, tense, and painful on pressure. A slight discharge of blood by the mouth or nose occurred several times yesterday; the blood was black: as she had not passed any urine for above 24 hours I introduced the catheter, but only drew off about 2 ounces of urine. There seems to be a collection of coagula or blood in either the alimentary canal or Uterus. But as there was much tenderness of the belly a Vesicatory was applied to the part and a Saline purgative given. No change took place till today at noon; she now was seized with a discharge of blood from the nose, & soon afterwards from the stomach; and the passage upwards of some of the blood threw her into a momentary convulsive fit. The pulse begins to fail in force: the bowels are open. I wished to administer an enema of cold water, but she would not permit me. <i>Rx. Sulph. Alum. gʳx. Cinchon. ℔j.</i> <i>Decoct. Cinchon. ℥ifs ℞ fʳ haust. ter die s.</i> <i>Rx. Ext. Colocynth. gʳx. h.s.s.</i></p>	
Fletcher	P.M.	Has much uneasiness in the Hypogastrium; she feels a strong

	<p>desire, but inability, to pass urine: none has been voided for above 24 hours: pulse as before. In the evening she vomited everything she had taken during the day; together with some bile, the exertion brought on syncope.</p> <p><i>Rep. Enema.</i></p> <hr/> <p style="text-align: center;">Die 7^{mo}</p> <p>Fletcher Fenton</p> <p>Passed several black motions in the night; & she seems better considerably; she has an appetite; the swelling & tenderness of the belly are diminished: pulse 120, but more firm, & contracted than it has been: mouth sore.</p> <p><i>Rep. Inf. Decoct. Cinch. ter die</i></p> <p>By enquiry I find that some months ago she received an injury about the perineum & anus, and that suppuration occurred; a considerable narrowness of the anus now appears to exist: she also complains of frequent spasmodic pains in the course of the colon; a sensation is also present, as if there exists an obstacle to the passage of matters from the stomach along the alimentary tube: she has a desire for food, but cannot retain what she receives, as vomiting occurs. Pulse natural: much uneasiness is now present in the bowels, and the stools she has lately passed have been small indurated fæces.</p> <p><i>Injiciatur Enema emollium nocte maneque.</i> <i>Rx. Inf. Sennæ ℥vj. Ol. M. P. g^{tt}ij</i></p> <p>Walton</p> <p><i>Sulph. magnes. ℥iv ℥ Cochl. j. omni hora donec alvus liberi respondeat.</i></p> <p>A few coagula have been discharged upwards: the bowels have been moved; the belly is not so tense, nor painful.</p> <p><i>Rx. Sulph. magnes. ℥iv. Aq. Pulvæ ℥vj ℥ s.s.</i></p> <p><i>Rep. Haust. è Cinchonæ ter die.</i></p> <p>8 P.M.</p> <p>Complains of severe pain in the coccis; coldness along the spine, and involuntary shaking of the anus – belly much swoln & hard: pulse regular; no stools have been passed today, nor urine.</p> <p><i>Rx. Ol. Ricii. ℥iv. Tinct. Opii. g^{tt} 30.</i> <i>Aq. Menth. pip. ℥ifs. ℥ fiat haust. s.s.</i> <i>foveantur lumbi per horam.</i></p> <p>Fletcher</p> <p>Much uneasiness in the head & stomach, from the presence of the food which she has taken during the day, (with an appetite) nor does it seem that she will be easy till the stomach be emptied of its contents.</p> <p><i>Rx. Tinct. Rhei. ℥iv. s.s.</i></p> <hr/> <p style="text-align: center;">Die 8^{vo}</p> <p>Fletcher PA310972JPG</p> <p>At 4 A.M. she felt much pain in the lower part of the abdomen, & had not taken any rest – as she had passed a small quantity of urine yesterday, I introduced the Catheter and drew off about six ounces of urine, which gave her instant relief: an injection of simply warm aqua manna was also passed into the bowels. She now remains in her usual state; pulse 120 – the unease only continued with her 24 hours.</p> <p><i>Rep. decoct. Cinchonæ.</i></p> <p>Walton</p> <p>No pain in the coccis – belly hard & swoln, no stool since yesterday, nor water, but I suspect she deceives me, as she is somewhat simple; & by her statement has not passed more than a few ounces of urine for many days, yet she has never</p>	
--	--	--

Fenton	lost her appetite, and takes her dinner daily. <i>Rx. Haust. purgans cum. sennæ s.s.</i> Having been troubled with much uneasiness in the stomach & bowels since yesterday afternoon; & vomited everything she swallowed, I myself injected a purgative enema today, and discovered that a very considerable stricture, or narrowing exists at the extremity of the Rectum with difficulty could the pipe be introduced through the anus. Above this, there did not seem to be any obstacles. I have directed an ivory solid, of a proper figure to be introduced at the anus, by the patient herself, and to be worn daily, for a longer or shorter time according to the state of her feelings.	
Walton	P.M. Has vomited her tea, which appears to have had mixed with it, primarily, some Sulphate of Zinci; for what motive I cannot discover. The patient says that the nurse gave her the tea, - so much mystery hangs over this girl's conduct that I shall stop noticing her statement of complaints; the belly is much swoln.	
Walton Fletcher	<p style="text-align: center;">Die 9^o</p> <p>No complaint:-her conduct is explained in the Diary. Much languor; & total want of appetite: pulse 118 – the blistered surface of the abdomen, having ulcerated in some parts is now healing by granulation. The belly is now neither tumid nor swoln: the bowels are open: urine has been passed: the last dose of cinchona offended the stomach. <i>Rx. acid: Nitr^e dil. g^{xxv} in Cyaths.</i> <i>aquæ, ter die sumendæ.</i></p>	
Fenton	<p>8 P.M. Gums tender – stomach irritable, much general uneasiness; and frequent pains along the course of the colon, bowels not open. <i>Rx. Inf. Sennæ zifs Sulph magn.</i> <i>zj. ℞ s.s.</i> Much increasing uneasiness; frequent spasmodic pains in the intestines, & the stomach irritable; no stool has been passed, pulse regular. <i>Injiciatur Enema purgans.</i> <i>et si cito redeat repetatur sennæ</i> <i>Rx. Hydr. Submur g^v.j. Saponis q.s. ℞ fiat pilula,</i> <i>quam parv^m statim sumenda, et postea capiat acgra pilulam</i> <i>haust omni hora, ad quatuor vicis</i> <i>Rx. Ext. Colocynth. C g^{ij}. fiat pilula.</i></p>	
Fletcher	<p style="text-align: center;">Die 10^{mo}</p> <p>The tumour in the axilla has suppurated: the countenance & general state of the patient are much improved: the pulse continues at 120, & its firmness increases; the excretions are regular: there is some appetite. <i>Rep. acidum.</i></p>	
Fenton	After all the pills had been taken, the bowels were moved, & several free evacuations have been made with general relief to the patient. Both the injections speedily returned; & I apprehend a mechanical obstruction is seated in the colon. <i>Rep. pil. Hydr. g^v. bis die s.</i>	
Mary Griffin æt	Has an inflammation of the conjunctiva of the left eye, with much pain in the head. <i>Utator Collyrium è plumbo</i> <i>Rx. pil. è Jalap. i.v. s.s.</i>	

<p>P.M. PA31073JPG Off the Brazil coast. Therm: in the shade 84° Fenton Fletcher</p> <p>Griffin</p> <p>E. Clarke æt 18</p> <p>Clarke 4 P.M.</p> <p>Fletcher 8^{va} hora</p> <p>Fletcher</p> <p>Fenton</p> <p>Clarke</p>	<p><i>Rx. Haust. è Sennæ Meridie. s. et tunc. temporis. V.S. si symptomata poscant.</i> <i>Rep. Haustus.</i> <i>Imponator Empl. Lyttæ magnum. pone aurem.</i></p> <hr/> <p style="text-align: center;">Die 11^{mo} Februarie</p> <p>Has no complaint, but that of moderate ptyalism. The frequency of the pulse is abating, it now 112: the stomach is irritable, digestion being weak. <i>Rx. Sulph. Magnes ʒij in aquæ cyaths s.s.</i> <i>Rep. Acidum bis vel ter die.</i></p> <p>Less active inflammation in the eye: bowels open <i>Rep. pilulæ</i></p> <p>A few days ago she complained of pain in the head: it was relieved by a few purgatives; but has now returned with great violence, owing to her having exposed her bared head yesterday to the rays of a vertical sun: pulse 60 – some stupor, disposition to sleep; bowels irregular. <i>V.S. è brachio, ad ʒxxxvj.</i> <i>Rx. pil: è Jalap. N° iv, s.s.</i> <i>Applicetur lintea in liquore frigida madefacta semper arcum. caput (Rx. Aceti: aquæ aa p.æ. Alcoholis part. sext. ℥)</i> <i>Rx Hydr. Submur g^f iv f^f. pilula per horam s.</i></p> <p>Pulse 100; much pain in the head. <i>V.S. ad ʒxx.</i> <i>Rx. Jalapæ. g^fxij. Hyd. Submur. g^fij. Saponis. q.s. fiant coli. duo. s.s.</i> <i>Imponator Empl. Lyttæ ad Nucham.</i></p> <p>Pulse increased toward noon to 120. She has some uneasiness in the bowels, & head-ach: she has passed one motion today, and a small quantity of urine. <i>Rx. Hyd. Submur. g^fij. fiat pilula. s.s.</i></p> <hr/> <p style="text-align: center;">Die 12^{mo}</p> <p>At midnight she had much uneasiness in the abdomen, from the bladder being distended. The Catheter was passed. The pulse is 112: she has some appetite: tongue a little furred. <i>Rx. pulv. Cinch. ʒj. Vini Lusitania ʒj aqua pure ʒj. ℥^f haustus ter dies.</i> <i>Applicet. Cataplasma ad abscessum opio axillam.</i></p> <p>The bowels are again in a distended state; the irritability of the stomach continues, but it is capricious. In the night, being much disturbed by the irregular motion of the bowels some purging pills were given to her; these have produced two scybalaes black motions; in which there was an appearance of purulent matter, according to the report of the nurse: the pulse is regular; the tongue slightly furred. She has an appetite & takes food, but only a small quantity of this remains long enough to be digested. She is a very petulant, furious reprobate character, & at all times managed with difficulty. <i>Rx. Inf. Anthemid ʒvj</i> <i>Sulph. magnes. ʒj Carb. magnes. ʒfs. Ol.</i> <i>M. P. g^{tt}ij. M^f Mist. cujus. sumat Cochleare omni bihora.</i> Note: the stomach could not retain it.</p> <p>No complaint, but that of debility, bowels open.</p>	
---	---	--

Griffin	<i>Rep. Haust. purgans.</i> Better.	
Burtenwood æt 40	<i>Rep. Haust. purgans.</i> Slight febrile irritation, & head-ach. <i>V.S. ad ℥xij.</i> <i>Rx. Pil. purgantes. iij. s.s.</i>	
Die 13^{mo}		
Fletcher	She passed a good night. She has had a discharge of urine; & the bowels are open. Pulse 108, appetite improves. <i>Rep. Haustus.</i>	
Fenton	Pulse regular, skin cool; tongue moist & a little furred; she retains her food. Saline effervescing draughts have been occasionally given since yesterday, & with a good effect; the ptyalism has closed but the gums are sore; she complains of a permanent uneasiness in the belly: the bowels are open.	
PA310974JPG	Her conduct in the Hospital is very disorderly, & her habitual insolence to everybody, rendered her a truly troublesome patient.	
Clarke	Convalescent.	
Burtenwood	<i>Rep. pil. purgantes.</i> Has much nausea, & uneasiness in the head.	
Die 14^{mo}		
Fletcher	Yesterday she left her bed, & sat some time on deck: pulse 106, appetite good. <i>Rep. Haust.</i>	
Fenton	<i>Rx. Inf. Anthemid. ℥jfs. acid nitr. d. g^{tt}x. ℥ fiat haustus ter die s.</i>	
Griffin	Yesterday she abruptly left the Hospital, refusing to be on a low diet – at midnight she complained of severe head-ach, & return of pain in the eye: the bowels being open. Some blood was taken from her arm, & a blister applied to the temple.	
Burtenwood	<i>Rep. Collyrium.</i> Slight febrile state of the system. <i>Rep. Haust. purgans. statim.</i> <i>Rx. pil. Mercur. h.s. omni nocte.</i>	
Die 15		
At Rio Janeiro Griffin	The opposite eye is now inflamed; the left eye is better: the bowels are open, pulse regular. <i>Rep. Collyrium</i> <i>Rx. Hydr. Submur g^r iij. h.s.s.</i>	
Fletcher	The pulse is still above 10 – her appetite is vigorous; bowels are open; she has passed urine. Her system is agitated, by Fenton having ill used her. <i>Rep. Cinchon.</i>	
Fenton	Pulse regular, skin moist, tongue a little brown in the middle; appetite moderate – having solicited Rice it has been allowed her: she has natural motion: yesterday she had a tenesmus, & passed some mucus. She vomits rarely, & only throws up a little water & mucus, mixed with Bile. Her temper becomes daily more turbulent: she now uttered many angry, insolent words because a fresh patient was placed in the Hospital, near her bed. <i>Rep. Haust. ter die.</i>	
Burtenwood	No change: pulse 100.	

Clarke	<p><i>Rep. Haust. purgans. statim. et meridie</i> <i>Rep. pil. Hyd. h.s.</i></p> <p>Yesterday she ran away from the Hospital whilst the nurse was absent, and went on deck to see the City, &c. exposing her head to the sun; in the evening she complained of a return of pain in the head – the embrocation was relieved, and the pills were repeated. Today she is better.</p> <p><i>Rx. Haust. purgans. s.</i> <i>Rep. Embrocatio</i></p>	
Fletcher	<p style="text-align: center;">Die Saturne 16^{mo}</p> <p>No particular change, but she has been much agitated by the Patient Fenton having abused her.</p> <p><i>Rep.</i></p> <p>P.M. Great distension of the abdomen; she has not passed urine for 36 hours; hypogastrium very tender: frequent vomiting of acrid, saline fluid: pulse 120 owing to the reproaches Fenton has made on this patient. She will not allow me to pass the Catheter- bowels confined.</p>	
Fenton	<p><i>Rx. Ext. Colocynth. C. g'xij. f' pil. iij statim.</i></p> <p>Continual uproar in the Hospital from the turbulent conduct of this patient: yesterday she took her bed & left the Hospital, into which she was carried back by force. She does not seem to have anything important of illness: the stomach is now & then irritable, but she has an appetite, & passes regular motions: it is impossible to have any conversation with her, as she uses violent language, & refuses to take her medicine.</p>	
Burtenwood	<p><i>Rep. Haust.</i> <i>Rep. pil. bis die.</i></p>	
PA310975JPG Griffin	<p><i>Applic' Empl. Lyttæ. epigastrics vespere.</i></p> <p>Owing to inattention on the part of the patient the inflammation of the right eye continues active: pulse weak.</p>	
P.M.	<p><i>Rep. Haust. purgans. Rep. Colly'.</i> <i>Applic. Empl. Lyttæ pone aurem et ad tempus.</i> <i>Rx. Hyd. Submur g'ij. Jalapæ pulv.</i> <i>g'vij Mucilag. q.s. f' bolus s.s.</i></p>	
Clarke	<p>Convalescent.</p>	
12 P.M.	<p></p>	
Jane Mansell æt	<p>Severe pain in the bowels, which are constipated, and head-ach; pulse 80.</p>	
H. Howell æt 20.	<p><i>Rx. pil. Jalap. N°iij. s.s.</i> <i>Rx. Haust. purgans. primo mane s.et meridie repetendus.</i></p>	
	<p>Suddenly seized with palpitations of the heart, rapid, irregularity of the pulse; spasms of the flexor muscles of the fingers; cramps of the feet, & partial insensibility: she has been much exposed to the heat of the day, having been on shore.</p> <p><i>V.S. ad ℥xx</i> <i>Rx. Tinct. Opii g'ʳ. Sp^t Ammon. C. g^{tt}xxx</i> <i>Aq. Puræ ℥j ℥ f' haust. s.s.</i></p>	
	<p style="text-align: center;">Die 17^{mo}</p>	
Fenton Fletcher	<p>No change</p> <p>Being in excessive pain, she allowed me to introduce the Catheter, when about a pint of water was drawn off, with immediate relief to her; since then she has been easy, & the belly is now very little swoln. Appetite good: pulse 106.</p>	

Burtenwood Griffin Howell	<p><i>Rx. Inf. Quassiæ ꝑijfs Acid. Sulph. dil.</i> <i>g^{tt}x ꝑ fiat haustus ter die s.</i> <i>Rep. pil.</i> Better. <i>Rx. pil. Mercur. ter die s.</i> No complaint, but debility. <i>Rx. pil. Jalap. iij s.s.</i></p> <hr/>	
Fletcher Burtenwood Griffin	<p style="text-align: center;">Die 18^{mo}</p> <p>Passed a little urine yesterday; her appetite is moderate. <i>Rep. Haust.</i> <i>Rep. pil. bis die.</i> [stamped PUBLIC RECORDS OFFICE] Her eyes are considerably better; she now begins to neglect them, has even gone on deck, contrary to advice. <i>Rep. pil.</i></p> <hr/>	
Fletcher	<p style="text-align: center;">Die 19^{mo}</p> <p>The bladder has not recovered its contractile powers:- not having discharged any urine for above 36 hours, I introduced the Catheter, early in the morning. Cold affusion is used every day, and the patient is recovering strength; the bowels are torpid: pulse 112, appetite moderate. <i>Rep. pil. purgans.</i> <i>Rep. Haust.</i></p>	
Burtenwood Griffin	<p><i>Rep. pil.</i> <i>Rep. pil.</i></p> <hr/>	
Fletcher	<p style="text-align: center;">Die 20</p> <p>At noon she complained of much uneasiness in the abdomen, which was considerably swoln, & tender on pressure: bowels torpid, pulse 116: tongue clean; appetite is gone off. The Hypogastrium was swoln, pain retained urine <i>Rx. Rhei. pulv. ꝑj. Sulph. manes. ꝑij. Aq. M. P.</i> <i>ꝑvj. ꝑ Coch. ij omni semi hora.</i> <i>Injiciatur Enema purgans.</i></p>	
Burtenwood	<p><i>Rep. pil.</i></p> <hr/>	
Fletcher	<p style="text-align: center;">Die 21^{mo}</p> <p>Passed two small motions yesterday, the abdominal uneasiness ceased afterwards, but returned early in the morning: the pulse 106; tongue moist; fomentations were used, followed by friction with a little of the following liniment, & a draught with <i>Ol. Ricini</i> given, but neither that nor pills would remain in the stomach, which has become irritable. <i>Rx. Ol. Oliv. ꝑij. Camphoræ ꝑj.</i> <i>Opii par ifs ꝑj Ol. Terebinth</i> <i>ꝑij. M^f linimentium ter die utenda.</i> <i>Rep. Haust è Cinchona, cum. Vino, ter die.</i></p> <hr/>	
PA310976JPG at Rio Janeiro Fletcher	<p style="text-align: center;">Die 22^{do}</p> <p>Has passed several motions, & the abdominal uneasiness & swelling have ceased: pulse 104. <i>Rep. Cinchona.</i></p>	
Burtenwood Ann Thomas	<p><i>Rep. Pil.</i> Slight febrile excitement, and griping in the bowels, tongue furred. <i>Rx. pulv. Rhei: g^{tt}xij. Sulph magnes. ꝑj.</i> <i>Aq. Puræ ꝑijfs. ꝑ fiat haustus. s.s.</i></p>	

	<i>Rx. Mist. saln. ꝑifs. ter die s.</i>	
	<hr/> Die 23 <hr/>	
Throne Burtenwood Fletcher Campbell's Child æt 12	<i>Rep.</i> <i>Rep.</i> <i>Rep.</i> Has a hard painful swelling in the left region, (seeming to be one of the glands inflamed) produced by a kick two or three days ago, bowels open. <i>Applicetur Embrocatio Spirituosa</i>	
	<hr/> Die 24 <hr/>	
Throne Burtenwood Fletcher Campbell's Child	Better. <i>Rep. Mist. Salin.</i> Gums tender. <i>Rep. pil. hs.</i> <i>Rep. Cinchon.</i> No change. <i>Rep. Haust. purgans. s.</i> <i>Rep. Embrocatio.</i>	
J. Smith	Frequent griping mucous stools, with tenemus. <i>Rx. Hyd. Submur g^f ij. Ant. tart.</i> <i>g^f ½ Opii g^f ½ Mucilaginis g^f pil. ter die s.</i>	
	<hr/> Die 26^{mo} <hr/>	
Campbell's Child	<i>Rep. Haust. purgans.</i> <i>Rep. Ebrocatio.</i>	
F. Gray	Slight dysenteric symptoms. <i>Rx. pil. Hyd. Submur c̄ Opio ter die</i>	
M. Easterbrook	Slight head-ach, & constipated state of the bowels. <i>Rx. pil. Jalapæ N^o iij. s.s.</i>	
Fletcher	<i>Rep.</i>	
	<hr/> Die 27^{mo} <hr/>	
<u>at sea</u> Campbell's Child	Swelling increases in size, & threatens to supperate: bowels open. <i>Rep. Enbrocatio.</i>	
Gray Easterbrook Burtenwood) Throne) Smith) Fletcher	Better. <i>Rep. pil.</i> <i>Rx. Sulph. magnes. ziv. s.s.</i> These women are convalescent. <i>Rep. Cinchona.</i>	
	<hr/> Die 28 <hr/>	
	No particular case; several of the women are sea-sick.	
	<hr/> Die 1^{mo} Martii <hr/>	
Smith) Throne) Campbell's Child	Slight dysenteric symptoms. <i>Rx. pil. Submur. Hyd. c̄ Opio ter die s.</i> The swelling is increased; a slight redress of the integument is seen. <i>fovetur part. affecta. ter die.</i> <i>et applicetur Cataplasma Calidum.</i>	
Fletcher	Although the irritability of the internal system has lessened, & the muscular power of the body has increased, yet the bladder has not recovered its full power; and the patient is now & then obliged to have the urine drawn off – appetite good: bowels regular: pulse 94.	

Campbell's Child Burgess	<i>Rep. remedia ter die.</i> No complaint.	
	<hr/> Die 10^{mo} <hr/>	
Campbell's Child	<i>Rep. remedia.</i>	
	<hr/> Die 11^{mo} <hr/>	
Chapman æt 24 f.w.	Complains of disturbance with stomach and pain in the head; pulse quick; thirst – tongue white. <i>V.S. ad ℥xij.</i> <i>Rx. Haust. purgans. s.s.</i>	
Campbell's Child	A small fluctuating part exists in the middle of the swelling, which is indolent. <i>Rep. Cinchona cum. Vino</i> <i>Rep. fovetur et Cataplasma</i>	
	Note: Several of the women have tumours of a suppurative kind, form in their breasts. After suppuration, the tumours disperse.	
Vaccinatio	I have tried several glasses of dried vaccine virus on three children, and hopes of producing vaccination, but have failed.	
	<hr/> Die 15^{tio} <hr/>	
Campbell's Child	Punctured the abscess, and gave exit to a small quantity of pus, with much thin blood. <i>Rep. Medicamento</i>	
Chapman A. Smith æt 19 f.w.	<i>Rep. Haust.</i> Complaint of much uneasiness in the epigastrium, head-ach, nausea, thirst, want of appetite, pulse quick. <i>V.S. ad ℥x. Rx. pil. purg. iij.</i>	
	<hr/> Die 14^{mo} Martii <hr/>	
PA310978JPG Smith	Better. <i>Rx. Mist. Salini: communis ℥ijfs ter die s.</i>	
Chapman Campbell's Child	<i>Rep. Haust.</i> No discharge from the abscess; the swelling diminishes. <i>Rep. remedia.</i>	
Hilton	Complains of much debility, irritability of the stomach, nausea, bowels have been lately much purged: no appetite; tongue furred; pulse weak; skin natural. She is suckling an infant. <i>Rx. Sulph. Zinci. g'vj. Aq. Puræ ℥ijfs.</i> <i>Solve pro vomitorio s.s. Rx. Cinchonæ pulv. ℞j. ter die.</i>	
E. Brown æt 38	This woman is a native of Scotland. She is frequently troubled with pyrosis. <i>Rx. Inf. Quassiæ ℥ijfs Carb. magn. ℞j. ff haust. ter die s.</i>	
	<hr/> Die 15^{mo} <hr/>	
Fletcher	Was suddenly seized early in the morning with spasms in the stomach, & painful distension of the abdomen. <i>Rx. Sulph. magnes. ℥ij. pulv. Jalap.</i> <i>℞u. Aq. Puræ ℥ij. M ff haust. s.s.</i>	
Smith	<i>Rep. Mist. cum. Cinchona pulv. ℞j.</i>	
Hilton)	<i>Rep. remedia</i>	
Brown)	"	
Campbell's Child)	"	
	<hr/> Die 16 <hr/>	
Hilton)	<i>Rep. remedia</i>	

Brown) Campbell's Child) M. Percival æt 30	" "	
Fletcher	Acute pain, from a fall; is felt in the right iliac region. <i>V.S. ad ℥xx.</i> <i>Rx. Haust.purgans. c. m. s.</i>	
	<hr/> Die 17^{mo} <hr/>	
Brown) Hilton) Campbell's Child	Debility of the system is less, and the digestive powers most vigorous, but the Cinchona purges Hilton. <i>Rx. Inf. Quassiaæ ℥jfs ter die s.</i> <i>Rep. remedia.</i>	
	<hr/> Die 21 <hr/>	
Hilton) Campbell's Child) A. Rumsby	<i>Rep. remedia.</i> " Slight febricula. <i>Rx. Haust. purgans.statim.</i>	
A. Smith f.w.	Some pain in the hepatic region; and febricula. <i>Empl. Lyttæ. parti dolenti.</i> <i>Rx. Mist.Salin. ℥vj. Sulph. magn. ʒj.</i> <i>℥ sumat acgra Cochl. m. iij.4 in die.</i>	
Fletcher	Much spasmodic pain & distension of the stomach, with loathing of food; tongue clean. <i>Rx. Sulph. Zinci. g'vj aqua puræ</i> <i>℥jfs, ℥. s.s. pro emetic.</i> <i>Rx. Sulph. magnes. ʒj. Carb. magnes. ʒfs. Aq. puræ</i> <i>℥jfs ℥ f' haust. post horam sumendus.</i>	
Mary Walton	This is a girl of great wickedness & this has been before intimated. Some weeks ago she scalded her breast & belly; the curative process was very irregular, but was at last completed. After a few days she was again scalded in the same parts & these would not heal, but vesicated & began to ulcerate. Today I was suddenly called to her, she said she was very ill: she cried; the pulse was quiet, the skin cool, but the tongue very white; it seemed as if chalk had been applied to its surface; examining her hands to see if they were white, I saw her fingers stained by Argentum Nitricum. After many enquiries & threats, she confessed she had applied the caustic to her tongue, & had swallowed the remainder, (a juice of about ʒj.) four hours, or more, ago. She had no reason to justify her conduct.	
PA310979JPG	<i>Rx. Sulphat. Cupri. g'viij. Aq. puræ ℥ij. solve, pro emetico s.s.</i> Some flaky mucus, combined with dissolved caustic were vomited, & these decomposed Muriate of Soda in solution. <i>Rx. Ol. Ricini ℥fs. s.s.</i> <i>Bibat acgra Decoct. Lini. edulcoranti cyathium saepe in die</i> A careful examination of the now extensively denuded & partly ulcerated surface of the thorax & abdomen; and examination of the Cataplasma, shewed to my amazement, minute portions or particles of Emplastrum Lyttæ, which she had applied to prevent the scalded surface from healing: & she now confessed that she wilfully scalded herself.	
	<hr/> Die 22 <hr/>	

A. Rumsby	Acute pain in the hepatic region & in the head; pulse quick; thirst. <i>V.S. ad 3xvj.</i> <i>Empl. Lytta. parti dolenti s. applic.</i> <i>Rx. Mist: Salini 3ij.</i> <i>Sulph. magnes. ʒj. ℞ fiat haustus. 4 in die s.</i>	
Walton	She complains of a pricking along the throat, & in the abdomen & the pulse is 120, soft: she eats, & her bowels are open.	
Campbell's Child	<i>Rep. Decoct: Lini.</i> <i>Rep. Cinch. et Cataplasma.</i>	
<hr/> Die 23 <hr/>		
Walton Rumsby Campbell's Child	No complaint. <i>Rep. Haustus. 3 die.</i> The hardness and swelling are diminishing. <i>Rep. Catapl. bis die.</i> <i>Rep. Cinchon.</i>	
<hr/> Die 26 <hr/>		
Rumsby	Some constitutional irritation arising from a suppurative inflammation that has commenced in each arm, in the wounds made by Venaesection: bowels open. <i>Rx. Sulph. magnes. ʒifs. Mist. Salin. 3ij.</i> <i>Liq: Ant. tart: g^{tt}x M f^ʒ haustus ter die, vel. quater. s.</i> <i>foventur partes et applic^oL /cataplasma. Calidum. ter die.</i> <i>Rx. Inf. Quassia ʒij. Sulph. magnes. ʒfs. ℞ f^ʒ haust. ter die s.</i>	
A. Smith		
<hr/> Die 27 <hr/>		
M. Wooton æt 45	A very corpulent habit - by a fall she has received a contusion of the integuments of the right outer ankle. The parts being greatly distended by extravas[at]ion from ruptured blood vessels, I made a small puncture, & gave exit to about 2 ounces of blood. <i>Applicetur ad partem Liquor ex aceto et aqua puræ</i>	
Rumsby	A free suppuration; & no febrile irritation. <i>Rep. remedia externa.</i> <i>Rx. Nitr: potass. g^{vj}. Ant. tart. g^ʒ ¼ ℞ f^ʒ pulv. ter die s.</i>	
<hr/> Die 28 <hr/>		
Latitude 44° S Weather rainy Therm 60° M. White	Catarrh has made its appearance in this woman, & a few others. <i>Rx. Sulph. magnes. ʒij. 3 die s.</i> <i>donec bene purgaverit.</i>	
M. Loyd	Pulse accelerated, and acute pains in the thoracic muscles. <i>Rx. Jalapæ. ʒj. Sulph. magnes. ʒij. Aq: puræ ʒiv. ℞ s.s.</i> <i>Rx. pulv. Doveri. g^{vj}. h.s.s.</i>	
Wooton	A bloody discharge from the puncture and much tumefaction: sympathetic fever. <i>Rep. embrocation. Rx. Haustus. purgans. s.s.</i>	
Rumsby Miers [Miares]	<i>Rep. remedia.</i> Ophthalmia <i>Rx. Sulph. magn. ʒij. Jalap. ʒj. Aq. Puræ ʒij. M f^ʒ haust. s.s. Empl. Lyttæ pone aurem, Utator Collyr. è plumbo.</i>	
PA310980JPG		

Rain & Mist, for the space of 3 days			
Miers		Die 29	
Loyd		Bowels very open - the opposite eye slightly affected. <i>Rx. Ext. Colocynth. C. g'x. h.s.s.</i>	
Rumsby		Pulse 90; head-ach; pains in the thorax; slight dyspnœa; no cough: bowels open. <i>Rx. Mist: Salin. ℥ij. Nitr. Potass. g'vj. Ant. tart g'¼ ℥ fiat haustus ter die s.</i>	
White		<i>Rx. Haust: ut Supre proscript. ter die s.</i>	
Edyvean æt 19		No change. <i>Rx. Sulph. magnes. zij. s.s.</i> <i>Rx. Haustus ut pro Loyd ter die s.</i>	
Wooton		Cynanche tonsillaris <i>Rx. Haust: purgans. s.s.</i> <i>Imponator Empl. Lyttæ faucibus externis</i> <i>Rx. pulv. Doveri. g'x. h.s.s.</i>	
King æt 18		The puncture has not closed, as I wished; a serous discharge, sanguineous, is poured out; much throbbing pain is felt in the injured parts, & the swelling is not reduced: the sympathetic fever is nearly gone; the pulse is 89 full & weak; the bowels are torpid. <i>Rx. Sulph. magnes. zij. Aq. Puræ ℥ij ℥ f' haust. s.s.</i> <i>Rep. Embocatio.</i>	
Loyd	4 P.M.	Hemorrhoides <i>Rx. Sulph: Sublim. zij. Sacch. com. zij. Aq. Puræ ℥ij ℥ f' haust. h.s.s. et pro re nata rependus.</i>	
White		Increase of pain under the sternum, skin dry: pulse 90, firm. <i>V.S. ad ℥xij.</i>	
Wooton		Complained acute pain between the scapula; pain in the forehead, hoarseness; pulse 86. <i>V.S. ℥xij. Rep. Sulph. magnes.</i>	
Wooton		She has not had a motion for a week. <i>Rx. pulv. Jalap. Əj. Sulph. magnes. zij.</i> <i>Aq. Puræ. ℥ij. ℥ fiat haust. s.s.</i>	
Wooton		Die 30	
White		Has left pain in the foot; the swelling is less; much serous fluid issues from the puncture; the bowels have been moved. <i>Rep. embrocation. Rx. Ext. Col.C. g'xij. s.s.</i>	
Edyvean		Better; bowels are torpid. <i>Rep. Sulph. magn. Rep. Haust. Diaphoreticus.</i>	
Rumsby		<i>Rep. Sulph. magnes.</i> <i>Rep. pulv.</i>	
Loyd		The little abscesses are now granulating: febrile irritation arises in the system at night. <i>Rep. remedia externa, acgra interna.</i>	
Williams		Pulse 84: pains in the head, thorax, & parotid gland; tongue moise; skin dry; bowels open: no cough. <i>Rep. Haust. ter die.</i>	
Williams		She has been impregnated puivily by one of the sailors on board; and last week she quickened: she now is threatened with miscarriage & gives, as the cause of the origin of a sudden show, & uterine pains, a slight fall she had an hour ago. She may have been attempting by mechanical means to excite a miscarriage, as she is a wicked woman, & has borne children. <i>Rx. Opii g'ij. s. et pro re nata.</i>	

Loyd	4 P.M.	Acute pain in the thorax; difficult inspiration; pulse 126, sharp; skin hot; head-ach. <i>V.S. ad ȝxviiij. Emp. Lyttæ. sterno.</i> <i>Rx. Sulph. magnesiæ ȝij. Aq. Puræ</i> <i>ȝij ʒʒ h.s.s.</i> <i>Rep. Haust. 6^{to} q. hora.</i>	
PA310981JPG		Die 31	
Loyd		Better; pulse 96. <i>Rep. Haust. 4 in die.</i>	
White		Better; pulse 78. <i>Rep. Haust. ter die.</i>	
Rumsby		Convalescit <i>Rep. Haust. bis die.</i>	
Wooton		Pulse tranquil; no change in the parts injured; bowels free. <i>Rep. Embroc.</i>	
Williams		Pains suspended.	
Weather cloudy		Die 1^{mo} Aprilis	
Therm: 54°		An old woman, Keziah Hulley , had often exhibited in her conduct an estrangement of mind; she now labours under insanity & is so far mischievous, & if allowed, even outrageous in her actions as to render coercion necessary.	
Long: 40° E		A slight haemorrhage has commenced, & the pains have returned.	
Latit: 43° S		<i>V.S. ad ȝxx. Injiciator enema communis.</i>	
Williams		Convalescit.	
White		Better. <i>Rep. Haust.</i>	
Loyd		The discharge having become purulent, there being also increased pain & inflammatory swelling, I have substituted foment, & Catapl: for the embrocation. The pulse is weak; tongue clean.	
Wooton		<i>Adhibeantur remedia externa ter die</i> <i>Rx. Cinchon. pulv. ȝj. bis die s.</i>	
Therm: 46°		Die 4	
Wooton		A free suppuration has greatly reduced the swelling. <i>Rep. remedia</i> <i>Rx. Haust. purg.</i>	
Loyd		Convalescit	
White)	Egressus	
Rumsby)	idem	
Williams		The pains now & then recur, the discharge has ceased; the motions of the foetis are sensible to her, a recumbent posture is enjoined.	
Hulley		Insanity increases & at times is furious; she is emaciated.	
Therm: 52°		Die 7	
Wooton		<i>Rep. remedia.</i>	
Owen's Child æt 7		A delicate girl, having some fever & inflammatory action in the thorax, the bowels are open. <i>Empl. Lyttæ. sterno. applic.</i> <i>Rx. Haust. Salin. ȝj. Liq: Ant tart</i> <i>g^{tt}v. ʒʒ ter die s.</i>	
Chamberlain		A contused small wound on the forehead; with an erysipelatos tendency. <i>Rx. Haust. purgans. s.s.</i> <i>Utator fotus ad partem, ter die tum quaque Cataplasma.</i>	
Godbold		Wound in the forehead, by a fall.	

Jarvis	idem.	
Owen's Child 8 P.M.	<i>Curantur Vulnera. Empl^{oe} adheviso.</i> Pulse quick; skin hot; pain in the occiput; the child often screams. <i>Imponator Empl. Lyttæ ad Nucham.</i>	
	<hr/>	
	Die 8^{vo}	
Owen's Child	No change: tongue moist. <i>Rx. Haust. Salin. ℥j Tinct. Digit: g^{tt}v. ℞ f^r haust.</i> <i>ter die s.</i> <i>Rx. Hyd. Submur. g^r iij pulv. Rhei.</i> <i>g^rvj ℞ fiat pulvis h.s.s.</i>	
Slater æt 40	Has frequent dysenteric stools, and much irritability of the intestines: tongue clean. <i>Rx. Hyd. Submur pulv. Antim. Cin. g^r ij.</i> <i>Opii g^r½ Mucilage. qs. ℞ fiat pilula ter die s.</i>	
	<hr/>	
	Die 9	
Owen's Child	Better; stools black: tongue aphthous. <i>Rx. If. Sennæ pro potu bibendum</i> <i>est. ut alvus bene pergatur.</i> <i>Rep. Haust. Salin. ter die s.</i>	
Chamberlain) Godbold) Jarvis)	These local injuries having been contused, have all gone into suppuration. <i>Impon. actus Cataplasmata Calida in</i> <i>parti bis ulcerosis ter die</i>	
	<hr/>	
	Die 11^{mo} Aprilis	
PA310982JPG Owen's Child	Less febrile excitement; the motions are more natural, & the head not disturbed by pain; pulse weak. <i>Rep. Haust. habeat acgra cibum</i>	
Slater æt 36	This woman has apparently deranged the structure of the digestive organs by a course of dram drinking, & other bad habits of living: her motions are now uncous, streaked with blood; they are frequent at irregular periods, & attended with tenesus, she has now permanent uneasiness around the Umbilicus; pulse tranquil but weak: gums sore. <i>Imponator Empl. Lyttæ. circum Unbilocum. Dieta</i> <i>crushed Sago.</i> <i>Rep. pil. bis die.</i>	
Slater	Pryalism has commenced: she has only passed two stools since yesterday. <i>Rx. pulv. Ipecac. Comp. g^rv. Conf.</i> <i>Aromat. qs. ℞ fiat bolus ter die.</i> <i>Rep. Haust.</i>	
Owen's Child		
	<hr/>	
	Die 17	
Stormy weather Slater	<i>Rep. bolus bis die.</i>	
E. Phillips	Catarrhus. <i>Rx. pil. purgantes iij.</i> <i>Rx. pulv. Ipecac. C. g^rv. h.s.s.</i>	
M Easterbrook	idem. <i>Rx. pulv. Ipecac. C. g^rx ℞ f^rbolus</i> <i>opi Conf. Aromat. h.s.s.</i>	
Owen's Child	Convalescent. <i>Rx. Haust. bis die</i> <i>Quidam externa habentes, pergantur in usu remedierum</i>	
	<hr/>	
	Die 18^{mo}	

E.McCarthy	Slight febrile indisposition last night the bowels were opened by a purgative.	
Slater	<i>Rx. pulv Ipecac</i> $\mathcal{E}j. s. pro vomitorio.$	
Mier's Child [Miares]	<i>Rx. Sulph. agnes. zij. Aq. Puræ</i> $\mathcal{Z}ij. \mathcal{M} s.s.$ <i>Rx. Inf Quassia.</i> $\mathcal{Z}ifs. Znrib g^r v. \mathcal{M} f^e haust ter die.$	
P.M. McCarthy	Has an inflammation in the ear, & occasional discharges of pus. <i>Imponator Empl. Lyttæ pone aurem.</i> Some pain in the forehead and epigastric region; pulse quick; safe; slight dyspnœa; tonguwhite. <i>V.S. ad</i> $\mathcal{Z}xvj.$ <i>Rx. Mist. Salin. Zifs Nitr. Potassæ g^r \mathcal{M} f^e haust. 6^ta q.h.s.</i>	
McCarthy	<hr/> Die 19^{mo} No alteration except in the pulse, which is less frequent. <i>Imponator Empl. Lyttæ ad epigastrium.</i> <i>Rep. Haust.</i>	
Mary Beldon	This woman has for many months been in an infirm state of health, having obscure internal disease, which she attributes to the presence of a pin which she accidentally swallowed. A tumour deeply seated seems to have formed near the spleen - a small fluctuous tumour exists in the inferior part of the sternum; and one in the left orbit.	
Hulley	This woman labours under insanity & admits only of moral management.	
McCarthy	<hr/> Die 20^{mo} Much better. <i>Rep. Haust.</i>	
PA310983JPG McCarthy	<hr/> Die 21^{mo} Aprilis The catarrhal symptoms have not quite ceased. <i>Rep. Haust. Saliin. bis die</i> <i>Rx. Sulph. magnes. zij. s.s.</i>	
Beldon	For several weeks there has been forming under the integuments of the forehead a smooth undulating tumour, not attended and redness, & seeming to cause pain by the distension of the parts. The swelling commenced above the left eyebrow, & it has slowly extended to the opposite one, and down to the eyelid of the left side, here the fluid gravitating has closed the eye, & by the pressure has caused for itself an opening by ulcerating the eyelid; & an adhesive fluid is poured out. As a dull pain is felt at the bottom of the left orbit, I fancy that a tumour exists there. From the appearance of the ulcerated orifice, the edges being everted that this & the other tumour are of a constitutional & perhaps malignant nature. Her functions; vital & natural, are not disturbed. <i>Rx. Sulph. Zinci: Eij. Aq. Puræ</i> <i>Hfs. \mathcal{M} f^e Lotio. pro parti affecta.</i>	
J. Jarvis æt 40	Fresh diet has been long given to her. Having had a slight dysenteric state of the bowels, a few pills of <i>Submur: Hydr.</i> were given, which removed the complaint: but caused a Ulceration of the mouth & debility. <i>Habeat Mist. Cinchon. C. Vino. ter die s.</i> Fresh diet has been given.	

<p>McCarthy Campbell's Children</p>	<p style="text-align: center;">Die 25</p> <p>No complaint. This woman has three children of very unhealthy constitutions: all seem scrophulous, & Ulcerations, Ophthalmia or some local complaint is frequently appearing among them. They are all taking Cinchona, wine, & using fresh diet.</p>	
<p>A. Moreton æt10</p>	<p style="text-align: center;">Die 28</p> <p>This boy has had an abscess form over the tibia; he now is troubled with a simple diarrhœa, the effects of the late wet state of the Ship. <i>Rx. Mist. Cretæ. ℥ijfs Conf. Arom. g'x Tinct. Opii. g^{tt}v. ℥j^f haust bis die.</i></p>	
<p>Hulley [stamped PUBLIC RECORDS OFFICE]</p>	<p>She is irrational & extravagant of uncertain periods; she is now affected with a Diarrhœa, which, with a prolapsus uteri et vagina (of long standing), have greatly reduced her strength, & confined her to bed. <i>Habeat Mist. Creta. ut Supra ter vel quater in die.</i></p>	
<p>Godbold) Clarke) C. Quin) Kay)</p>	<p>These persons have ulcers & wounds of little import, being the effect of local injuries, except Quin, who [has] an ulcer on the leg, in consequence of varicose veins & vitiated advanced years. A slough of some bulk will eventually be thrown off. <i>Curentur Ulcera s.a.</i></p>	
<p>Jarvis</p>	<p style="text-align: center;">Die 29</p> <p>A scorbutic affection of the gums. <i>Rx. Sulph. Alum. g'x Cinchon: pulv. ʒj. Aq. Puræ Hfs M^f Gargar. sæpe utendum.</i></p>	
<p>Mrs McLeod f.p.</p>	<p>Slight head [-ache], pains in the limbs, confined bowels, & much agitation of the mind from bad behaviour. <i>Rx. pil. purgantes è Jalapa. iij s.s.</i></p>	
<p>Champion convict</p>	<p>A woman of great sensibility, very timid, easily agitated & very susceptible to anxiety of mind, & subject to Dyspepsia & Hysteria, is now seized with spasms in the alimentary canal; the pains are agonizing, varying their seat, & greatly relieved by pressure: pulse weak. <i>fovetur Abdomen Aqua Calida. sæpe. Rx. Tinct. Rhei. ʒiij. Aq. Puræ. ℥ijfs. Tinct. Opii. g^{tt}xxx ℥.</i></p>	
<p>PA310984JPG Van Diemen's Land Beldon) Hulley)</p>	<p style="text-align: center;">Die 4^{ta} Maii</p> <p>These women being in an infirm state of health, and advancing daily in debility. I have landed them at this place. The derangement of mind in the one case continued before; and in the other case the internal tumour causes an increasing uneasiness. <small>[Mary Beldon died on 21 March 1823 and Keziah Hulley on 11 June 1822].</small></p>	
<p>Quin</p>	<p>A sloughing, constitutional, but mild ulcer on the leg. <i>Applicetur Cataplasma Calidum bis die.</i></p>	
<p>Campbell's Child at sea</p>	<p>This child is of a very weak constitution: scrophulous abscesses frequently form in the inguina. <i>Habeat acgra Cinchonam cum Vino ter die. Rx. Sulph. Rinci g'x Aq. Puræ Hfs. ℥j^f Lotio pro partibus affectis.</i></p>	

Thermom^r 50°		
E. Edyvean æt 20		Die 13^{mo}
		Complains of universal pains in the body; with thirst, & chillingness: tongue dry: bowels confined till this morning; since the operation of a <i>Saline Cathartic</i> which she took last night, they have been thrice moved: the enticular secretion is suppressed: pulse soft.
		<i>Rx. Mist. Salin. ℥vj. Sulph. magnes. ʒj</i>
		<i>pulv. Ipecac. Comp. g^rxv. ℞ fiat Mistura cujus Sumat partem tertiam 4 in die.</i>
Edyvean	Note:	Several of the women are slightly indisposed with Catarrhal complaints, affecting the mucuses membranes of the respiratory or alimentary canals.
		Die 15
Edyvean	Better.	<i>Rep. Mistura.</i>
		Die 16
Edyvean	8 P.M.	The pulse is now for the first time above 100, & there is a cerebral congestion & uneasiness: skin dry.
		<i>Mittatur Sanguis è brachis ad ℥xvj.</i>
		Die 17
Edyvean		Better: skin moist; bowels regular.
		<i>Rep. Mistura.</i>
		Die 18
Edyvean	Better.	<i>Rep. Mistura.</i>
		Die 20
Edyvean		No complaint.
		Thursday May 23
		All prisoners were disembarked today, in good health; and this Note closed the Journal.
		James Hall (2) Surgeon-Superint^t

PA310986JPG & PA310987JPG

ABSTRACT of the preceding **JOURNAL**, being a
Summary of all the Cases contained therein

Nature of the Disease or Hurt	Put on the Sick List	Discharged to Duty	Sent to the Hospital	Died on Board
Continued Fevers	2	2		
Fluxes	6	6		
Scurvy	-	-		
Ulcers	3	3		
Wounds & Accidents	6	6		
Rheumatism	2	2		
Pulmonic Inflammation	3	3		
Intermittent Fevers	-	-		
Cynanche	1	1		
Osseous Tumortis	1	1		

Aneurysm	1		1	
Mammae ^m Tumortis	2	2		
Cephalalgia	41	41		
Catarrhus	4	4		
Ophthalmia	5	5		
Insanity	1		1	
Nausea et debilitas	2	2		
Haematemesis	1			
Enteritis	2	2		
Obstipatio	2	2		
Epitaxis	1	1		
Ferricula	1	1		
Colica	1	1		
Spasmus	1	1		
Scrophula	1	1		
Splenitis	1	1		
Vomitio	1	1		
Debilitas	1	1		
Dyspepsia	1	1		
Hepatitis	2	1		
Attempt to poison	1	1		
Haemorrhage Uteri	1	1		
Tumores interni	1		1	
Carcinoma Ventriculi	1			1
Other complaints				
Total	98	94	3	1

GENERAL REMARKS

The summary above shows, that few acute diseases occurred, and that nearly half of the whole number of patients who were put on the List, consisted of cases of Cephalalgia, under which term I included all those cases of disturbed economy of the Cerebral ^[Cranial: appears above] organs, arising from plethora of the blood vessels and their increased action by the stimulus of head. The stomach participated in the affection of the brain, and hence many symptoms necessarily arose, indicating the deranged state of the circle of living actions. But as the course of their aberrations consisted only of a simple vis-a-tergo on the fluids circulating for the use of the various organs of the body, harmony was easily restored by depletion of the vessels.

I observed many complicated ailments arising among the women and was often perplexed in endeavouring to give them a name, and more so, in devising a rational principle of cure. Oftentimes I have been alarmed by symptoms which seemed to denote sudden danger to life: and they were not simple fits of Hysteria, but commotions in the nervous system originating in a reciprocal action, as it seemed, of the Uterine system and mind, from ideal or mechanical causes. I found very few females menstruate regularly; and learned that the uterine secretion generally ceases whilst the female convicts be in Newgate, and in other jails, hence from the suppression of this periodical secretion arise many disturbances in the female system. Another cause of disturbances is obstipatio, on some occasions I have had between one and two dozen women in one day complaining of this ailment; and, on investigating the case, I have been surprised by discovery that no evacuations, per rectum, had been made for the space of two weeks! In all such cases, reason dictated the use of excellent enemataë, but the genuine delicacy of the English female forbade their use, and only in two instances could I persuade, those degraded women to submit to their employment.

Here I found myself frequently disappointed in my attempts to remove the local congestions, owing to the want of a larger quantity of medicines which act principally on the Rectum, such as aloes, Conf. Sennæ, Gambogia, & Scammonial pulvis; the latter would be very beneficial to such children as might be ill è verminous.

I need hardly remark that all such patients as I have just spoken of, were not put on the Sick List; the applicants for purgative pills were frequently so numerous as to interfere sometimes with important duties. But the exhibition of the remedy was always followed by demands for water gruel.

The case of death that occurred was one that might have been expected so to terminate; as the woman had not Menstruated for several years, and had long laboured under chronic visceral diseases. The immediate cause of death seemed to be a cancerous affection of the Stomach; many [?chasmus] prevented an examination of the body.

The next serious case in the Journal is one of Pleuritis which had nothing worthy of notice in itself, but it induced a train of nervous symptoms, which the patient (**Sarah Fletcher**) artfully employed, and made subservient, to her lustful and wicked designs. I would not here mention one of her arts, did I not hope that the perusal of it may put such of my brother officers as may be placed in charge of female convicts on their guard, and thereby prevent an imposition being practised on them, and defeat an artful attempt on their professional and moral character:- this young woman was able at any time to excite various symptoms of Hysteria, and greatly accelerate the pulse; and oftentimes she feigned a retention of urine, with all the attendant symptoms, in order, especially in the middle of the night, that I might be urged to introduce the Catheter! To this instance of profligacy may be added that of the attempt to poison herself, made by **Walton**, and a protracted illness which followed an attack of Enteritis in **Fenton**; all three were punished as soon as their impostures were discovered, and thus they were radically cured.

On the whole, I must observe that the women and children enjoyed a high state of health during the voyage, owing to a rigid system of cleanliness and good discipline having been maintained. I must also remark that neither in this; or in my former voyage, nor indeed at any period since I have been in His Majesty's Service, have I used the "Articles of Fumigation", which, I verily believe to be totally unnecessary. A free circulation of pure atmosphere, a dryness and cleanliness of apartments, bedding and apparel, have ever seemed to me the best means of preventing the formation of fevers among persons collected in, and confined to a small space.

James Hall (2)
Surgeon