

Surgeon's Journal of Her Majesty's Female Convict Ship *Mermaid*  
 Mr James Gilchrist Surgeon  
 Between the 7<sup>th</sup> January and the 4<sup>th</sup> July 1828  
 ADM101-53-3

**Copy of the sick list of the *Mermaid* Female Convict Ship**

When Put On Sick List	Name	Age	Quality	Disease or Hurt	When Put Off Sick List	How Disposed Of
Feby 6	Maria Johnson	16	Convict	Ulcus	Feby 27 <sup>th</sup>	Disch <sup>d</sup> cured
8 <sup>th</sup>	Cath <sup>ne</sup> Fitzgerald	32	D <sup>o</sup>	Hæmorrhoids et Vagina Ulcura	Feby 28 <sup>th</sup>	Disch <sup>d</sup> Relieved
10 <sup>th</sup>	Mary Ann Rush	23	D <sup>o</sup>	Herpes	Feby 13 <sup>th</sup>	Disch <sup>d</sup> cured
10 <sup>th</sup>	Ann Lynch	20	D <sup>o</sup>	Cynanche	Feby 20 <sup>th</sup>	D <sup>o</sup>
11 <sup>th</sup>	Mary Devign	23	D <sup>o</sup>	Hysteria	Feby 15 <sup>th</sup>	D <sup>o</sup>
12 <sup>th</sup>	Ann Stone	21	D <sup>o</sup>	Catarrhus	Feby 14 <sup>th</sup>	D <sup>o</sup>
13 <sup>th</sup>	Cath <sup>ne</sup> Galloway	32	D <sup>o</sup>	Catarrhus	Feby 14 <sup>th</sup>	D <sup>o</sup>
13 <sup>th</sup>	Sarah Walby	35	D <sup>o</sup>	Diarrhoea	Feby 15 <sup>th</sup>	D <sup>o</sup>
13 <sup>th</sup>	Cath <sup>ne</sup> Easthope	38	D <sup>o</sup>	Hysteria	March 5 <sup>th</sup>	D <sup>o</sup>
13 <sup>th</sup>	Mary Hickson	24	D <sup>o</sup>	Diarrhoea	Feby 16 <sup>th</sup>	D <sup>o</sup>
17 <sup>th</sup>	Eliz <sup>th</sup> Miller	18	D <sup>o</sup>	Tinea Capitis	Feby 27 <sup>th</sup>	D <sup>o</sup>
17 <sup>th</sup>	Eliz <sup>th</sup> Johnson	32	D <sup>o</sup>	Catarrhus	Feby 18 <sup>th</sup>	D <sup>o</sup>
18 <sup>th</sup>	Mary Ann Davis	32	D <sup>o</sup>	Hæmoptysis et Menorrhag:	March 24 <sup>th</sup>	D <sup>d</sup> Relieved
19 <sup>th</sup>	Sarah Owen	19	D <sup>o</sup>	Catarrhus & Suppressio Mensium	March 9 <sup>th</sup>	Disch <sup>d</sup>
22 <sup>nd</sup>	Mary Ann Law	13	D <sup>os</sup> Child	Obstpatis	Feby 28 <sup>th</sup>	D <sup>o</sup>
23 <sup>rd</sup>	James Gunyon	4	D <sup>o</sup> D <sup>o</sup>	Ophthalmia	March 1 <sup>st</sup>	D <sup>o</sup>
Feby 24 <sup>th</sup>	Mary Browning	23	Convict	Suppressio Mensium	March 1 <sup>st</sup>	Disch <sup>d</sup>
Feby 27 <sup>th</sup>	Elizabeth Graham	20	D <sup>o</sup>	Nausea Marin et Singultus	March 4 <sup>th</sup>	D <sup>o</sup>
Feby 27 <sup>th</sup>	Ann Arnold	19	D <sup>o</sup>	Nausea Marin	March 1 <sup>st</sup>	D <sup>o</sup>
Feby 28 <sup>th</sup>	Cath <sup>ne</sup> Johnston	27	D <sup>o</sup>	Dysenteria	March 6 <sup>th</sup>	D <sup>o</sup>
Feby 29 <sup>th</sup>	Elizabeth Broadway	38	D <sup>o</sup>	Obstipatio et Vomitus	March 5 <sup>th</sup>	D <sup>o</sup>
Feby 29 <sup>th</sup>	Mary Devign	23	D <sup>o</sup>	Hysteria	March 31 <sup>st</sup>	D <sup>o</sup>
March 9 <sup>th</sup>	Cath <sup>ne</sup> Blissett	40	D <sup>o</sup>	Scrofula	March 12 <sup>th</sup>	D <sup>o</sup>
9 <sup>th</sup>	Cath <sup>ne</sup> Fitzgerald	32	D <sup>o</sup>	Hæmorrhoids et morbus vaginæ	March 25 <sup>th</sup>	D <sup>o</sup>
14 <sup>th</sup>	Eliz <sup>th</sup> Broadway	38	D <sup>o</sup>	Dysenteria	April 12 <sup>th</sup>	D <sup>o</sup>
16 <sup>th</sup>	Mary Ann Lyons	19	D <sup>o</sup>	Cephalea et vomitis	March 29 <sup>th</sup>	D <sup>o</sup>
16 <sup>th</sup>	Elizabeth Harris	19	D <sup>o</sup>	Dysenteria	March 20 <sup>th</sup>	D <sup>o</sup>
18 <sup>th</sup>	Ann Frances Clifton	29	D <sup>o</sup>	Abortus	April 29 <sup>th</sup>	D <sup>o</sup>
18 <sup>th</sup>	Elizabeth Smith	22	D <sup>o</sup>	Cephalea	March 21 <sup>st</sup>	D <sup>o</sup>
20 <sup>th</sup>	Sarah Walby	38	D <sup>o</sup>	Hæmoptysis et Epilesia	June 30 <sup>th</sup>	D <sup>o</sup>
21 <sup>st</sup>	Eliz <sup>th</sup> Bullock	16	D <sup>o</sup>	Tinea Capiti et Abscessus	April 12 <sup>th</sup>	D <sup>o</sup>
22 <sup>nd</sup>	Mary Laing	23	D <sup>o</sup>	Cephalagia	March 26 <sup>th</sup>	D <sup>o</sup>
April 5 <sup>th</sup>	Ann Brooker	20	Convict	Alienatio Mentis c Hysteria	March 19 <sup>th</sup>	Disch <sup>d</sup>
5 <sup>th</sup>	Elizabeth Miller	18	D <sup>o</sup>	Ulcus et Scrofula	May 18 <sup>th</sup>	D <sup>o</sup>
6 <sup>th</sup>	Maria Pugh	21	D <sup>o</sup>	Colica	April 8 <sup>th</sup>	D <sup>o</sup>
7 <sup>th</sup>	Elizabeth Davis	17	D <sup>o</sup>	Colica	April 9 <sup>th</sup>	D <sup>o</sup>
9 <sup>th</sup>	Cath <sup>ne</sup> Herring	19	D <sup>o</sup>	Cephalea	April 12 <sup>th</sup>	D <sup>o</sup>
9 <sup>th</sup>	Sarah Mosely	35	D <sup>o</sup>	Erysipelas et Ptyalismus	May 8 <sup>th</sup>	D <sup>o</sup>

12 <sup>th</sup>	Elizabeth Law	32	D <sup>o</sup>	Dysenteria	April 25 <sup>th</sup>	D <sup>o</sup>
12 <sup>th</sup>	Maria Johnson	17	D <sup>o</sup>	Colica	April 17 <sup>th</sup>	D <sup>o</sup>
13 <sup>th</sup>	James Gunyon	4	D <sup>o</sup> Child	Diarrhoea	April 18 <sup>th</sup>	D <sup>o</sup>
13 <sup>th</sup>	Harriet Jones	24	Convict	Suppressio mensium et Colica	April 21 <sup>st</sup>	D <sup>o</sup>
18 <sup>th</sup>	Ann Lynch	22	D <sup>o</sup>	Rheumatismus	July 4 <sup>th</sup>	D <sup>o</sup>
21 <sup>st</sup>	Elizabeth Lewis	19	D <sup>o</sup>	Catarrhus	April 25 <sup>th</sup>	D <sup>o</sup>
26 <sup>th</sup>	Mary Lee	19	D <sup>o</sup>	Catarrhus	April 28 <sup>th</sup>	D <sup>o</sup>
26 <sup>th</sup>	Mary Leary	19		Graviditas et Partus	June 29 <sup>th</sup>	Hospital with Infant
May 9 <sup>th</sup>	Ann Stone	21	D <sup>o</sup>	Diarrhoea	May 12 <sup>th</sup>	Disch <sup>d</sup>
May 10 <sup>th</sup>	Ann Frances Clifton	29	Convict	Rheumatismus	June 1 <sup>st</sup>	Disch <sup>d</sup> Cured
10 <sup>th</sup>	Ann Brooker	2	D <sup>o</sup>	Catarrhus	May 22 <sup>nd</sup>	D <sup>o</sup>
11 <sup>th</sup>	Mark Solomon	4	D <sup>os</sup> Child	Diarrhoea	May 18 <sup>th</sup>	D <sup>o</sup>
12 <sup>th</sup>	Ann Solomon	6	D <sup>o</sup> D <sup>o</sup>	Febris	May 28 <sup>th</sup>	D <sup>o</sup>
13 <sup>th</sup>	Ann Harris	22	Convict	Catarrhus	July 4 <sup>th</sup>	Colon <sup>l</sup> . Hosp <sup>l</sup> .
16 <sup>th</sup>	Lydia Chandler	21	D <sup>o</sup>	Catarrhus	May 18 <sup>th</sup>	Disch <sup>d</sup>
16 <sup>th</sup>	Sarah Wilson	26	D <sup>o</sup>	Cynanche Tonsil	May 28 <sup>th</sup>	D <sup>o</sup>
18 <sup>th</sup>	Mary Edwards	41	D <sup>o</sup>	Menorrhagia	May 21 <sup>st</sup>	D <sup>o</sup>
19 <sup>th</sup>	Mary Devign	23	D <sup>o</sup>	Dysenteria	May 26 <sup>th</sup>	D <sup>o</sup>
21 <sup>st</sup>	Martha Smith	24	D <sup>o</sup>	Dysenteria	May 25 <sup>th</sup>	D <sup>o</sup>
22 <sup>nd</sup>	Mary Ann Lyons	18	D <sup>o</sup>	Catarrhus	May 30 <sup>th</sup>	D <sup>o</sup>
23 <sup>rd</sup>	Sophia Gunyon	34	D <sup>o</sup>	Erysilelas	May 30 <sup>th</sup>	D <sup>o</sup>
29 <sup>th</sup>	Cath <sup>ne</sup> Galloway	33	D <sup>o</sup>	Colica	June 3 <sup>rd</sup>	D <sup>o</sup>
29 <sup>th</sup>	Marg <sup>t</sup> Butler	28	D <sup>o</sup>	Colica et Rheumatis.	July 4 <sup>th</sup>	Col. Hosp <sup>l</sup> .
June 1 <sup>st</sup>	Mary Lawrence	42	D <sup>o</sup>	Catarrhus	June 7 <sup>th</sup>	Disch <sup>d</sup>
5 <sup>th</sup>	Elizabeth Sellis	43	D <sup>o</sup>	Obstipatio et Debilitas	June 10 <sup>th</sup>	D <sup>o</sup>
June 6 <sup>th</sup>	Cath <sup>ne</sup> Easthope	38	Convict	Dysenteria	9 <sup>th</sup> June	Disch <sup>d</sup> Cured
8 <sup>th</sup>	Ann Brooker	20	D <sup>o</sup>	Obstipatio et Vomitus	13 <sup>th</sup> June	D <sup>o</sup>
12 <sup>th</sup>	Cath <sup>ne</sup> Williams	36	D <sup>o</sup>	Dysenteria	2 <sup>nd</sup> June	D <sup>o</sup>
16 <sup>th</sup>	Sarah Elliot	33	D <sup>o</sup>	Hysteria	21 <sup>st</sup> June	D <sup>o</sup>
22 <sup>nd</sup>	Matilda Turner	20	D <sup>o</sup>	Obstipat. et Cephalea	25 <sup>th</sup> June	D <sup>o</sup>
23 <sup>rd</sup>	Marg <sup>t</sup> Ruby		D <sup>o</sup>	Dysenteria	26 <sup>th</sup> June	D <sup>o</sup>

**Medical and Surgical Journal of Her Majesty's Convict Ship Mermaid between the  
[from date] and the [to date] during which time the said ship has been employed in a  
voyage from [departure place] to Hobart Town, Van Diemen's Land**

Nature of Disease	No. of Case	Men's Names, Ages, Qualities, Time when and where taken ill, and how disposed of.	The History, Symptoms, Treatment, and Daily Progress of the Disease or Hurt.
Ulcus Cruris          #8	1	Maria Johnson Æt: 16, Single Female Convict 6 <sup>th</sup> Feb <sup>y</sup> . 1828 Woolwich      7 <sup>th</sup>   8 <sup>th</sup> 9 <sup>th</sup> Feb <sup>y</sup>  27 February Discharged Cured.	Has an ulcer over the left tibia; three inches above the ankle articulation, larger than a shilling and exhibiting a foul surface, integuments surrounding the base inflamed and excoriated; says it has been open for the last six weeks – it appears to have been much neglected – General health good. Let the sore be dressed simply, a compress & bandage applied & to be kept moist with a weak Saturnine Lotion; the limb to be kept in an horizontal posture. 7 <sup>th</sup> Surface of the ulcer cleaner & the surrounding inflammation <i>Capt. Haust: Aper: Salin: ʒiv</i> Let the ulcer be dressed with a Solution of the Nit: of Silver. The bandage & compress to be kept moist with cold water. 8 <sup>th</sup> Purgative operated, ulcer improving – <i>Cont. Remed:</i> 9 <sup>th</sup> Feb <sup>y</sup> The sore from this period assumed a healthy appearance, on the 12 <sup>th</sup> adhesive straps were applied and cicatrization gradually went on till the 27 <sup>th</sup> when it had completely healed and she was discharged off the Sick List.
Hæmorrhoids et Morbus Vaginæ	2	Cath <sup>ne</sup> Fitzgerald Æt: 32, Convict 8 <sup>th</sup> February Woolwich	Complained this morning having both labia enormously enlarged; the lining of the vagina ulcerated in many places, much thickened, and attended with a copious puriform discharge, there is also some pain on voiding urine, and in addition to these complaints there are extensive external hæmorrhoidal tumours occasionally accompanied with hæmorrhage & pain on passing fæces according to her own account. The first morbid alteration she noticed was only eight months ago, since which period she has gradually got worse but rapidly so within the last six weeks. She denies having had any venereal complaint tho' from her former course of life, it is by no means improbable. Is the mother of one child aged 6 years. General health she states to be pretty good, and catamenia regular. The remedies she has used have been warm fomentations and repeated courses of mercury but without experiencing any permanent relief from them. 9 <sup>th</sup> <i>Utatur Solut: Sulph: Alumin pro injectione</i> Little or no alteration of Symptoms, the most severe & troublesome of which are almost constant bearing down pain and sense of weakness across the lumbar region & hips – upon a more close examination found the vagina so much diseased and indurated as totally

#9 JPG			to prevent the state of the uterus' being ascertained. Bowels at present confined. <i>Capiat Pilul Aloet ad solute: alv. Foveat: part: affect Aq: Calid. et omni nocte sumat Pilul sequent.</i> <i>Rx Ext: Cicut: gr ij</i> <i>Pilul. Hyd. gr iij ft Pil.</i>
	10 <sup>th</sup>		Discharged rather diminished but she complains of pain in the region of the uterus, loins & thighs. Bowels still confined. <i>Rept. Pilul Aloet no iij</i> <i>Cont. Pilul Cicut et Inject. necnon Fotus.</i>
	11 <sup>th</sup>		Bearing down pain, discharge &c continues. Bowels freely opened. Pulse, Heat skin & T. natural. <i>Cont. Pilul Cicut et Fotus</i>
	12 <sup>th</sup>		Has been more free from pain than usual, discharge continues nearly as before. <i>Perstet.</i>
	13 <sup>th</sup>		Gums slightly inflamed but as yet there is no alteration for the better. <i>Cont: Pilul &amp;c</i>
	14 <sup>th</sup>		Is complaining much today of her back, loins & groins, ulceration & discharge nearly as before tho' she daily uses warm fomentations & injects an astringent lotion; she has been warned against filth & neglect, which from the indolence of her disposition I judge has been the case prior to her admission on board. Catamenia absunt. <i>Intermittantur Pilul Cicut:</i> <i>Hab. Pilul Aloet. ij</i>
	15 <sup>th</sup>		Has had a good night and her feelings generally are more comfortable. <i>Nulla med.</i>
	16 <sup>th</sup>		Complains more of pain affecting the back & loins. Bowels rather confined, <i>adhere fluent Catam.</i> <i>Hab: mass; Pil Aloet. gr xv</i> <i>Rept. Fotus</i>
	17 <sup>th</sup>		Says she experiences considerable pain & difficulty in voiding urine, particularly in the morning. <i>Fluxerunt Catamen</i> <i>Rept. Pil Cicutæ Co.</i> <i>Bilat Pot. Aciduli Super Tart. Pot</i>
	18 <sup>th</sup>		Gums rather tender, enlargement of labia, ulceration & hæmorrhoidal tumours nearly the same. <i>Cont. Pilul et Fotus, necnon affricet. part. extern.</i> <i>Liniment. Hydrarg. Camphorat: ʒj 2<sup>da</sup> q. q. nocte.</i>
	19 <sup>th</sup>		Comparatively easy today. <i>Cont. Remed.</i>
	20 <sup>th</sup>		Seems improving under the present treatment. <i>Cont. Med.</i>
	23 <sup>rd</sup>		For last two days she has felt considerably easier than formerly tho' the discharge is still copious & the enormous enlargement of the labia, particularly the right is the same, it appears indolent & unattended with pain. <i>Cont. Frict. Liniment:</i> <i>Hyd: Camph: necnon Pilul et reject. astring:</i>
		March 2nd	
		3 <sup>rd</sup>	Gums are more painful with headache. <i>Omit Pilul Cicutæ Co. et Hab. hor. decubit. opii colat: gr ifs.</i>

<p>#10 JPG</p>			<p>4<sup>th</sup></p>	<p>The Bowels being confined, took this <i>morning Sulph. Magnes ℥j</i> which has already operated. Slight ptyalism, local complaint relieved.  <i>Utat<sup>r</sup> Gargari: Sulph: alumin: Capt h..s.</i>  <i>Opii gr j</i></p>
			<p>5<sup>th</sup></p>	<p>Ptyalism more copious attended with headach. Bowels still slow.</p>
			<p>6<sup>th</sup></p>	<p>She is considerably better and passed a good night – discharge from vagina still copious, but the hæmorrhoidal tumours and enlargement of the labia are in some degree reduced.</p>
			<p>7<sup>th</sup></p>	<p>Salivary discharge subsiding local complaint &amp; her feeling generally improved.</p>
			<p>8<sup>th</sup></p>	<p>Complains of general malaise but has no particular pain.</p>
			<p>9<sup>th</sup></p>	<p>Inflammation of gums and ptyalism subsiding, she complains of weakness.</p>
			<p>10<sup>th</sup></p>	<p>Let her have gruel and Sago. <i>Cont. Vin et remedia.</i></p>
			<p>11<sup>th</sup></p>	<p>In every respect better. <i>Med et dieta ut antea</i></p>
			<p>14<sup>th</sup></p>	<p>Is now nearly in her usual state of health, she micturates without pain, &amp; the tumours are considerably softer – discharge still copious</p>
			<p>16<sup>th</sup></p>	<p>Ptyalism abated. Bowels confined, discharge from vagina and surrounding induration nearly as before.</p>
			<p>18<sup>th</sup></p>	<p>As the weather becomes warm the discharge increases, she feels weak, languid &amp; has little appt<sup>e</sup>. Let her salt provisions be checked in lieu thereof, let her have Soup from Preserved meat, Sago &amp; Wine as before.</p>
			<p>20<sup>th</sup></p>	<p>Thinks she experiences some benefit from the Emulsion which she is recommended to take in as large doses as the stomach will retain, the discharge continues but there is now no difficulty voiding urine, the hæmorrhoidal affection is also much relieved.</p>
			<p>25<sup>th</sup></p>	<p>Has persevered in the use of the Balsam for the last four days and she now considers herself better than she has been for the last three months.</p>
			<p>25<sup>th</sup> March Discharged Relieved</p>	<p>Let her be discharged off the Sick List; to have her usual rations &amp; continue the Balsam.</p>

<p>#11</p> <p>Herpes</p>	<p>3</p>	<p>Mary Ann Rush Æt. 23, Single 10<sup>th</sup> February Woolwich</p> <p>Feb<sup>y</sup> 13<sup>th</sup> Disch<sup>d</sup> Cured</p>	<p>Of sallow complexion &amp; from the suppression of the menses considers herself four months advanced in pregnancy – states that seven weeks ago an Eruption appeared about the elbows, thence extending to the wrists, thighs &amp; other parts of the body, attended with little or no itching but a painful sense of tingling – had a venereal affection prior to the appearance of the eruption – has used various remedies &amp; the system has been affected with mercury without relief. At present from the elbows to the wrist is one mass of scabs &amp; small ulcers discharging a thin ichorous fluid, the left elbow in particular is considerably swollen &amp; inflamed – the thighs present a similar appearance, tho’ the eruptions more dispersed. She appears to have neglected herself, as there is little doubt but want of cleanliness is the principal cause of her complaint. After using soap &amp; hot water, an ointment composed of equal parts of <i>Ungt. Nit. Hyd. &amp; Ungt. Sulph. Co.</i> was thinly applied over the eruptions &amp; a Bandage to the elbow with a weak astringent Lotion – a purgative also was prescribed. Under this treatment in a few days the eruptions disappeared by desquamation the subjacent skin exhibiting a red, raw appearance.</p>
<p>Hysteria</p> <p>#12</p>	<p>4</p>	<p>Mary Devign Æt. 23, married 10<sup>th</sup> February Woolwich</p> <p>11<sup>th</sup></p> <p>12<sup>th</sup></p> <p>13<sup>th</sup> Feb<sup>y</sup></p>	<p>Has apparently been much dejected since she came on board: on the first evening (Tuesday 5<sup>th</sup>) she was suddenly seized with a paroxysm resembling Hysteria which was relieved by administering an Antispasmodic draught; this evening she had a similar attack, sudden, and attended with more violent spasms than the former. On recovering sense she swallowed <i>Spt: æth: Nit: ʒifs Tinct Opii gr<sup>ss</sup> xxxv</i> in form of draught. States that she has been subject to these attacks for the last eight years, which at times have lasted for days without interruption, her health in other respects is pretty good. Pulse intermitting but not frequent. Bowels lax with griping. Heat &amp; T. natural Catamenia regular.</p> <p>11<sup>th</sup> Passed a tolerable night but complains now of pain at præcordia &amp; weakness. P. 90, T. parched &amp; brownish, no alvine evacuation, there is great depression of spirit &amp; much thirst.</p> <p>Rx. Antimon Tart. gr ifs Magnes: Sulph: ʒij Aq. Menth Piperit: ʒvj Capt. Vin: Vit: 2da q.q.hor. – Thin gruel for drink</p> <p>12<sup>th</sup> Had a comfortable night altho’ at times she started and talked incoherently; she still complains of uneasiness at præcordia with griping. Pulse, Temp, &amp; T: nat. B. loose.</p> <p><i>Capt. Pulv: Ipec: co gr xviiij</i> <i>Omit<sup>r</sup>. Solut: Aper:</i> Warm gruel</p> <p>13<sup>th</sup> Feb<sup>y</sup> Has had singultus occasionally but no return of hysteric paroxysms, she passed a tolerable night perspired gently and was quite coherent. Pulse, skin &amp; T. nat<sup>l</sup>.</p> <p><i>Rep<sup>r</sup>. Pulv. Ipecac. Co:</i></p>

		14 <sup>th</sup> 15 <sup>th</sup> 15 <sup>th</sup> Feb <sup>y</sup> Discharged Cured	Functions natural, no return of Fit or singultus, Bowels rather slow – <i>Capt. Pilul Cathart iij</i> <i>Omit<sup>r</sup> Pulv: Sudorif:</i> Is now free from complaint – the Pills have operated & the uneasiness at præcordia is removed.
Hysteria	5	Cath <sup>ne</sup> Easthope Æ 38 Single 12 <sup>th</sup> February Woolwich	Complains of pain of abdomen and back, the former much distended – there is also a distressing sense of suffocation from the globus hystericus – Pulse quick & small, Bowels slow. Heat & T natural. Catamenia per duos menses non fluxerunt. Took a purgative of Calomel & Jalap which has increased the flatulence & pain of abdomen. Says her health is in general good. <i>Rx. Opii Confect.</i> <i>Confect. Aromat á á gr xij</i> <i>Aq. Ment: pip. ℥ij ft Haust</i> <i>Bibat Decoct. Hord. ad libit.</i> 13 <sup>th</sup> Passed a restless night from pain of back, loins, & abdomen. Pulse quick & small. T: white, skin hot, Headache with thirst & constant inclination to retch, face flushed & swollen, no alvine evacuation. <i>Capiat Haust Salin Efferves omni hora. Foveat<sup>r</sup> abdom:</i> <i>Aq. Ferric:</i> 3 P.M. Face still flushed, Headach continues & the pain of abdomen is increased. P.M. 5 – skin hot <i>F<sup>r</sup> V.S. brach. ad ℥xviiij</i> 6 P.M. The quantity of blood prescribed has been abstracted but she has since had several alarming attacks of Syncope attended with great collapse & absence of pulse requiring <i>Spt. Ammon &amp; æth. Nitras</i> to restore it; it is still weak and there is constant nausea. <i>Cont. Haust. Salin Efferves.</i> Let her take a little warm gruel with ginger occasionally. 10 P.M. Pulse firmer but she is still pale & very restless. To have a little Port Wine in her Gruel. 14 <sup>th</sup> Has had a bad night – she still complains of much headach. Pulse quick but weak and languid – T: white, has had two dejections, the pain of abdomen alleviates & returns with increased severity alternate rigors & flushes. <i>Cont<sup>r</sup> Haust. Salin Efferves.</i> 6 P.M. Has fainted twice and appears extremely weak, two stools – pain of bowels relieved as is the nausea but sense of suffocation from the “ball rising in her throat” is troublesome. <i>Cont<sup>r</sup> Haust. Gruel, &amp;c</i> 15 <sup>th</sup> Passed an indifferent night, she complains this morning of pain at hypogastric region, with bearing down when at stool, fainted twice altho’ in the horizontal posture & she still experiences a distressing sense of sinking, stools liquid, painful distension at Epigast. <i>Rx Pulv. Ipecac Co gr xviiij</i> <i>Pulv Zingib. gr viij ft Haust cum</i> <i>Aq. Ment. Pip ℥ij statim sumend.</i> #13 Vespere Has been troubled during the day with griping looseness of bowels & tenesmus, stools scanty &

			<p>slimy, there is still a disposition to vomit and a fulness at Epigastric region. P. 80 weak.</p> <p><i>Rx Ol. Ricini ℥i</i>  <i>Tinct Rhei, Aq. Ment. á á ℥fs: ft haust. addens</i>  <i>Tinct opii g<sup>ss</sup>. xxx mox sumend.</i></p> <p>16<sup>th</sup> Had a comfortable night, the dysenteric being relieved, tho' she still has some pain &amp; distension at the stomach, &amp; complains of being weak.</p> <p><i>Rx Pulv Zingiber: gr viij</i>  <i>Infus Gent: ℥ifs ft haust. ter ind: sumend:</i>  Continue the Gruel with a little Port Wine.</p> <p>17<sup>th</sup> No return of dysenteric complaint &amp; she only complains of occasional sense of a ball rising to her throat. <i>Cont. Infus:</i></p> <p>18<sup>th</sup> Is still weak &amp; there is at times a tendency to syncope – B. now regular. <i>Cont. Med: et Vinum</i></p> <p>19<sup>th</sup> 6 P.M. Has sat up for several hours but in getting to bed was again seized with a fit of syncope. P. 96. B. confined.</p> <p><i>Intermit. Infus. Hab. Pil aper iij</i></p> <p>20<sup>th</sup> Complains of flying pains about the thorax &amp; head – Bowls still costive.</p> <p><i>Hab. Infus: Sennæ ċ Sulph: Magnes.</i></p> <p>21<sup>st</sup> Medicine has operated, with some relief- the headach &amp; pain of breast being gone.</p> <p>22<sup>nd</sup> Complains more today, the nausea &amp; flatulent distension at stomach having returned &amp; the bowels being still slow. <i>Hab. Pilul. Cathart iij</i></p> <p>23<sup>rd</sup> The Pills have operated &amp; her complaints are again relieved, they decidedly are of an hysterical nature – Gruel as before.</p> <p>24<sup>th</sup> Feby Slept indifferently, stomach still irritable, Pulse weak, Tongue clean, B. costive – constant disposition to faint when she gets out of bed.</p> <p><i>Rx Pulv Rhei gr xv – Tinct Rhei</i>  <i>Aq. Ment. Pip á á ℥fs ℥ ft Haust.</i>  Cont. the Gruel</p> <p>25<sup>th</sup> Pulse, Heat &amp; T. natural, Bowels have been twice moved – <i>Catamen: adsunt</i>  <i>Omit med: Gruel as before.</i></p> <p>28<sup>th</sup> 6 P.M. has been on deck for several hours &amp; is in every respect better. Bowels now regular, Defluxerunt Catamenia.</p> <p><i>Capt. Infus Quassia ℥ij ter ind.</i></p> <p>5<sup>th</sup> March Discharged Cured She continued progressively to amend &amp; gain strength till the 5 of March when being free from complaint she was put off the Sick List.</p>
Hæmoptysis et Menorrhagia	6	Mary Ann Davis Æt: 32 Married 18 <sup>th</sup> February At anchor Below Gravesend	<p>Is the mother of two children – states that she has been affected with spitting of blood occasionally, for the last eight months for which she has repeatedly been bled and blistered, without any permanent relief – the blood expectorated is florid &amp; frothy but in small quantity, she also complains of pain under the right mamma confined to a space not larger than the palm of the hand. Pulse 100, T clean, B and Catamenia regular. Considers cold the cause of present attack – there is a slight hawking cough &amp; a florid flush on the cheeks.</p>



#14			<p><i>F. V. S. brach: ad ℥xx</i>  <i>Rx. Plumb: Super- acet: gr xxiv</i>  <i>Micæ Panis q..s. ut fiat mass: in Pil. xxiv divid: un</i>  <i>ter ind. capiend:</i>  Drink to be cold &amp; acidulated.</p>
	19 <sup>th</sup> Feb <sup>y</sup>		<p>Pain of side relieved by the bleeding nor has there been  aby return of hæmoptysis – the blood drawn exhibited  a natural appearance – <i>Cont. Pilul</i></p>
	21 <sup>st</sup>		<p>Has been extremely Sea Sick, there has been no return  of Hæmoptysis.  <i>Omit: Pilul. Plumb. Superacet.</i></p>
	22 <sup>nd</sup>		<p>The Sea Sickness has been productive of relief to the  pectoral affection as she has had neither pain or return  of spitting of blood.  <i>Capt. Acid. Sulph: Dilut. g<sup>t</sup> xxxv ter ind. plene solute</i>  <i>in aq –</i></p>
	23 <sup>rd</sup>		<p>Hæmoptysis has returned which I attribute to the  violence of retching, it is unattended with pain.  <i>Cont. Acid. Sulph. dilute.</i></p>
	27 <sup>th</sup>		<p>Hæmoptysis continues &amp; she informs me that she has,  during the last three weeks been labouring under  menorrhagia. Pulse, Temp<sup>o</sup> Skin &amp; B natural.  <i>Cont Acid. Sulphur. dil: g<sup>t</sup> xx ter in die.</i>  <i>Potus semper frigid – bibend.</i></p>
	29 <sup>th</sup>		<p>Menorrhagia more copious, Hæmoptysis trifling.  <i>Utatur Lot. Acet et Aq perinæes et supra puber.</i>  <i>Cont. Acid:</i></p>
	March 2 <sup>nd</sup>		<p>The menorrhagia had nearly ceased but she was  thrown on her back today by the motion oof the ship,  which has caused a recurrence – Hæmoptysis trifling.  P.70, Bowels lax.  <i>Cont Acid Sulph: dil cum</i>  <i>Mist Catechu g<sup>t</sup> x4 ter ind:</i>  <i>Cont Lot: Frigid: externe</i></p>
	5 <sup>th</sup>		<p>Hæmoptysis very slight, the menorrhagia is also nearly  subsided. <i>Cont: Med:</i></p>
	March 10 <sup>th</sup>		<p>Continued improving until this morning when without  any assignable cause, the menorrhagia suddenly &amp; in  a profuse degree returned, the Hæmoptysis also is  more troublesome. Pulse, Heat, skin &amp; Belly natural.  <i>Rx Plumb. Super Acet gr xxxvi</i>  <i>Opii Colat gr ix ft mass. cum mic. panis in Pilul</i>  <i>xvij divid. Capiat unam ter indie.</i>  <i>Cont. Acid Sulph dil., et utaf Lot. Frigid. externe.</i></p>
	11 <sup>th</sup>		<p>Complains today of slight headach in addition to her  other complaints which are in no degree ameliorated.  Pulse full &amp; rather quick. T. white.  <i>Rx. Magnes. Sulph ℥vj</i>  <i>Acid Sulph: dil ℥j</i>  <i>Aq. Menth Pip: ℥vij. Solve</i>  <i>Capt. Vin. Vitr: omni hora ad [4<sup>a</sup> vicem?]</i>  <i>Cont. Pilul. Lot: &amp;c.</i></p>
	12 <sup>th</sup>		<p>Menorrhagia rather abated, Belly open P86, T:  whitish, nausea with occasional retching.  <i>Capt. Haust Salin in actu Efferves: 3<sup>ua</sup> q.q hor. Cont</i>  <i>alia.</i></p>
	13 <sup>th</sup>		<p>Nausea &amp; retching relieved by the Saline  Effervescent draughts but she complains of being  very thirsty.  <i>Cont. Med et Potus</i></p>

#15		<p>14<sup>th</sup></p> <p>15<sup>th</sup></p> <p>16<sup>th</sup></p> <p>17<sup>th</sup></p> <p>17<sup>th</sup> March 6 P.M</p> <p>24 March Discharged Relieved.</p>	<p>Complains of sense of load at Epigast: other symptoms relieved.</p> <p><i>Omit<sup>r</sup>. Pilul Sedativ:</i></p> <p><i>Cont. Acid: Sulpur: Dilut:</i></p> <p>Appears better in so far, as the Hæmoptysis &amp; menorrhagia are both nearly checked – Bowels rather lax, says she still has a sense of weight at the pit of the stomach. The acid she thinks agrees with her. <i>Cont Med.</i></p> <p>Sense of weight gone, &amp; she is in every respect better, no return of hæmorrhage – <i>Cont Med ut antea.</i></p> <p>Complains today of inability of voiding urine. B. slow. <i>Solut. Aper: ʒiv.</i></p> <p>Has voided about half a pint of high coloured turbid urine, and the Sol<sup>n</sup> has had the desired effect; she now feels much easier. <i>Potus diluen:</i> From this period till the 24<sup>th</sup> she had no return of hæmorrhage, &amp; her health generally being improved, she was put off the Sick List, but desired to continue the use of the acid.</p> <p>During the treatment of the above case a suitable diet was ordered for her of Rice, Sago &amp; occasionally soup from Preserved Meat.</p>
Tinea Capitis	7	<p>Eliz<sup>th</sup> Miller</p> <p>Æt: 19 Single</p> <p>22<sup>nd</sup> February</p> <p>At anchor in the Nob. Channel</p> <p>23<sup>rd</sup> Feb.</p> <p>25<sup>th</sup></p> <p>27<sup>th</sup></p> <p>27 February Discharged Cured</p>	<p>Complains of pain across the frontal sinuses &amp; likewise in the nasal cavity with headach, thirst, slight pyrexia and vomiting – states that for some weeks past she has had copper coloured eruptions over the body, &amp; the scalp is affected with tinea which has obstinately resisted the remedies she has used. She denies having ever had a venereal complaint tho’ from her former life of prostitution there is reason to suppose her present complaint the sequelae of that disease; she is indolent and dirty in her person. Pulse 100 small, Temp<sup>re</sup> inc<sup>d</sup>. B. &amp; Catamen: regular.</p> <p><i>Rx. Sub nur Hyd. gr i</i></p> <p><i>Ant: Pulv: gr iij ft Pilul 6<sup>aa</sup> q.q. hor: capiend:</i></p> <p>Let her body &amp; scalp be well washed with soap &amp; hot water, the latter previously being shaved – and an ointment composed of equal parts of the Sulphur &amp; blue ointment, afterwards applied to it.</p> <p>Took this morning an Aperient Powder which has freely moved the Bowels; she has now neither heat nor thirst but the eruption on the scalp appears stationary – the pain of forehead is relieved – <i>Cont. Pilul, et Ung<sup>t</sup>.</i></p> <p>Is now free from pain, the eruption on the skin is fading &amp; that on the scalp also seems mending.</p> <p><i>Cont. Pilul et ungt.</i></p> <p>The scalp is now free from <del>eruption</del> ulceration, the system is triflingly under the influence of mercury and she feels better in health than for many weeks past. Let her be discharged off the Sick List, but to attend daily when the sick are seen.</p>
Ophthalmia	8	<p>James Gunyon</p> <p>Æt: 4 convict’s child</p> <p>23<sup>rd</sup> February</p> <p>Under weigh in the Channel</p>	<p>The tarsi of the right eye affected with inflammation &amp; swelling at same time discharging copiously a viscid fluid which in the morning glues them together – the coats of the eyes are also inflamed – six days ill- was</p>

#16		<p>24<sup>th</sup></p> <p>25<sup>th</sup> February</p> <p>March 1<sup>st</sup> Discharged Cured</p>	<p>similarly affected three months ago – Pulse quick &amp; small, skin hot – is decidedly of a scrofulous diathesis. <i>Capt. Pulv: Cathart: ex Jalap et Sub. Mur Hyd:</i> <i>Utat: Collyr; Sulph: Zinci – (gr ij ad ʒj aq)</i> <i>Illinat: tars: unḡ. Nit: Hyd: redact:</i></p> <p>The purgative has operated freely &amp; the Swelling of palpebræ is something diminished, there is still a considerable discharge from the inside of them. <i>Cont. Remed:</i></p> <p>Inflammation &amp; swelling reduced, the discharge also is diminished. Bowels open. Pule still quick. T: clean. <i>Cont. Remed; necnon Instille ocul:</i> <i>Vin: Opii ḡ<sup>ij</sup> j omni nocte</i></p> <p>By continuing the above treatment for a few days &amp; administering a purgative occasionally, the inflammation of eyes soon subsided he resumed regained his usual health. A younger sister had the same disease &amp; underwent similar treatment.</p>
Nausea Marina et Singultus	9	<p>Eliz<sup>th</sup> Graham Æt:20 Single 27 February Under weigh in Channel</p> <p>6 P.M.</p> <p>28<sup>th</sup> Febr<sup>y</sup></p> <p>6 P.M.</p> <p>29<sup>th</sup></p> <p>March 1<sup>st</sup></p> <p>2nd</p>	<p>Has been labouring under Sea Sickness for the last three days which was yesterday &amp; during the night occasionally accompanied by distressing singultus and pain at the præcordia; - she has taken Antispasmodic &amp; Saline Effervescent draughts &amp; last night <i>Opium gr ij with gr x of Calomel</i>, without relief.</p> <p>This morning she is still occasionally harassed with hiccup, there is considerable thirst, &amp; constant nausea. Pulse 100, Bowels slow, catamenia reg: <i>Capt. Haust: Salin. in actu Effervescetia 2<sup>da</sup> q. q. hor.</i></p> <p>6 P.M. Singultus continues with uneasiness at Epigastric region, has had no alvine evacuation. <i>Applicet Emplast: Lyttæ ampl: Scrobiculo Cordis.</i> <i>Intr Haust:</i> <i>Capt. Pilul: Cathart ex Ext Colcynth. Co. cum Sub Mur Hyd. ij</i> Gruel or Barley Water.</p> <p>28<sup>th</sup> Febr<sup>y</sup> Blister has risen well and relieved the pain at the præcordia. Singultus however has been troublesome during the night, Pulse 100, of moderate strength, T. moist &amp; clean, two stools from the Pills, thirst and retching continues but on the whole she is something better. <i>Rep<sup>r</sup> Haust: Salin: Efferves:</i></p> <p>6 P.M. Has been vomiting occasionally but the Singultus is less frequent, fluid ejected is extremely acid. <i>Cap<sup>l</sup>. Magnes: Carb: ʒ ij – ex Aq Ment:</i></p> <p>29<sup>th</sup> No return of vomiting or singultus. Pulse, Heat &amp; T: natural. B. confined. <i>Int<sup>r</sup>. Haust: Rep<sup>r</sup>. Pilul Cathart:</i></p> <p>March 1<sup>st</sup> Attacked during the night with torminal pain of bowels, frequent calls to evacuate faeces with inability of so doing, tenesmus – Pulse quick, T. foul – no return of <del>tenesmus</del> Singultus. <i>Rx. Magnes. Sulph: ʒij Ant: Tart: gr ¼</i> <i>Solve in Decoct. Hord: ʒvj stat: sumend: et 4<sup>th</sup> horis repetend, p. r. nata</i></p> <p>2nd Took several does of Saline aperient with the effect of relieving the griping &amp; tenesmus, the evacuations are</p>

			<p>more free &amp; feculent, no singultus or vomiting. T: cleaner.</p> <p>Int<sup>f</sup>: Mist: Rx Rhei Pulv: gr x Pulv Ipecac. Co. gr xij <math>\mathbb{M}</math> stat. sumend.</p> <p>6 P.M. Is free from purging, pain or hiccup, Blister nearly heal. <i>Omit<sup>r</sup> Med: Potus salinen</i></p> <p>3rd Continues free from purging but the stomach is still weak and irritable. <i>Hab: Infus: Gent; Co <math>\mathfrak{Z}</math>fs ter ind.</i></p> <p>4<sup>th</sup> March Is now free from complaint except weakness – Discharged Cured Recommended to continue the Infusion for a day or two.</p>
#17 Dysenteria	10	Cath <sup>ne</sup> Johnston Æt: 27. Single 28 <sup>th</sup> February At Sea	<p>Robust and Plethoric, was bled eight days since for acute headach, she has since been Sea Sick and during the last night was seized with acute pain at the lower part of abdomen returning in paroxysms and accompanied with vomiting and purging. Pulse quick &amp; small, Tongue thickly coated, much thirst &amp; irritability at stomach, no distension or pain of abdomen on pressure; Catamen: regular.</p> <p><i>Rx Ol: Ricini <math>\mathfrak{Z}</math>ifs – Tinct. Rhei <math>\mathfrak{Z}</math>fs</i> <i>Aq: Menth. Pip. <math>\mathfrak{Z}</math>ifs ft Haust</i></p> <p>2 P.M. The draught being rejected and the pain &amp; vomiting continuing, an anodyne Enema was administered and <i>Sub. Mur. Hyd: gr x, Opii gr ij</i> in form of bolus, prescribed and followed up with Saline Effervescent draughts.</p> <p>6 P.M. Constant vomiting – Pulse 110, full, Skin hot, Tongue still foul, two slimy stools, mixed with blood following the Enema – Sensorium disturbed. <i>F. V. S. brach. ad <math>\mathfrak{Z}</math>xx</i> <i>Cont<sup>r</sup> Haust. Salin. Efferves. 2<sup>da</sup> q.q. hor.</i></p> <p>10 P.M. Two alvine evacuations, she has been relieved by the bleeding &amp; is now disposed to sleep. <i>Potus ad libit per noctem</i></p> <p>29<sup>th</sup> Frequent purging of scanty slimy stools attended with tenesmus, she slept at intervals, &amp; at present is inclined to dose. P. 96, T: cleaner, thirst diminished. She complains occasionally of pain at Hypogastric region. <i>Cap<sup>f</sup> Pulv: Ipecac: Co. gr xv 6<sup>ta</sup> q.q hor p.r.n.</i> <i>Int<sup>r</sup>. alia.</i> Her rations to be checked.</p> <p>6 P.M. The first powder was rejected a second has been retained and she seems easier. Pulse 89, T; moist, stools still slimy. <i>Rx. Sub. Mur Hyd: gr ij</i> <i>Opii Colat gr j ft pilul 4<sup>ta</sup> q.q. hor. capiend.</i> Thin gruel for drink. <i>Int<sup>r</sup>. Pulv: Sudorif.</i></p> <p>March 1<sup>st</sup> During the early part of the night she slept and was free from purging, it has returned since morning, with tenesmus &amp; pain at fundus abdom: Has taken four of the Pills, P 79, T: yellowish, no heat &amp; less thirst, dejections still slimy in part. <i>Rx Rhei Pulv: gr x Ipecac. Pulv. gr ij <math>\mathbb{M}</math> ft pulv. 3<sup>tia</sup> q.q hor sumend. Potus et diet ut ant. Int<sup>r</sup>. Pilul.</i></p> <p>2<sup>nd</sup> 6 P.M. Dysenteric symptoms relieved and she is now free from pain. Pulse and Heat natural – stools feculent. Tongue still rather foul. <i>Intermittant<sup>e</sup> medicament.</i></p>

			<p>3<sup>rd</sup> Continues free from Dysenteric affection and the Tongue is cleaning, app<sup>le</sup> returning. <i>Hab. Infus. Gentianæ Acidulat</i> <math>\zeta</math>ij ter in die</p> <p>4<sup>th</sup> Has had no return of purging. Pulse, Heat and Tongue natural. <i>Cont. Infus. Amar.</i> Let her have her usual Rations.</p> <p>5<sup>th</sup> App<sup>le</sup> good, Bowels now regular. <i>Cont. Infus. Gent.</i></p> <p>6<sup>th</sup> Is now free from complaint. <i>Omit med.</i> Let her be discharged</p> <p>6<sup>th</sup> March Discharged Cured</p>
#18 Hysteria	11	<p>Mary Devign Æt. 23 Married 29<sup>th</sup> February At Sea</p> <p>March 1<sup>st</sup></p> <p>2<sup>nd</sup> 6 P.M.</p> <p>3<sup>rd</sup> March 6 P.M.</p> <p>4<sup>th</sup></p> <p>5<sup>th</sup></p> <p>6<sup>th</sup></p>	<p>6 P.M. Subject to Hysteria, &amp; for some time past has been labouring under severe Sea Sickness. Today finding her exceedingly dejected in spirits, the Pulse being feeble and Tongue parched, I ordered her into the Hospital &amp; prescribed <i>Pulv. Jalap: Co. <math>\zeta</math>j.</i> This evening, tho' in no pain, she appears worse. The Tongue is still dry and the teeth are incrustated with brown sordes. Pulse 74 languid, Heat natural, Bowels have been moved, Catamen: regular, takes medicine only when forced and answers questions with reluctance. <i>Hab. Mist Camphor. <math>\zeta</math>fs ter: q. q. hor.</i> Let her be sponged with vinegar &amp; water, acidulated drink &amp; Gruel with a small portion of Port Wine. Salt Provisions to be checked.</p> <p>Is listless and drowsy. P. 72, Heat natl. Had an Hysterical paroxysm about 10 last night, when she sobbed much, complains only of weakness, Bowels slow. <i>Hab' Pulv. Jalap. Co <math>\zeta</math>j.</i> Continue the ablution &amp; Camph. mixture occasionally. Appears less languid, Pulse 76 weak, T. clean &amp; moist, the purgative not operating took one this morning of Jalap &amp; Calomel which has produced two free motions. <i>Int' Mist Camphor.</i> Continue the gruel with Port Wine and the ablution with vinegar &amp; water which she says is "refreshing". Functions apparently natural but the Tongue continues parched, tho' clean &amp; she has considerable thirst, no pain – B. free. <i>Contr Haust: Salin Efferves: ter quarterve in die –</i> Continue Gruel &amp;c.</p> <p>She is well with exception of irritability of stomach and the globus hystericus is occasionally troublesome. <i>Cont Haust Efferves Salin.</i> To have her usual Rations.</p> <p>Bowels much confined, P .76, T. still rather dry, Stomach irritable. <i>Rx Scammon: Pulv: Mass. Pil. aloet á á gr x Sub. Mur. Hyd: gr iv ft mas. in Pilul iij diviid et stat capiend.</i></p> <p>The pills have operated freely, but the stomach is still irritable and she has no app<sup>le</sup> for food, I am now of opinion that her complaints are in some degree simulated. <i>Hab' Infus Gent <math>\zeta</math>ij ter ind.</i> <i>Omit. alia.</i></p>

#19	7 <sup>th</sup> 6 P.M.	Has been retching repeatedly during the day and when she attempts to sit in <del>the</del> an erect posture the globus hystericus is particularly distressing. Pulse Temp <sup>re</sup> & skin natural, Bowels lax. <i>Capt. Haust. anodyne cum Tinct Opii g<sup>ss</sup> xi</i>
	8 <sup>th</sup>	Uneasiness at Epigastric region with vomiting and occasionally singultus, constant Thirst, Tongue dry, Pulse 80 soft, B. pretty regular – the anodyne did not produce sleep. <i>Applicet<sup>r</sup> Emplast: Lyttæ Scrobicul. Cordis</i> <i>Capt. Haust: Salin in actu Effervescentiæ sæpe</i> <i>Omit<sup>r</sup> Infus. Gentianæ</i>
	9 <sup>th</sup> March	Considerably better, since the blister has risen the retching & singultus have ceased, she has still some thirst but no pain. Bowels confined. <i>Hab. Pilul Ext: Colocynth: cum Sub Mur Hyd iij</i> <i>Int<sup>r</sup> Haust:</i>
	11 <sup>th</sup> 6 P.M.	Has been up today & on the whole improving tho' slowly. The purgative operated on the 9 <sup>th</sup> & she was tolerably easy during the whole of yesterday. <i>Rep<sup>r</sup> Infus: Gent: more solito.</i>
	12 <sup>th</sup>	Continues to recover but the bowels are again slow. <i>Rep<sup>r</sup> Pilul Cathart.</i>
	13 <sup>th</sup>	Has been much troubled with the globus hystericus & uneasiness at præcordia. P. 72 languid, T. clean, Pills operated gently – <i>Cont. Infus.</i>
	14 <sup>th</sup>	Globus still troublesome & she appears weak tho' Pulse Heat & T. natural <i>Capt. Mist Cinchon. cum Acid Sulphur: ℥.ij ter ind</i> <i>– omit alia.</i>
	15 <sup>th</sup>	Lassitude with weakness & thirst but no pain. Let the blister (which has been kept open) be now dressed with <i>Cerat Cetacei</i> & healed. <i>Cont. Mist. Cinchon.</i>
	16 <sup>th</sup>	Has had purging of scanty stools attended with griping & tenesmus during the night. P. 74 small, T. moist, great depression of spirits. <i>Int<sup>r</sup>. Infus-Mist:</i> <i>Capt. Pil. Rhei et Ipecac: ij 2<sup>d</sup> q. q hor</i> Let her salt provisions be checked. Gruel & a little soup from Preserved meat substituted.
	17 <sup>th</sup>	P. 90 feeble, sk. covered with alarming moisture, she passed a restless night tho' the purging & pain of abdomen have ceased, sense of faintness & vomiting distressing. She is extremely depressed in spirits & with difficulty takes medicine or drink. Let her take <i>Inf. Sen: ċ Sulph. Magnes</i> in small doses. Sago with wine – <i>Omit<sup>r</sup> Pilul</i>
	17 <sup>th</sup> March 5 P.M.	She is retching violently and complaining of pain at lower part of abdomen with inclination to void urine but incapacity of so doing, there is neither distension or pain on pressure - great prostration of strength – two stools – the first, contained scybala the second liquid & greenish. She declares she is dying & refuses drink or medicine unless when forced on her. <i>Rx. Mist. Camphor. ℥ij. Spt: æth: Nit: ℥ifs</i> <i>Tinct. Opii g<sup>ss</sup> xxx ft Mist</i> <i>Capiat ℥ifs 2<sup>da</sup> q. q. hor. pro re nata.</i> <i>Int<sup>r</sup>. Infus aper.</i> <i>Foreat<sup>r</sup>. Region Hypogast. et Injiciat<sup>r</sup> Enem:</i> <i>Anodyn. stat.</i>

#20	10 P.M	Great depression of spirits with sense of sinking, Pulse small, Heat increased, respiration laborious. Enema was passed with but little feculency – uneasiness at hypogast: gone. <i>Applicet: Emp: Lyttæ Scrobic. Cord.</i> <i>Cont. Mist:</i>
	18 <sup>th</sup>	She slept at intervals, but would not allow the blister to remain on, continues to vomit. Pulse 115 small, face flushed. Breathing hurried, says she has no pain, is obstinate & refuses medicine, only one stool – occasional singultus. <i>Omit. Mist: Camphor: Hab<sup>r</sup> Pulv: aper: Efferves: (vulga Seidlitz diet) necnon. affricit: supra regione Epigastric Ung<sup>t</sup> Antimon. Tartar.</i>
	6 P.M.	Pain at hypogastric region with frequent calls to void urine has returned, repeated vomiting, several dark clay coloured stools. Pulse 110 small, skin hot. Catamenia adsunt. <i>Rep<sup>r</sup> Fetus abdomini part. infer.</i> <i>Rx Spt ætheres Nitros. ℥j</i> <i>Super Tart Pot. ℥iij. Solve in Aq. tepid ℥viiij. Bibat divid stat. et alter. part. in horas [tres?]</i>
	19 <sup>th</sup> March	Slept pretty well during the night but was affected with singultus this morning. Pulse 90, T. moist, less thirst, still complains of pain at hypogastric region – no vomiting since a pustular eruption has been produced by the ointment. <i>Cont<sup>r</sup> Solut. Super. tart. Potass cum Spt. æth: Nitros.</i>
	20 <sup>th</sup>	Occasional return of singultus & sickness at stomach, Pulse small, Heat nat <sup>l</sup> , she perspires copiously, defluxerunt Catamen: <i>Rx. Quinin. Sulph. gr ij</i> <i>Solve in Aq: ℥j et adde Acid. Sulph: dilute g<sup>ss</sup> x ft Haust. ter indie sumend</i>
	21 <sup>st</sup>	Epigast: covered with pimples, no return of singultus or vomiting. P. 78, T. moist, surface still covered with moisture. <i>Cont<sup>r</sup> Sulph Quinin:</i> Let her have Preserved Meat made into Soup.
	22 <sup>nd</sup>	Complains only of weakness, she refuses wine but has taken her medicine and relishes the fresh soup. P. 78, T. clean. Heat & Bowels natural. <i>Cont<sup>r</sup> med et Dieta</i>
	31 <sup>st</sup> March Discharged Cured	From this period till the date of her discharge she continued gradually to recover and gain strength, under the use of Quinine and a diet composed of her Flour, occasionally Preserved Meat made into soup, and a little wine &c Her complaints from the commencement have been decidedly of an hysterical nature and no doubt have been much aggravated by mental anxiety & irritation. Her character & conduct hitherto has been good tho' she possesses a violent temper when excited.

Dysentheria	12	Eliz <sup>th</sup> Broadway Æt. 38. Married 14 <sup>th</sup> March At Sea	<p>Has been the mother of eight children- was suddenly seized during the last night with rigors followed by severe griping, purging, pain of back and headach attended with pyrexia &amp; thirst which continue – the dejections are scanty &amp; are accompanied with tenesmus. Pulse quick &amp; small, T: moist – catamenia appeared within the last three weeks after an absence of three months – this woman experienced sea sickness in a severe degree but had quite recovered from its affects.</p> <p><i>Rx Ol. Ricini ℥ijfs Tinct. Opii g<sup>ss</sup> xxx</i> <i>Aq. Ment. Pip. ℥j ft haust stat-capiend.</i> <i>Hab. Decoct Hord. pro potu</i></p> <p>6 P.M. Only one stool which was more free &amp; attended with less straining. She complains much of her back, of nausea &amp; of thirst, has vomited thrice. P.110 small, sk hot, headach. <i>Cap<sup>t</sup> Haust. Salin. Efferves. Cont<sup>r</sup> Potus</i></p> <p>15<sup>th</sup> Passed a bad night having had repeated vomiting and the pain of bowels being at times severe. Pulse now 80, sk: soft. T: moist, thirst diminished. <i>Hab<sup>t</sup> Pil. Sub. Mur. Hyd. ċ Opii i ter ind.</i> <i>Decoct. Hord: ad libit</i></p> <p>6 P.M. Pulse quick (110) &amp; small, nausea &amp; thirst, stools scanty, frothy and accompanied with painful tenesmus – skin hot and dry – headach. <i>Cont<sup>r</sup> Pilul et si perstet tenesmus</i> <i>Capt. Ol: Ricini ℥j. Potus ut ant:</i></p> <p>16<sup>th</sup> Has had a bad night, she took the oil at 10 p.m. &amp; had frequent purging of slimy scanty stools from it. Pulse 78 small. T. brownish, nausea with torminal pains shooting to the back continue. <i>Rx. Pulv. Ipec Co ℥j Pulv. Rhei ℥fs</i> <i>Ol. menth. pip. g<sup>ss</sup> iij ft mass in Pil gr v divid.</i> <i>Duo sumend 2<sup>da</sup> q q hor. Cont Potus</i> Let her rations be checked.</p>
#21		16 <sup>th</sup> March 6 P.M.	<p>Has vomited repeatedly but some Sago &amp; Wine has been retained this evening. Pulse 76, T: moist, tenesmus relieved, nor has she constant inclination to go to stool. <i>Cont<sup>r</sup> Pilul. ut antea</i></p> <p>17<sup>th</sup> Passed a restless night tho' the calls to stool have not been frequent she perspired profusely and now complains of pain at Epigastrium &amp; under the left mamma. P. 90 &amp; small, Sk: cool, T: clean &amp; moist. <i>Rx Infus Senna ℥ij Magnes Sulph ℥ij</i> <i>℥ft Haust. 6<sup>ta</sup> q.q. hor. sumend:</i> <i>Int<sup>r</sup>. Pilul: Ipecac: Co.</i></p> <p>6 P.M. Four stools from the Infusion, more natural and attended with less tenesmus and griping. Pule 88, small, T: clean, sk: cool, still complains of pain at Epigastrium &amp; under left breast particularly on a deep inspiration. <i>Applicet: Emplast: Lyttæ situ doloris et Cap<sup>t</sup> Pulv: Ipecac. Co. gr xvi Int<sup>r</sup>. Infus Aper.</i></p> <p>18<sup>th</sup> Blister did not rise well but the pain is somewhat relieved, she still experiences occasional tormina with inclination to vomit. P 90 small. T: moist, skin cool &amp; soft. <i>Rept<sup>r</sup>. Infus Aper. ut ant.</i></p>



			<p>6 P.M. <i>Dieta idem</i> Stools frequent but tho' scanty contain an admixture of feculent matter, tenesmus relieved and the pain at Epigast is almost gone. <i>Intermitt' Infus. Aper.</i> <i>Capt. Pulv: Dover. Pulv: Rhei á á gr. x. Potus ad libit.</i></p> <p>19<sup>th</sup> March Passed a tolerable night and had only one motion unattended with tenesmus – nausea with thirst continues. Pulse 86, skin cool &amp; moist complains of headach &amp; pain of back. <i>Capt. Infus Gent: cum Acid Sulphur dil. ʒij ter ind.</i> Gruel Sago &amp; Soup from Preserved meat with a little wine for Diet.</p> <p>20<sup>th</sup> Bowels still deranged, stools scanty but contain less mucus. <i>Cont. Infus. et capiat hora decubita Pil Sal. Mur Hydrarg c Opii ij.</i></p> <p>21<sup>st</sup> Stools scanty, greenish, &amp; contain some mucus, tormina with slight tenesmus. Pulse 88 of mod. strength, T. moist. <i>Rep'. Pilul: Sal Mur Hyd c Opio</i></p> <p>22<sup>nd</sup> Pulse skin &amp; T. natural, purging has abated but she feels weak. <i>Omit' Pilul: Cont' Infus Gent: et Hab Vin Vit: vini rub: ter ind.</i> Soup [pt i?] daily.</p> <p>23<sup>rd</sup> Bowels still lax &amp; she feels excessively weak with disposition to syncope when in the erect posture. <i>Cont. Med<sup>ta</sup> et dieta.</i></p> <p>24<sup>th</sup> Gums slightly inflamed, the bowels are now regular, but she complains of slight headach and general weakness. <i>Med et Diet ut supra.</i> From this period her convalescence went on slowly, being interrupted by occasional returns of looseness &amp; irregularity of the Bowels. On the 2<sup>nd</sup> April her usual Rations were ordered her but in addition to them she had an allowance of wine &amp; occasionally fresh soup till the date of her discharge.</p> <p>12<sup>th</sup> April Discharged Cured</p>
#22 Abortus	13	Ann Frances Clifton Widow Æt: 29 18 <sup>th</sup> March at Sea	<p>The mother of one child and considered herself seven months advanced in Pregnancy. During the whole of yesterday she experienced pains resembling those of labor; but did not complain till 11 p.m. when she was seized with pretty copious flooding. On examination found the os uteri <del>scarcely</del> but little dilated, and the pains being slight I ordered a Pill containing, <i>Super Acet. Plumb. gr ij &amp; Opii gr fs</i> every two hours, and cold applications externally with the effect of checking the hæmorrhage. About 5 this morning the pains returned and in the space of half an hour gave birth to a stillborn male child, which from appearance must have ceased to exist for several days before – the placenta immediately followed, but she felt weak and faint from loss of blood.</p> <p>A little Sago &amp; thin Gruel was given her and perfect rest enjoined.</p> <p>6 P.M. Has been harassed by cough which from time to time has been relieved by taking a tea spoonful of <i>Tinct: Opii Camphorat:</i></p> <p>19<sup>th</sup> Complains of griping pain at the umbilical region occasionally. Pulse heat &amp; T. natural. B. open cough has been less troublesome.</p>

		<p>20<sup>th</sup>. March</p> <p>21<sup>st</sup></p> <p>22<sup>nd</sup></p> <p>23<sup>rd</sup></p> <p>29<sup>th</sup> March Discharged Cured</p>	<p><i>Capt Pulv: Ipecac Co. gr xv</i> Cough has been rather troublesome &amp; she complains of pain of back. Bowels confined.</p> <p><i>Capt. Ol: Ricini ℥j. Sago, Gruel &amp;c.</i> Oil operated and she feels better generally, mammæ painful &amp; distended. Let her have Fresh Soup from Preserved Meat.</p> <p>Passed a pretty good night, mammæ less painful. Bowels open. <i>Nulla med.</i></p> <p>Passed an indifferent night but on the whole feels better. <i>Nulla med. Dieta ut antea.</i></p> <p>From this period a liberal diet was allowed her, and she was so well on the 29<sup>th</sup> as to be discharged off the Sick List.</p>
#23	14	<p>Sarah Walby Æt: 38. Married 20<sup>th</sup> March At Sea</p> <p>21<sup>st</sup> March</p> <p>23<sup>rd</sup></p> <p>27<sup>th</sup> 7 P.M.</p> <p>28<sup>th</sup></p> <p>29<sup>th</sup></p> <p>30<sup>th</sup> March</p>	<p>States that for fourteen years she has been subject to Epileptic Fits which are of frequent recurrence but seldom of long duration or very severe. Six days ago she was seized with spitting of florid blood in considerable quantities accompanied with sense of tightness in the thorax.</p> <p>Pulse 90 &amp; small, Heat natural, Tongue clean, Bowels regular. Catamenia visit her every fortnight and sometimes at irregular intervals – ascribes no cause.</p> <p><i>Rx. Tinct: Digital: g<sup>tt</sup> xv</i> <i>Acid. Sulph. dilute. g<sup>tt</sup> xii ft Haust ter ind sumend.</i> <i>Fotus Frigid.</i></p> <p>Vomited this morning, but three has been no return either of fit or hæmoptysis. P. 88. T: moist &amp; clean. Heat &amp; Belly natural. <i>Cont. Med:</i></p> <p>Has experienced much uneasiness at the Epigastric region for the last ten hours with the globus hystericus producing a sense of suffocation. Pulse 90, Bowels confined – no return of Hæmoptysis or Epileptic paroxysm.</p> <p><i>Inf. Tinct. Digital: et Acid. Sulph:</i> <i>Capt Pilul: Cathart. iij stat:</i></p> <p>Has been pretty free from complaint till about 5 this evening when she had a fit accompanied with the globus hystericus and sense of suffocation; the paroxysm was of short duration but she has experienced another since, more severe, attended with foaming at the mouth &amp; followed by some spitting of blood and great uneasiness at præcordia.</p> <p>An anodyne antispasmodic draught prescribed.</p> <p>Has had a return of paroxysm this morning, accompanied with headach, pain &amp; fluttering at præcordia and on recovering sense, violent sobbing. Pulse 74, Bowels confined.</p> <p><i>Capiat Solut. Aper. ℥iv</i></p> <p>Had another fit about 8 this morning. The discharge from the mouth during it, was mixed with blood. She now complains of headach. The Saline Aperient taken yesterday operated well. The fits seem to partake of Hysteria as well as Epilepsy.</p> <p><i>Lavetur caput Acet et Aq:</i></p> <p>Feels considerably better – the headach being relieved and having had no return of fit. Pulse &amp; heat natural. B. rather confined.</p>

			<p>31<sup>st</sup> <i>Capt. Mass. Pilul. Aloet. gr xv</i> Continues free from Epileptic paroxysm – Bowels open</p> <p>April 1<sup>st</sup> Has had no return of paroxysm – slept well and is free from pain. <i>Nulla med.</i></p> <p>3<sup>rd</sup> States that her feelings are more uncomfortable than for the last few days, has no pain but there is a profuse flow of the menses accompanied with pain of back &amp; sense of weakness. <i>Capt. Acid. Sulph: dil. gtt xxx ter ind.</i> Cooling acidulated drink and Let her use cold applications externally.</p> <p>4<sup>th</sup> Menorrhagia diminished and she states herself to be in every respect better. <i>Cont. Acid Sulph dil &amp; c</i></p> <p>5<sup>th</sup> Has had two fits since last report and been retching severely this morning. Pulse 78, T: clean – B. slow. menorrhag: diminished. <i>Cont Med.</i></p> <p>6<sup>th</sup> Complains of uneasiness at stomach with retching but there has been no return of fit. Pulse 80, B. open <i>Cont Med.</i></p> <p>7<sup>th</sup> Had a severe fit this morning and two during the night attended with a sanguineous frothy discharge from the mouth, she is now distracted with headach &amp; her ideas are confused. Pulse 86 – T: moist. B. slow. <i>Capt. Ext. Hyosciam gr iij</i> <i>Applicet' Emplast Lyttæ nuchæ.</i> Let her hair be cut very short – cold ablution to temple.</p> <p>#24 7<sup>th</sup> April 6 P.M. Headach still acute tho' the blister has risen well, she also complains of pain extending from the right leg upwards along the course of the spine, tinnitus aurinum with dimness of vision – no fit since morning, or fæcal evacuation during the last twenty-four hours. <i>Rx. Sub. Mur Hyd. gr iv</i> <i>Jalapæ Pulv: gr xv ꝥ ft pulv. stat. sumend</i></p> <p>8<sup>th</sup> No return of Fit and headach is relieved – has been freely purged. Pulse 80, Tongue clean <i>Fiat fonticulus ex parte vesicat.</i></p> <p>9<sup>th</sup> No return of Fit – issue in the neck discharging freely. Pulse, Heat and B. natural.</p> <p>11<sup>th</sup> There has been no return of fit or hæmoptysis; she complains of pain caused by the issue in the neck. Let the issue be dressed with simple cerate, but still kept open.</p> <p>14<sup>th</sup> Continues free from fit since last report 'till this morning when she was seized with one, she now complains of headach &amp; the sense of suffocation from the globus hystericus is distressing. Bowels costive. <i>Hab' Pilul Aloet gr xix stat.</i></p> <p>15<sup>th</sup> Has had two more fits accompanied with a profuse discharge of brownish fluid from the mouth &amp; preceded by the globus. The aloetic pills have not operated. <i>Rx. Pulv. Scammon: gr x</i> <i>Ext; Colocynth Co gr xij</i> <i>Sub Mur Hyd gv iij subire in mass. in pilul iv divides stat capiend.</i></p> <p>16<sup>th</sup> April Pills had the desired effect &amp; afforded relief, there has been no recurrence of fit. <i>Rx Argent: Nitrat: gr iij</i></p>
--	--	--	---

			<p style="text-align: center;"><i>Micæ Panis q.s. ut fiat mass in Pilul xxiv dividend un: ter indie sumend.</i></p> <p>17<sup>th</sup> Pills remain on the stomach, has had no return of fit, but there is again an irregular visitation of the menses – <i>Cont<sup>r</sup> med.</i></p> <p>6 P.M. Since the morning report, she has had a severe fit, with a profuse bloody discharge from the mouth, &amp; total insensibility for the space of fifteen minutes – she has now severe headach. The issue on the neck has been allowed to heal. <i>Cont<sup>r</sup> Pilul.</i> Let the issue be reopened in the neck.</p> <p>20<sup>th</sup> Had a similar paroxysm this morning, now complains of pain at Epigastrium &amp; of sinciput. Bowels open. Pulse 90. T: Heat &amp; Sk nat. <i>Cont<sup>r</sup> Pilul Argent: Nitrat:</i></p> <p>21<sup>st</sup> Took an Anodyn last night, but slept little – had a fit this morning less severe &amp; of shorter duration than the former ones. <i>Cont<sup>r</sup> Pilul Argent: Nit:</i></p> <p>22<sup>nd</sup> Has had no return of paroxysm. Headach &amp; an uneasy feeling at præcordia &amp; in the œsophagus which she yesterday complained of, are gone. <i>Cont<sup>r</sup>. Pilul. Argent: Nit:</i></p> <p>24<sup>th</sup> Continues free from fit, but complains today of pain between the scapulæ <i>Cont<sup>r</sup> Pilul. et Hab. hora somni – Pulv: Ipecac Co gr xv.</i></p> <p>#25 25<sup>th</sup> April Had a fit this morning at seven o'clock, which was milder than her former ones. <i>Cont<sup>r</sup> Pilul.</i></p> <p>6 P.M. Had a severe Epileptic paroxysm this afternoon attended with a copious discharge from the mouth and a painful sense of suffocation. On recovering she took <i>Tinct: Opii g<sup>ss</sup> xv Spt Aeth. Nit ʒj.</i> Since which she has been tolerably easy. <i>Cont<sup>r</sup> Pilul. Argent: Nitrat:</i></p> <p>27 May 2<sup>nd</sup> Two fits during the night, nothing milder. <i>Perstet</i> Since last report, she has had repeated fits, tho' she has gone on with the Pills and increased the number she now takes four a day there has been no return of Hæmoptysis or menorrhagia. <i>Cont<sup>r</sup> Pilul.</i></p> <p>6<sup>th</sup> Had a fit last night after which a considerable quantity of frothy blood was ejected by coughing, she now complains of great uneasiness at the lower part of the sternum, had one slight attack this morning. <i>Applicat Emplast Lyttæ Scrobi: Cord: Cont<sup>r</sup> Pilul</i></p> <p>6 P.M. Blister has not yet risen but she says the pain is already relieved, no fit since morning but the menorrhagia has returned in a considerable degree. – <i>Intermt<sup>r</sup> Pilul Arg: Nit:</i> Cold applications to be used externally &amp; let her have an anodyne draught at bedtime.</p> <p>7<sup>th</sup> Blister has now risen well, no Fit, menorrhag: continues. Let her have Fresh Soup daily.</p> <p>8<sup>th</sup> Discharge continues copious. Had one fit during the night &amp; complains now of sense of faintness – cough with slight mucus expectoration. P. 84. T: clean. B: confined. <i>Capt. Pulv: Jalapæ Co ʒj</i></p> <p>9<sup>th</sup> May Is considerably better, the menorrhagia being diminished and there has been no fit. Cough less troublesome. Bowels free.</p>
--	--	--	--

#26			18 <sup>th</sup>	<i>Rept<sup>r</sup> Pilul Argent Nit: ut ant:</i> Has persevered in the use of the Pills and has had no fit 'till this morning, when she had two severe ones in quick succession attended with total insensibility, violent palpitation at præcordia, foaming at the mouth of a brownish bloody fluid and distressing sense of stricture in the throat. An anodyne antispasmodic draught was prescribed and she now feels composed and better. <i>Cont<sup>r</sup> Pilul</i>
			21 <sup>st</sup>	Has had no fit since last report; but now she complains of heartburn & uneasiness at pit of stomach.
			22 <sup>nd</sup>	<i>Intermitt<sup>r</sup> Pilul. Cap<sup>r</sup> Potassæ Super Carb. Æij</i> Experienced relief from the alkaline draught. Let it be repeated.
			29 <sup>th</sup>	Has been pretty well during the last three days, but had a slight fit this morning. They seem to depend much on the state of the stomach and digestive organs – the alkaline draughts have decidedly afforded relief. <i>Cont. Sodæ Super Carb. vel Potassæ Sub Carb</i>
			June 2 <sup>nd</sup>	Was on deck for several hours yesterday, has had no return of fit & her general appearance has improved. <i>Cont<sup>r</sup> Sodæ Super. Carb.</i>
			5 <sup>th</sup>	No return of fit but she complains of soreness of the limbs particularly at the joints – some blood has been coughed this morning since which she feels easier. Pulse Heat & T; natl. B: regular. Says she feels a burning sensation at the stomach. <i>Cont<sup>r</sup> Haust. alkal.</i>
			6 <sup>th</sup> June 6 P.M.	Has had no fit for several days – Pain of limbs & burning sensation at stomach relieved. <i>Cont<sup>r</sup>. Haust. Soda Carbon.</i>
			20	She has been pretty well and (with exception of one or two slight attacks) free from the fits since last report. This morning however she has been twice seized in the usual manner, the frothy discharge from the mouth was copious and she has since expectorated florid blood and complains of pricking sensation in the chest. Slight hawking cough. <i>Rx. Tinct. Digital g<sup>ss</sup> xv Acid Sulphur dilute g<sup>ss</sup> xxx ft Haust ter ind: capiend. Omit<sup>r</sup> alia.</i>
			22 <sup>nd</sup>	She still expectorates blood in small quantity but has had no return of fit. <i>Cont<sup>r</sup> Tinct. Digit et Acid. Sulphur: sensim augeat doveri</i>
			25 <sup>th</sup>	Has had neither fit or expectoration of blood since last report. Cough is also relieved. Pulse 88. The <i>Tinct</i> has been increased to <i>g<sup>ss</sup> xvij</i> <i>Cont<sup>r</sup> Tinct Digital: et Acid Sulphur: dilute.</i> From this period till the 30 <sup>th</sup> (when she was discharged) she had no return of fit and every function seemed to be natural. The fits tho' decidedly epileptic partook also in some degree of Hysteria & even considerably influenced by the state of the stomach & primæ viæ. The Lunar Caustic had a fair trial but I could not ascribe little or no benefit to its use.
30 <sup>th</sup> June Discharged Cured				
Cephalagia et Vertigo	15	Mary Laing Single æt: 23 21 <sup>st</sup> March At Sea	Stout & plethoric. This woman one of the most violent & ungovernable of the Prisoners – from her excessive bad conduct, insolent language, & threatening gestures, I found it necessary to make an example of her by way of punishment (milder measures having	

			<p>failed). I ordered her to be put under hatches for the night. While the mates and one of the men were in the execution of that duty- she, (being a strong woman) made an effort to get from their hold, &amp; fell down the hatchway, by which she was stunned but fortunately sustained no other injury. In consequence of the accident I ordered her into the Hospital &amp; took from the arm <math>\mathfrak{z}xvi</math> of blood, a purgative was also prescribed. She passed as good night &amp; now complains only of general soreness. Pulse Heat &amp; T: natural – purgative operated.</p> <p>22<sup>nd</sup> Complains more today of headach but has no pain elsewhere, she started repeatedly during her sleep. Pulse 80, T. clean – B. open.</p> <p>6 P.M. <i>Rept' V.S. ad <math>\mathfrak{z}xx</math>.</i> Let her Rations be checked. Headach relieved. Blood natural. pulse 80, Temp. not increased. T. whitish. B. slow, has no pain but is very giddy.</p> <p><i>Rx Sub. Mur. Hydrarg: gr vj</i> <i>Pulv. Jalapæ <math>\mathfrak{O}j</math> ft pulv: stat. sumed.</i></p> <p>23<sup>rd</sup> Frequent starting during sleep &amp; once she had slight hiccup. Pulse, Heat &amp; T: nat<sup>l</sup>, only one stool. <i>Rept' Pulv: Purg:</i></p> <p>24 Free from complaint except slight giddiness when walking about. B. open. <i>Omit' Med.</i></p> <p>25. Is free from complaint. To be discharged &amp; have her usual Rations.</p> <p>25<sup>th</sup> March Discharged Cured</p>
#27 Alienatio Mentis	16	Ann Brooker Æt: 20 Single 5 <sup>th</sup> April At Sea	<p>The mother of one child, aged eighteen months. Two days ago, was put in solitary confinement for misconduct. On my visiting her this morning, from the inconsistency of her actions and incoherence of her language I concluded she was labouring under a fit of temporary or feigned insanity and sent her below into the Hospital.</p> <p>At 6 P.M. she talked quite rationally complained of no pain, but the Bowels being confined - she took <i>Pulv: Jalap: Co. <math>\mathfrak{z}j</math></i></p> <p>6<sup>th</sup> Slept tranquilly 'till two o'clock, but she has since been extremely restless and talking incoherently. Had one stool &amp; repeated vomiting. Pulse small and quick. T. white – constant thirst – a light greenish fluid has been vomited an she winces when the hand is placed on the Epigastric region – took some tea for breakfast.</p> <p><i>Rx. Ext: Colocynth. Co. gr xv</i> <i>Sub Mur. Hydrarg. gr iv ft Pilul iij stat sumend.</i> <i>Decot Hord. pro pota</i></p> <p>2 P.M. Delirium with restlessness continues, pulse quick &amp; small – no increase of heat, constant thirst – only one stool.</p> <p><i>Cap'. Infus Sennæ c Super tart Pot. <math>\mathfrak{z}iij</math> 2<sup>da</sup> q q hor repetend. ad catharsin</i></p> <p>6:30 Sensorium still much disturbed, three natural alvine evacuations, thirst continues – blister beginning to rise.</p> <p><i>Rx. Ext. Hyosciam: gr iv Tinct: Opii g<sup>tt</sup> xi ft Haust. in Aq. Menth. pip. <math>\mathfrak{z}ij</math> stat. sumend:</i></p>

#28		<p>10:P. M.</p> <p>7<sup>th</sup></p> <p>6:36 P.M.</p> <p>10 P.M.</p> <p>8<sup>th</sup></p> <p>6 P.M.</p> <p>9<sup>th</sup> April</p> <p>6 P.M.</p> <p>10<sup>th</sup></p> <p>6 P.M.</p> <p>11<sup>th</sup></p> <p>12<sup>th</sup></p> <p>April 19<sup>th</sup> Discharged Cured</p>	<p>Great thirst and restlessness with low muttering delirium continue. Blister has now risen well. <i>Capiat Mist Camphora ℥fs 3tis quaque hora.</i></p> <p>Constant retching with pain of back &amp; at Epigastric region, intellect now quite distinct – no headach – pulse slower and more firm. T: brownish. Thirst continues – last stool contained scybalæ – is still extremely restless. <i>Capt Opii Colat gr ij in forma pilul.</i> <i>Adhibentur Enema Purg:</i></p> <p>Has retained nothing on the stomach during the day, but she has been more composed and sensible ‘till within the last half hour. Pulse now 126 and small. Tongue dry. Temp<sup>re</sup> not increased, constant thirst – ideas wandering. Effervescent draughts have been given but are not retained, the enema was administered and afforded a little relief but the symptoms now are more alarming than hitherto. <i>Applicat<sup>r</sup> Emplast Lyttæ Ampl: region Epigastric.</i></p> <p>Vomiting ceased – Blister beginning to rise &amp; she seems disposed to sleep.</p> <p>Blister has risen well &amp; there has been no return of vomiting. Her ideas are now quite collected. Pulse 110. T white but moist, less thirst, pain at Epigast: &amp; of back relieved, no stool. <i>Rx Pulv: Jalapæ Co. Əij</i> <i>Sub. Mur Hydrarg gr iv M ft pulv. stat sumend:</i></p> <p>The cathartic powder has not yet operated – Pulse still quick &amp; small, intellect quite distinct – no pain, vomiting has only recurred twice, occasional singultus. <i>Capt. Pil ex Ext Colocynth. Co. (gr v) sing/, dua quarta quaque hora ad solute. alv.</i></p> <p>No dejection during the night tho she has taken the pills regularly. There has been no return of vomiting. Blisters both discharging. Pulse 106. T. moist, temp natural, thirst much abated, mind tranquil. <i>Cap<sup>ta</sup> adsunt.</i> <i>Cap<sup>t</sup>. Pilul Aloet: iij – Omit<sup>r</sup> alia</i></p> <p>Pills have as yet had no effect. Pulse 100. T clean &amp; moist – she took some Fresh Soup apparently with relish.</p> <p>Pulse 108 small. T. clean – skin temperate, no alvine evacuation – complains of giddiness and pain between the shoulders, respiration natural – no return of singultus, defluerunt Catamenia. <i>Hab. Pulv: Jalapæ Co ʒj</i></p> <p>Medicine has not yet operated and she objects to have an Enema, took at two pm <i>Pulv Jalapæ Əj in pilul iv stat:</i></p> <p>Has had no stool tho’ the pills were retained – irritability of stomach gone and she has no pain except from the blisters which are still discharging. Pulse 90, T. clean – some appetite. <i>Hab<sup>r</sup> Infus Sennæ ċ Solut. Sulph: Magnes: ʒiv tert. q.q. hor. ad catharsin.</i> Let her have her usual Rations.</p> <p>The purgative has operated and she now only complains of the blisters. <i>Omit<sup>r</sup> Med.</i></p>
-----	--	--	--

			From this date to that of her discharge, she had no return of mental alienation but the bowels required attention as they were much disposed to become torpid.
Ulcus	17	Elizabeth Miller Æt: 19 Single 8 <sup>th</sup> April At Sea	<p>Had a foul deep ulcer situated over the inner edge of the left tibia opposite the middle of the calf, rather smaller than a shilling with a hard inflamed base. According to her own account it appeared spontaneously, but she had been guilty of neglect in not applying for relief earlier.</p> <p>There are several small pustules and blotches over the face, the tonsils are slightly inflamed and two of the cervical glands under the chin are considerably enlarged. She complains of pain affecting the extremities particularly when warm in bed &amp; considers her present complaints the consequence of a venereal affection which she contracted eight months ago &amp; for which she took a course of mercury while a prisoner in Newgate. Pulse Heat, Tongue Bowels &amp; Catamenia regular.</p> <p>She was laboring under Tinea Capitis at the period of her embarkation &amp; for some time on the Sick List, but at that period she strenuously denied ever having had a venereal complaint.</p> <p><i>Capiat Haust Aper. Salin.</i></p> <p>Let the ulcer be dressed with a weak <i>Solut: of Nitrate of Silver.</i></p> <p>9<sup>th</sup> Purgative operated – she still complains of pain of limbs. Ulcer nearly the same.</p> <p><i>Curetur. ulc. ut antea</i></p> <p>11<sup>th</sup> April <i>Capt. Pilul. Sub. Mur. Hyd. ċ Opii omni nocte.</i></p> <p>Ulcer deeper and the surface is still foul – blotches on the face disappearing and the pain of limbs relieved since she commenced the use of the Pills. The caustic solution does not appear to improve the appearance of the ulcer.</p> <p><i>Applicet. Ulc. Acid Citric. Cont. Pil. Cal. ċ Opii et cras mane capiat Solut: Aper: Salin.</i></p> <p>12<sup>th</sup> Ulcer rather cleaner – has taken the saline Aperient – <i>Curetur ut heri</i></p> <p>15<sup>th</sup> The ulcer is rather cleaner by the application of the Lime juice and her constitutional complaints are also much relieved. <i>Cont. Pilul. et curet. ulc. ut ant:</i></p> <p>17<sup>th</sup> Blotches on the face have now disappeared &amp; the nocturnal pains at first complained of are now scarcely felt. <i>Cont. Med. ut antea</i></p> <p>20<sup>th</sup> Ulcer clean &amp; now slowly granulating – her general health is improving.</p> <p><i>Capt. Pilul quaque 2<sup>da</sup> nocte solvend</i></p> <p>25<sup>th</sup> The pains of limbs are now completely gone as are likewise the blotches on the face the glandular enlargement under the chin however but little reduced &amp; the ulcer exhibits a spongy, scorbutic character.</p> <p>Let her omit the Pills and have <i>ʒfs</i> of Lime Juice with proportion of sugar thrice or four times a day.</p> <p>Under this treatment she slowly but gradually recovered and the ulcer slowly cicatrized. Her constitution originally scrofulous, was now tainted</p> <p>18<sup>th</sup> May</p>
#29			



		Discharged Cured	with scurvy – proper diet was allowed her, & she was discharged cured.
Cephalia	18	Catherine Herring Single æt: 19 9 <sup>th</sup> April At Sea  10 <sup>th</sup>  11 <sup>th</sup>  12 <sup>th</sup> . 12 <sup>th</sup> April Discharged Cured	Of full habit – states that for several days she has been suffering excessive pain of head, particularly across the sinciput, for which she can ascribe no cause. Pulse full about 80. T. white. Heat not increased – Catamen regular. Had rigors preceding the headach. <i>F. V. S. brach. ad ʒxx</i> <i>Capiat Haust. aper. Salin.</i> 10 <sup>th</sup> Headach was relieved by the bleeding, the bowels are now open – Pulse 80. T. white and moist – complains of nausea and thirst. <i>Capt. Haust. Salin: 2<sup>da</sup> q.q. hor.</i> 11 <sup>th</sup> No pyrexia but she is without appetite for food & still complains of dull pain in the fore part of the head. <i>Omit<sup>r</sup> Med. Gruel ad libit.</i> 12 <sup>th</sup> . Is now pretty free from complaint, the functions being apparently natural. Let her be discharged.
Dysentaria  #30	19	Elizabeth Law Widow. æt: 32 12 <sup>th</sup> April At Sea                25 <sup>th</sup> 25 <sup>th</sup> April Discharged Cured	The mother of two children. Has for several days been laboring under symptoms of Dysentery which within the last twenty four hour has become considerably aggravated. In consequence of her not complaining earlier, has used no remedies. Pulse 78, T: moist, Heat natural, stools frequent scanty & of mucus consistency – Catamen: regular. Knows no cause for her complaint. <i>Rx. Pulv. Ipecac Co. Pulv. Rhei á á ʒj</i> <i>Sub Mur Hydrarg. gr x ʒ ft pulv. in chart, iij divid – Sig. un: 6<sup>a</sup> q.q. hor. sumend:</i> 13 <sup>th</sup> Took the powders, the evacuations are rather more free but still attended with tenesmus – <i>Cont<sup>r</sup> Pulv.</i> 14 <sup>th</sup> Purging is checked, tormina and tenesmus gone, gums inflamed & there is slight ptyalism – <i>Catamen: adsunt: Omit<sup>r</sup> Med.</i> Let her have Sago and Gruel – <i>utatur Gargaris astrin.</i> 17 <sup>th</sup> Slight ptyalism continues and there has been no return of Dysenteric affection, defluxerunt Catamenia. Continue the Gruel, Sago &c and let her have Port Wine ʒvj daily. 19 <sup>th</sup> Ptyalism subsiding and the Bowels continue regular but complains of restlessness <i>Capt. Haust. Anod: hor. somni.</i> 20 <sup>th</sup> Has had no complaint but weakness and pain of gums, salivary discharge diminished. Slept well last night after the draught. <i>Cont<sup>r</sup> Gargaris.</i> Wine & water for drink. 25 <sup>th</sup> Is now free from complaint, for the last four days she has been using a bitter Infusion three times a day.
Colica	20	Maria Johnson æt: 17 Single 12 April at Sea	6 P.M. After being exposed to the sun's influence today, was suddenly seized with headach, pain of bowels and shiverings. At present the Pulse is 110 & full, & there is considerable thirst. Bowels rather confined – <i>heri defluxerunt catamenia.</i>

			<p><i>F<sup>r</sup> V.S. brach ad ℥xxvj</i>  <i>Capt. Mist. Salin Antimon. ter. q. q hor.</i></p> <p>13. Was much relieved by the bleeding – she has had repeated spasmodic retraction of the abdominal muscles and complains now of twisting pain at the umbilical &amp; hypogastric regions attacking severely at intervals.</p> <p><i>Hab<sup>r</sup> Ol: Ricini ℥ijfs stat.</i></p> <p>8 P.M. Had two attacks of syncope during the day but the oil has operated &amp; afforded some relief tho' she has still occasional spasmodic pain of bowels.</p> <p><i>Cap<sup>t</sup> Pilul: Sub Mur Hyd: ċ Opii ij –</i>  <i>Foveat abd: aq: calid:</i></p> <p>14<sup>th</sup> April Pain of bowels relieved but she complains of headach and weakness. Pulse quick and small, thirst.</p> <p><i>Rept<sup>r</sup> Mist. Salin Antimon. Omit<sup>r</sup> alia.</i></p> <p>15<sup>th</sup> With exception of feeling weak is now free from complaint – there has been no return of abdominal spasm.</p> <p><i>Int<sup>r</sup> Mist Salin: Hab<sup>r</sup> Infus Gent: ℥ij ter ind</i></p> <p>17  17 April Discharged Cured</p> <p>Is now free from complaint</p>
Graviditas Et Partus	21	Mary Leary Æt: 19 Single 16 <sup>th</sup> April at Sea	<p>Pregnant for the first time and near her confinement was admitted into Hospital last night complaining of pain in the back and lower part of abdomen, the bowels being confined she took a dose of Castor Oil which has operated and produced relief. She is requested to keep herself perfectly quiet and in the horizontal posture.</p> <p>17<sup>th</sup> Complains still of pain in the back &amp; lumbar regions – the motion of the ship keeps her in a state of continual alarm and excitement.</p> <p><i>Capt Haust. Anodyn hor. somni</i></p> <p>18<sup>th</sup> Passed an indifferent night – stomach irritable, pain of back continues. Bowels open. <i>Rep Haust Anodyn.</i></p> <p>6 P.M. The anodyne did not check the vomiting. Pulse &amp; Heat natural. Bowels open. <i>Capt Haust Salin. in actu Effervescentiaē</i></p> <p>19<sup>th</sup> Vomiting checked, pain of back relieved.  <i>Omit<sup>r</sup> medicamenta</i></p> <p>20<sup>th</sup> Complains of nausea and general uneasiness, she has also perceived a slight sanguineous discharge but has experienced nothing like labour pains. <i>Rep<sup>r</sup> Haust Anodyn hor. som.</i></p> <p>#31 21<sup>st</sup> April Has had occasional vomiting but no pain the sanguineous discharge has ceased. Bowels open.  <i>Capt Haust Salin Efferves.</i></p> <p>25<sup>th</sup> Has been troubled with heartburn during the last few days but the vomiting is much less troublesome – she still experiences pain of back.  <i>Hab. Magnes Carb Əj ex Aq Ment Pipperit id ℥ij</i>  <i>Int<sup>r</sup> Haust Efferves.</i></p> <p>27<sup>th</sup> At midnight was sent for into the Hospital, where the patient was supposed to be in labour – she reported that about half an hour previous she had got up to the water closet, when after a pain she experienced the sensation of something giving way which was immediately followed by the discharge of a watery fluid – two or three pains succeeded but soon remitted.</p>

			<p>On examination there was no dilatation of the os uteri &amp; there being no regular pains, I concluded she was mistaken in her narration, and prescribed an opiate with gentle friction where she complained of pain; this morning she is very restless. Pulse 76 Bowels confined, rejected the opiate.</p> <p><i>Injiciat' Enema Anodyn. stat.</i>  <i>Capt Ol: Ricini ℥j</i></p> <p>6 P.M. Stomach has been very irritable during the day and she has been exceedingly restless – no alvine evacuation. Pulse 80, T: moist, heat rather increased.</p> <p><i>Adhibeat. Enema Commun:</i>  <i>Capt. Pilul Ext Colcynth id Co iij et urgent. vomitas</i>  <i>Hab Haust Salin in actu Efferves.</i></p> <p>28<sup>th</sup> Has had no stool during the night, the vomiting however has ceased and she slept a little at intervals P. 78. Sk &amp; T. <i>Hab. Ol: Ricini ℥jfs stat. et post hor. duas nisi respond. alv: Capt. Pil cath iij et Injicicet Enema Purg.</i></p> <p>6 P.M. The oil was retained but produced no effect – there has been no return of vomiting – Pulse 76, soreness of back &amp; belly but no true parturient pains.</p> <p><i>Habr Pulv Jalapæ Co ℥j</i>  <i>Rep. Enema</i></p> <p>29<sup>th</sup> The Powder was retained &amp; the Enema administered, and there has been one free alvine evacuation – she now feels much easier.</p> <p><i>Hab. Pilul. Laxunt iij</i></p> <p>30<sup>th</sup> Bowels still rather confined &amp; she complains of pain of back.</p> <p><i>Hab' Solut Aper. ℥iv</i></p> <p>May 1<sup>st</sup> Soreness of back at times troublesome and she is subject to heartburn occasionally. The Bowels are at present open. From this date till the 18<sup>th</sup> the bowels were vigilantly attended to, &amp; vomiting checked by palliative means – she was also kept perfectly quiet &amp; a suitable diet ordered her. The report on the morning of the 18<sup>th</sup> was – She has passed a restless night and since 6 a.m. has had pain returning at intervals but slight.</p> <p><i>Hab. Haust Anodyn.</i></p> <p>2 P.M The pains have terminated in labour. 2.50 she was safely delivered of a male child.</p> <p>19<sup>th</sup>. The mother &amp; Infant are both doing well. She had a pretty good night. B. rather confined.</p> <p><i>Capt Ol: Ricini ℥j</i></p> <p>20<sup>th</sup> The oil operated &amp; she continues to do well.</p> <p>21<sup>st</sup> May Let her have Sago, Gruel and occasionally Fresh Soup. Mammæ distended and painful, nipples small &amp; flat preventing the infant's sucking. She passed rather an uneasy night from pain of abdomen – Pulse, Heat, Tongue &amp; Belly natural. lochial discharge moderate. Let her foment the mammæ and afterwards apply a little warm oil.</p> <p>22<sup>nd</sup> Has had a better night, but the Infant appears emaciated and from the state of the nipples must receive but an imperfect supply of nutrient.</p> <p>23<sup>rd</sup> Had an uncomfortable night, lochial discharge profuse. Infant this morning has been threatened with convulsions &amp; refuses the breast – he appears weak</p>
--	--	--	--

			<p>and emaciated. Let him have <math>\mathfrak{z}</math>ifs of Castor Oil in a little syrup.</p> <p>27<sup>th</sup> Has a considerable degree of pyrexia and talks at times incoherently. P. 100 T: moist, much thirst. headach and soreness of left mamma which is hard &amp; inflamed, lochial discharge ceased yesterday. The Infant has been doing pretty well since last report.</p> <p><i>Capiat Ol. Ricini <math>\mathfrak{z}</math>j</i></p> <p>6 P.M. Headach relieved &amp; the lochial discharge has returned, the oil operated – she still complains of thirst.</p> <p><i>Hab<sup>r</sup> Mist Salin <math>\mathfrak{z}</math>j [ter]q.q.hor</i></p> <p>28<sup>th</sup> She feels considerably better; the Infant tho' weak now takes the breast, integuments surrounding the left nipple excoriated.</p> <p><i>Illinat<sup>r</sup> Cerat Cetae. Cont. Mist.</i></p> <p>29<sup>th</sup> The mother has no appetite, her milk is scarce &amp; the Infant is puny and refuses the breast. Let him repeat the castor Oil &amp; let the mother have light nourishing diet.</p> <p>30<sup>th</sup> May Passed a bad night. The infant has been convulsed and his mouth is encrusted with aphthæ, took the breast only once during the night.</p> <p>Let him repeat the Castor Oil and let the mouth &amp; tongue be moistened with syrup acidulated with a drop or two of dilute. <i>Sulphuric Acid.</i></p> <p>6 P.M. Both nipples &amp; surrounding integuments excoriated and painful. The Infant has repeatedly attempted to suck but has not succeeded. The oil not operating was at 2 pm repeated, he has also taken some spoon meat. Let the nipples be moistened with mucilage before applying the child. Let the mother have generous diet with a glass of wine occasionally.</p> <p>31<sup>st</sup> The encrustation on the mouth of the Infant all falling off but he is unable to suck. The oil has operated &amp; he appears more lively. The app<sup>te</sup> of the mother is bad and the mammæ give her much uneasiness – continue her diet. Though every attention was paid to the diet &amp; comfort of the mother her milk left her, and the Infant became extremely emaciated; his food now consisted of thin arrow root and Sago, carefully prepared but the nourishment derived from it was imperfect, and on our arrival at Hobart Town he was so much reduced that it was advisable to send him to the Hospital where he would obtain an appropriate diet (the only chance of saving him).</p> <p>29<sup>th</sup> June Sent with her Infant to the Colonial Hospital Hobart Town</p>
#33 Catarrhus	22	Elizabeth Lewis Æt: 19 Single 22 <sup>nd</sup> April At Sea	<p>Was attacked three days ago with shiverings alternating with flashes of heat and followed by headach and pain of left side extending from the shoulder to the short ribs and increased on drawing a dep inspiration. Pulse 90, T: clean &amp; moist. Bowels costive – Catamenia regular. her health is generally good and she ascribes her present attack to cold.</p> <p><i>Rx. Pulv. Jalapa gr x</i> <i>Pulv. Rhei gr viij</i> <i>Scammon gr iv ft pulv stat. sumend</i></p> <p>6 P.M. Headach acute &amp; pain of side continues. P. 100, B: still confined, thirst with a hot dry skin.</p> <p><i>F.V.S. ad <math>\mathfrak{z}</math>xx Hab. Ol: Ricini <math>\mathfrak{z}</math>j</i></p>

			<p>23<sup>rd</sup> Slept pretty well – the pain od side is much relieved but the headach continues. Blood drawn exhibits the buffy coat. Pulse 110. T. moist. Bowels open. Considerable thirst. <i>Hab. Pil. Sub. Mur. Hyd. ĉ Ant.</i> <i>Pulv: - un: ter indie necnon capiat Mist: Salin. Ant. ʒj 2<sup>d</sup> q.q. hor.</i></p> <p>6 P.M. Continues better. Skin covered with a gentle perspiration. B. open, less headach. <i>Cont. med.</i></p> <p>24<sup>th</sup> In every respect better. She slept during the night, the headach is now gone &amp; she breathes freely without pain. Pulse 80. Skin moist. T: clean B. open <i>Omit<sup>r</sup> med.</i></p> <p>25<sup>th</sup> April Discharged Cured Free from compliant. Let her be discharged.</p>
Diarrhoea	23	Ann Stone Single Æt: 21 9 <sup>th</sup> May At Sea	<p>For several days past has been (according to her own account) labouring under purging attended with pain in the right hypochondriac region and occasional severe griping – evacuations are liquid but passed without tenesmus. Pulse 78, Heat rather increased. T: clean. <i>Catamen: non fluxerunt per duos menses, sed nulla gravitas est.</i>, her health usually is good &amp; she can ascribe no cause for her present complaint. <i>Rx Pulv: Rhei. Pulv: Ipecac: Co.á á gr x fi pulv; bis vel ter ind: sumend. Bibat Decoct. Hord.</i></p> <p>10<sup>th</sup> Purging abated, the pain of side &amp; griping are also relieved but there is constant thirst. P. 80. heat &amp; T: natural. <i>Int<sup>r</sup>. Pulv: Capt Pil Calomel et Ant. 1 bis in die</i></p> <p>11<sup>th</sup> No return of purging, thirst abated and she has now no complaint. <i>Omit. Med.</i></p> <p>12<sup>th</sup> May Discharged Cured</p>
Rheumatismus Chron:  #34	24	Ann Frances Clifton Widow æt 29 10 <sup>th</sup> May at Sea	<p>Complains of pain affecting the whole left side from the shoulder to the ankle, but is particularly severe about the hip joint and appears decidedly of a Rheumatic nature. When warm in bed she invariable experiences relief particularly if perspiring but on her attempting to move or walk the pain is much aggravated – no pyrexia and the functions appear natural. Directed her to wear Flannel and prescribed <i>Pulv. Ipecac gr xv 6<sup>a</sup> q.q. hor.</i> Warm diluents.</p> <p>May 11<sup>th</sup> Has taken the powders with some relief, having perspired copiously she still experiences pain on the least motion or exertion. Pulse 76 T: clean. Bowels regular. <i>Cont<sup>r</sup> Pulv: Sudorif</i></p> <p>13<sup>th</sup> Pain of side and hip joint continues. She has taken the powders regularly and has better nights. <i>Cont<sup>r</sup> Pulv:</i></p> <p>17<sup>th</sup> Complains of pain affecting the lumbar region and shooting towards the sacrum – she still walks lame from the pain in the hip joint tho' it is considerably easier – has taken the powders which cause her to perspire profusely and she feels weak in consequence. <i>Int<sup>r</sup>. Pulv: Sudorif</i></p>

			<p><i>Capt Cinchon. Pulv. ʒj ter in die et Capt Haust Anod. diaphoret: hor. somni.</i></p> <p>Let her have Fresh Soup, Rice &amp; Sago for diet.</p> <p>Under the use of the Bark with anodynes and antimonials occasionally she gradually got rid of the pains, and on the 1<sup>st</sup> of June was discharged the Sick List. I furnished her with flannel, having none of her own.</p>
Catarrhus et Tympanitis	25	Ann Harris Single æt 22 14 <sup>th</sup> May At Sea	<p>Complains of pain affecting the side a little below the left mamma, with slight cough, and attended with a trifling degree of pyrexia, apparently catarrhal. While in Newgate she was for several weeks under medical treatment &amp; since being on board this Ship she was bled, for a similar complaint tho' not put on the Sick List. Catamen. reg<sup>d</sup>. B. confined.</p> <p><i>Sumat Pilul Cathart iij stat. et hor. somni Capt Haust Salin. diaph:</i></p> <p>15<sup>th</sup> Pain of side continues. Bowels have been freely opened by the Pills. P. 98, small – T. clean. Heat but little increased, app<sup>te</sup> gone.</p> <p><i>Rx. Sub Mur Hyd gr sf. Pulv Ant gr iij ft Pilul: ter in die sumend.</i></p> <p>16<sup>th</sup> 6 P.M. Pain has removed from the side &amp; she now feels it in the abdomen which is distended. Pulse 90, skin hot and dry. T. clean, considerable thirst. has been repeatedly sponged with vinegar and water.</p> <p><i>Int<sup>r</sup> Pilul. Capt. Pulv. Jalap. Co ʒj</i></p> <p>18<sup>th</sup> Free from pain, but there is still a flatulent tension of abdomen with nausea, the cathartic powder operated freely. P 90. T: clean.</p> <p><i>Rx Pulv: Rhei gr xv Zingib Pulv: gr viij</i> <i>Tinct. Rhei ʒ fs. Aq. Menth. pip. ʒvj ft Haust. stat sumend.</i></p> <p>19<sup>th</sup> Is now free from pain and the flatulent distension of abdomen is relieved. She slept well</p> <p><i>Int<sup>r</sup> Med.</i></p> <p>20<sup>th</sup> May Flatulent swelling of bowels troublesome with nausea, thirst, loss of app'e, pain of back &amp; limbs and great despondency.</p> <p><i>Hab<sup>r</sup> Haust Salin Effervesc:</i></p> <p>21<sup>st</sup> There is still a tense fullness of abdomen which is painful on pressure. B. at present open. Pulse 90, T. moist and clean, considerable thirst.</p> <p><i>Rx. Pulv. Rhei ʒj Magnes Carb ʒij</i> <i>Zingiber. Pulv. gr x ft pulv: stat.</i> <i>Capiend. ex Aq. Menth Pip ʒij</i></p> <p>22<sup>nd</sup> Nausea with pain &amp; swelling of belly continues. P. 79 T. clean, two stools.</p> <p><i>Omit<sup>r</sup> Med.</i> Let her use warm fomentations.</p> <p>23<sup>rd</sup> Pain &amp; distension of abdomen both gone, but she vomited her breakfast this morning. Pulse &amp; Heat nat<sup>l</sup> T. clean. B. open.</p> <p><i>Rept<sup>r</sup> Haust. Salin: Efferves.</i></p> <p>24 Nearly as yesterday, nausea in some degree relieved by the draughts but there is still some swelling &amp; uneasiness of bowels. <i>Cont med.</i></p>
#35			

#36		27 <sup>th</sup>	<p>Little change during the last two days. Pulse 80. T. red smooth &amp; dryish, thirst with pain of belly continues, stools loose &amp; of a natural colour.</p> <p><i>Rx. Pulv. Rhei. gr xij</i>  <i>Ipecac: Pulv. gr iv</i>  <i>Opii Colat gr ij ft mass. in pilul iv divid – un 2<sup>da</sup> q.q. h. sumend.</i>  <i>Int<sup>r</sup> Haust Salin Efferves.</i></p>
		28 <sup>th</sup>	<p>Passed a bad night. Swelling, pain and flatulence of bowels, nothing relieved by the Pills. Pulse very small. T., smooth &amp; dryish – many loose stools, nausea &amp; thirst.</p> <p>Rep<sup>f</sup> Haust Salin Efferves. et fotur abdom.  Int<sup>r</sup> Pilul</p>
	28 <sup>th</sup> May 6 P.M.		<p>Experienced no relief from the fomentations. Pulse small, she has vomited twice &amp; had three stools sine morning.</p> <p><i>Applicet Emplast Vesicat abdomine – Cont. Haust.</i></p>
		29 <sup>th</sup>	<p>Blister rose well and procured considerable relief. The Tongue red, smooth &amp; dry &amp; the skin also parched, stools watery but of natural colour, urine scanty, fulness of belly diminished. Let her continue the saline draughts &amp; to have Soup from Preserved meat.</p>
		30 <sup>th</sup>	<p>Vomited twice during the night. Pulse rather feeble, T. dry &amp; smooth, four stools – no pain of abdomen. Let her have fresh soup daily with sago. <i>Omit<sup>r</sup> Med.</i></p>
		31 <sup>st</sup>	<p>Passed a very indifferent night, vomiting more frequent, stools attended with tenesmus, she is low spirited and the eyes appear sunk. P. 88, T: clean but exhibits the same smooth, red appearance. The saline draughts do not check the vomiting.</p> <p><i>Capt. Ol: Ricini ℥j ex Aq Menth ℥ij</i></p>
	6 P.M.		<p>The oil was retained &amp; procured several slimy fetid stools – great despondency. Pulse small. T. moist &amp; clean, stomach still irritable. Blister on the abdomen discharging. Let her have a broad flannel roller passed around the abdomen.</p>
		1 <sup>st</sup>	<p>Passed a very bad night, during which she vomited repeatedly, frequent inclination to go to stool with tenesmus. Pulse small, T. moist &amp; clean, constant thirst.</p> <p><i>Rx Confect Opii ℥ij</i>  <i>Ipecac Pulv. Ant. Pot. á á gr x</i>  <i>Sub Mur Hyd. gr iij Fiat mass. in pilul x dividend Dua bis indie sumend vel scæpires</i></p>
	6 P.M.		<p>Has been easier since she took the pills, but the thirst continues and the Tongue is still parched – no pain.</p> <p><i>Cont<sup>r</sup> Pilul. Bibat Decoct Hord ad lib:</i></p>
		2 <sup>nd</sup>	<p>Passed a better night Tho' her thirst is not diminished. T. still dry. There has been neither purging or vomiting. Pulse small. T: still dry – temp<sup>er</sup> natural. She seldom has any moisture on the skin – her stools have been examined &amp; some scybalæ were observed.</p> <p><i>Capt. Infus. Sennæ. cMagnes. Sulph. ℥iv et si opus sit repetend.</i></p>
6 P.M.		<p>Stomach retained some fresh soup, and she has had several stools from the Infusion – no pain but she complains of weakness and thirst. T moist, skin dry.</p> <p><i>Capt. Pilul. Ipecac ex Rhei iij</i></p>	

#37		<p>3<sup>rd</sup></p> <p>6 P.M.</p> <p>4<sup>th</sup></p> <p>6 P.M.</p> <p>5<sup>th</sup></p> <p>6 P.M.</p> <p>6<sup>th</sup> June</p> <p>6 P.M.</p> <p>7<sup>th</sup></p> <p>6 P.M.</p> <p>8<sup>th</sup></p> <p>10<sup>th</sup> 6 P.M.</p> <p>11<sup>th</sup></p> <p>12<sup>th</sup></p> <p>13<sup>th</sup></p> <p>14<sup>th</sup></p> <p>15<sup>th</sup></p> <p>16<sup>th</sup> June</p> <p>17<sup>th</sup></p>	<p>Stomach less irritable, evacuations more free. P. 80 small, T. moist Cont Pilul.</p> <p>Pulse small, T: moist – less thirst – no pain – has been out of bed for a short time &amp; felt easier. <i>Med<sup>a</sup> ut antea.</i></p> <p>Slept a little and perspired gently during the night – she is now free from pain. Pulse 79 small. T. moist &amp; clean, the eyes are still dull, countenance languid &amp; inexpressive. <i>Rep<sup>t</sup> Pilul</i></p> <p>Appears rather worse this evening, the stomach being still irritable &amp; the purging with tenesmus having returned, thirst troublesome. <i>Cont. Pilul Rhei et Ipecacuanha.</i></p> <p>Free from pain, but exceedingly weak &amp; the stomach still irritable. P. 74 small. T. clean &amp; moist, stools nearly of natural colour but liquid, thirst continues. <i>Pilul ut ant: necnon Capt. Haust Efferves. Salin.</i></p> <p>Retained some of the fresh soup and appears somewhat better. <i>Cont. Pilul</i></p> <p>Had a bad night – fulness of abdomen with uneasiness but no pain – vomiting &amp; she has b now slight cough. Pulse 100, T. dry less parched, constant thirst. <i>In<sup>t</sup> Pilul. Capt. Liq Ammon Acet ꝑs 2<sup>da</sup> q.q.hor.</i></p> <p>Says she is worse. P. 78, T. moist, but the skin is dry – has vomited repeatedly. B. open – thirst relieved. <i>Cont. Med.</i></p> <p>Pulse 80 small. T: moist &amp; clean, skin still dry – vomited during the night but she retained her breakfast this morning. <i>Cont. Liq Ammon Acet:</i></p> <p>Somewhat better this morning, surface still dry – Cont. Med.</p> <p>Seems to be slowly improving. <i>Omit<sup>t</sup> med.</i> To have a glass of Port Wine twice a day and a basin of fresh soup daily.</p> <p>Considers herself rather worse this evening – the stomach being more irritable, but she has had no pain. Pulse small. T: moist – skin dry. B. open. <i>Capt Mist: Salin ꝑj tetia q que hora.</i></p> <p>Considerably improved in appearance, she slept well &amp; feels herself better. <i>Capt. Infus Gent: ꝑij ter ind.</i> <i>In<sup>t</sup> Mist Salin. Dieta ut ant.</i></p> <p>Had griping &amp; purging of scanty stools during the night. P. 90 small. T. clean. Heat natural. <i>Infus Sennæ Co ꝑiv</i></p> <p>Griping &amp; purging checked – she has now no complaint but weakness. <i>Cont Infus. Gent et Dieta</i></p> <p>The Bowels are confined &amp; she still experiences some distension and uneasiness. P. 78. T: moist, Surface dry. <i>Rep<sup>t</sup> Infus Aper:</i></p> <p>Had a slight attack of rigors this morning. B. opened by the Infusion, no pain, skin covered partially with moisture. Pule 78. T: clean – <i>nulla med.</i></p> <p>She recovers but slowly, complains occasionally of nausea, lassitude &amp; weakness. <i>Rep<sup>t</sup> Infus. Gent Co.</i></p> <p>Passed an indifferent night and vomited this morning. P. 79, T: moist &amp; clean – cough has been troublesome during the night with soreness under the sternum. Bowels at present regular. <i>Hab Pil Expect ij urgent tuss: Cont Infus.</i></p>
-----	--	--	---



		18 <sup>th</sup>	Vomited this morning & the cough is more frequent, she is however free from pain and the Bowels are regular. <i>Cont<sup>r</sup> Pil: Pect: necnon capiat Haust Anodyne hora somni.</i>
		19 <sup>th</sup>	Vomiting more frequent with soreness at Epigastrium. P. 80 T: clean – feels very weak, cough rather relieved. <i>Applicet Emplast Lyttæ Scobic Cordis</i> <i>Capt Haust Salin in actu Efferves: urgent vomitus – omit<sup>r</sup> Infus. Incip:</i>
		6 P.M.	The blister has not yet risen but the retching has ceased, complains of general uneasiness – <i>Sumat Pilul Ipecac ĉ opii iij.</i>
		20 <sup>th</sup>	Has vomited repeatedly tho the blister has risen well, cough less troublesome, no pain. <i>Cont<sup>r</sup> Haust Salin Efferves.</i>
		21 <sup>st</sup>	Her only complaint today is nausea and weakness – the cough having left her. P. 100 small. T: clean & moist. heat nat. <i>Cont. Haust. Salin Efferves.</i>
		22 <sup>nd</sup>	Passed a good night, free from pain complains only of weakness with occasional nausea. <i>Cont. Dieta.</i> <i>Rx Sulph Quinin gr iij solve in Aq; Font. ʒj adde acid. Sulph dil. g<sup>t</sup> v ter indie sumend. Omit<sup>r</sup> Infus Gent. Co.</i>
		6 P.M.	Has been pretty well during the day and retained some Fresh Soup on the stomach. P. small. H: Sk & T: nat. <i>Cont. Med.</i>
		23 <sup>rd</sup>	Slept pretty well & has not vomited sine last report. <i>Cont. Sulph Quinin:</i>
		6 P.M.	Complains again of sickness at stomach with weakness & loss of app <sup>te</sup> great depression of spirits. <i>Cont. Quinin Sulph.</i>
		24 <sup>th</sup> June	Has spent a bad night and is still very low spirited – constant thirst with disposition to vomit but no pain. Blistered surface still discharging. P 90, T: clean. Heat nat <sup>l</sup> , thinks the Quinine disagrees with the stomach. <i>Int<sup>r</sup> Quinin Sulph. Rep Haust Salin Efferves.</i>
		6 P.M.	Stomach has been irritable during the day. P. small (110). B. open. no pain, slight cough – <i>Cont<sup>r</sup> Haust.</i>
		25.	Gripping during the night with frequent scanty motions, (dark coloured but not slimy) constant nausea. P 96 small. T: moist & clean, slight cough with sense of load at præcordia. <i>Haust Aper Salin.</i>
		26 <sup>th</sup>	Passed a tolerable night. Bowels now more regular & gripping gone. Cough more frequent with slight pain at upper part of the sternum. P. 110. Heat & Sk nat. <i>Rx. Tinct Scillæ. Tinct. Digital. á á g<sup>tt</sup> xxv ft Haust ter ind sumend.</i>
		6 P.M	Has had repeated vomiting and appears to be more uneasy. P.110. Sk: cool. T: clean. Cough still troublesome with sense of oppression at præcordia, respiration rather hurried – blister now heal. <i>Capt. Haust: Anodyn: Cont. alia.</i>
	July 2 <sup>nd</sup>	6 P.M.	Symptoms nearly as above during the last few days, tonight she has slight diarrhoea with gripping which came on after taking some soup for dinner, the cough &c are nearly as before. <i>Rx. Opii colat gr ij Confect Aromat gr vj ft Pil iij un 4<sup>ta</sup> q.q. hor sumend.</i>

		4 <sup>th</sup> July Sent to the Colonial Hospital At Hobart Town	<p>There being no favourable change of her complaints, when the Prisoners were landed she was sent to the Hospital.</p> <p>On this Patients first appearance I considered her comp<sup>ts</sup> catarrhal, but from the symptoms that followed there was little doubt but they were of a cachectic nature &amp; at one time she was decidedly tympanitic, - pectoral symptoms supervening I was apprehensive that the lungs were affected. The uterine system must have also been irregular tho' she stated the contrary.</p>
#38 Scorbutus Incipiens	26	<p>Sarah Wilson Æt 26 Married 16<sup>th</sup> May At Sea</p> <p>28<sup>th</sup> May Discharged Cured</p>	<p>The mother of one child, pale complexion inclined to sallow, For the last month has been affected in a slight degree with Scorbutic symptoms viz, pain and sponging of gums, which bleed on the slightest touch, with sense of general weakness but without any spots on the skin – she has been allowed treble her proportion of Lemon Juice &amp; sugar &amp; likewise preserved meat &amp; soup when a cannister has been opened.</p> <p>On examining the throat the tonsils are inflamed &amp; the root of one is covered with a white but superficial ulcerated surface – knows no cause for her complaint &amp; never had any venereal affection. Pulse Heat &amp; Skin natural. B. confined. Cat<sup>im</sup> regular. Breath not particularly fetid.</p> <p><i>Capiat Haust Aper Salin stat.</i> <i>Rx. Hyd: Mur: gr iij – Sp: Rect: ʒj</i> <i>Aq: Commun: ʒvj ft Gargaris more Solit utend.</i></p> <p>Let her use only her Flour &amp; Raisins and have ʒj of Lemon Juice with sugar three times a day.</p> <p>Let her also have Fresh Soup &amp; a portion of Port Wine and Preserved Meat when a canister is opened.</p> <p>Under this treatment she soon got rid of the Scorbutic symptoms, the sores in the throat also healed under the use of the Gargle.</p> <p>This is the only case (except one, Eliz<sup>th</sup> Miller) hitherto, that has exhibited a Scorbutic tendency. They have both been treated in the same manner.</p>
Dysentery	27	<p>Mary Devign Æt 23 Married 19<sup>th</sup> May At Sea</p> <p>20<sup>th</sup></p> <p>6 P.M.</p> <p>21<sup>st</sup></p>	<p>Says she has been labouring under the symptoms of dysentery for the last six days – Pulse &amp; Heat natural. T: clean, no pain of abdomen on pressure. Catamen: regular. She is apt to exaggerate or even simulate her complaint.</p> <p><i>Capt Pulv: Ipecac Co. gr xij 6<sup>a</sup> q q hor.</i></p> <p>Let her stools be examined.</p> <p>Complains still of griping &amp; straining. T: dry. Pulse &amp; Heat natural – stools scanty &amp; mixed with mucus.</p> <p><i>Int<sup>r</sup> Pulv Ipecac Co. Sumat Ol. Ricini ʒj</i></p> <p>Took the oil at the morning visit, at 2 p.m. took likewise <i>Infus Senna cum Sulph. Magnes.</i> The stools have since been more natural &amp; free, the griping continues but tenesmus is gone. T: moist.</p> <p><i>Hab. Opii Colat gr ifs</i></p> <p>Had a good night without purging until this morning when she had two evacuations rather scanty but without tenesmus.</p>

		22 <sup>nd</sup> 26 <sup>th</sup> May Discharged Cured	<p><i>Hab. Pulv. Ioeac Co gr x 6<sup>ta</sup> q q hor ex Infus Quass: ʒij</i> Dysenteric symptoms gone. <i>Capt. Infus Quass: solvum ade</i> She continued on the List 'till the 26<sup>th</sup> during which time she took the bitter Infusion and experienced no return of purging.</p>
Dysenteria 28		Martha Smith Single æt: 24 21 <sup>st</sup> May At Sea 26 <sup>th</sup> May Discharged Cured	<p>Was put on the List laboring under symptoms similar to the above which she attributed to wet and cold to which she was exposed in assisting the cooks a week previous. Treatment as the preceding and she was discharged cured on the same day.</p>
#39 Colica et Rheumatismus	29	Margaret Butler æt: 28 Single 29 <sup>th</sup> May At Sea	<p>6 P.M. Was suddenly seized this morning with severe twisting pain of abdomen returning in paroxysms &amp; for which she could ascribe no cause unless the changeable state of the weather (which is now very unsettled and cold) and preceding constipation. Pulse &amp; Skin nat. Cat: reg<sup>f</sup>. Bowels habitually costive. Infusion of <i>Senna with Sulph of Magnesia</i> was prescribed. 30<sup>th</sup> Complains now of pain at Epigastrium with thirst, nausea and vomiting. Pulse 90. T: moist, only one stool. <i>Rep<sup>f</sup> Infus Sennæ Co.</i> <i>Bibat Decoct Hord at libit.</i> 31<sup>st</sup> The bowels have been freely opened and the spasmodic affection as well as pain at precord and vomiting are relieved. <i>Omit<sup>f</sup> Med.</i> Let her have a pint of Gruel. June 2<sup>nd</sup> During yesterday she continued pretty well but today she complains of headach and the bowels are by no means regular. Pulse 90. T: dry, considerable thirst. <i>Capt. Pulv: Jalapa Co. ʒj</i> <i>Cont<sup>f</sup> Decoct Hord: Gruel &amp;c</i> 5<sup>th</sup> Headach relieved – pulse, Heat &amp; T: natural – Bowels again slow, has used no medicine since the operation of the last purgative. <i>Capt. Pil: Rhei Co iv</i> 6<sup>th</sup> Appears considerably worse – the Tongue is parched and she complains of pain of loins but more particularly of the left hip joint. Pulse 98, full. Bowels still costive, thirst. <i>Capt Pulv: Jalapa Co ʒj</i> <i>Potus dil: ad libit.</i> 7<sup>th</sup> Pain of loins &amp; hip continues &amp; the wrist &amp; fingers of right hand are likewise affected with pain and swelling. P.80 – T: moist. B. open. <i>Hab. Pulv. Ipecac. Co. gr x 6<sup>ta</sup> q.q. hor.</i> 8<sup>th</sup> Wrist more swelled she complains also of pain affecting the lower extremities, perspired gently during the night. Pulse 80. <i>Cont<sup>f</sup> Pulv. Ipecac Co.</i> 9<sup>th</sup> Pain subsided in wrist &amp; hand but has attacked severely the left knee joint which is slightly swelled. P 98, Skin moist. T: furred in the centre. Continue the</p>

#40			Sudorific Powders & let her have tepid drink in abundance.
	10 <sup>th</sup>		Appl Flannel & Camphorated Liniment to the affected joints. Swelling & pain of left knee increased, that of right wrist subsiding. P 90 T: moist B. confined- perspired plentifully during the night.
	6 P.M.		<i>Int<sup>r</sup> Pulv: Sudorif. Cap<sup>r</sup> Infus Aper ʒij ad solute. alv: repetend.</i> Let her have Fresh Soup daily. Purgative operated after being twice repeated- the pain of left leg & thigh more severe and is not confined to the joint but affects the muscles also.
	11 <sup>th</sup> June		<i>Rep<sup>r</sup> Pulv: Sudorif. ut ant.</i> Swelling of knee & wrist increased – she had a bad night and perspired none from a full dose of Dover's Powder taken last night. Pulse 110 – T: furred – considerable thirst.
	6 P.M.		<i>Int<sup>r</sup> Pulv. Dover. Hab. Pilul Sub Mur Hyd Ant et Opii i ter in die.</i> <i>Dieta et Potus ut antea.</i> Pulse quick & small – two stools. Pain of extremities, back & loins much worse. <i>Cap<sup>r</sup> Haust.</i>
	12 <sup>th</sup>		<i>Anodyn Antimon. stat Cont<sup>r</sup> Pilul.</i> Pulse 110 small. T: furred and dry – has been talking incoherently during the night – swelling of knee the same & pain of back continues, no stool.
	6 P.M.		<i>Cap<sup>r</sup> Infus Aper. ʒ iv. Omit<sup>r</sup> alia</i> She seems to be easier since the bowels have been opened. <i>Rep<sup>r</sup> Pil. Sub Mur Hyd Co.</i>
	13 <sup>th</sup> .		The pain & swelling of knee and wrist are subsiding but she complains now of pain across the sacrum and lumbar region rendering her totally helpless and incapable of turning in bed – she passed a restless night, her ideas were wandering. Pulse 110 small., T: furred but moist. States that for several days she has had an irregular & immoderate menstrual discharge, which she attributes to a fall during extreme bad weather when she was also much alarmed.
	14 June		<i>Cont<sup>r</sup> Pilul. et Liniment. Camphorat.- Pot: Refrigle.</i> Passed restless night, tho' the pain of back is in some measure relieved. Pulse 100 small. T furred & brownish at the root. Belly confined, discharge continues. <i>Int<sup>r</sup> Pulu – Hab Haust Aper Salin</i>
	6 P.M.		Three stools – pain of back easier & the Tongue is cleaner & moist. <i>Rx Tinct Opii g<sup>ss</sup> xi</i>
	15 <sup>th</sup>		<i>Liq. Antimon ʒi ft haust stat sumend.</i> Slept pretty well pain & swelling considerably diminished as is the menorrhagia. P. 90 small, T: moist & cleaner. B. open – thirst.
	16 <sup>th</sup>		<i>Rx Potassæ Sub Carb. ʒj Lemon Juice ʒfs</i> <i>Potassæ Nit. gr x Aq Font ʒfs</i> <i>Syrup Simp ʒij ft Haust ʒ<sup>ia</sup> q.q hor. sumend.</i> Pain of back, loins & extremities much relieved, the swelling has now entirely disappeared & the menorrhagia is much diminished. P. 90. T. moist & clean, skin covered with a gentle moisture.
17 <sup>th</sup>		<i>Cont<sup>r</sup> Mist: Salin ut supra</i> Gums slightly inflamed. She still complains of pain of back, & loins, particularly on motion- thirst relieved skin moist – <i>Cont<sup>r</sup> Haust.</i>	

		4 <sup>th</sup> July Sent to the Colonial Hospital at Hobart Town	On the 20 <sup>th</sup> being nearly free from pain, the Saline Draughts were omitted and an Infusion of Cinchona substituted under which and a light nourishing diet with a small portion of Port Wine daily, she gradually was recovering strength; - however when the Prisoners landed she was not sufficiently strong to undertake service and it was deemed advisable to send her to Hospital
#41 Obstipatio et Debilitas	30	Elizabeth Sellis Æt: 43 Married 5 June At Sea  10 June Discharged Cured	In an infirm state and has been much dejected ever since her embarkation. Complains of headach, general weakness irritability at stomach and irregularity of bowels, which are habitually costive. She has repeatedly taken warm aperient medicines which have afforded temporary relief. Pulse at present small. T: white, heat natural – app <sup>te</sup> gone. <i>Catamen. per nonnullos annos cesserunt.</i> <i>Capt Pilul Aloet iij</i> Let her have a pint of Fresh Soup. 6 <sup>th</sup> The Pills operated once – complains of headach and weakness. Let her have Sago with a little Port Wine. <i>Pil: Rhei Co iij</i> 7 <sup>th</sup> Still complains of headach, pain of back & weakness – Pulse small, T: clean. Bowels now open. Dieta ut antea. 8 <sup>th</sup> No complaint except slight headach and weakness. Let her omit medicine. On the 10 <sup>th</sup> she was put off the Sick List but during the remainder of the voyage she was allowed Fresh Soup, with a portion of Port Wine and the bowels required attention.
Dysenteria	31	Cath <sup>ne</sup> Williams Æt: 36 Married 12 June At Sea	Has been an attendant on the sick since her embarkation and lately had fatiguing work to do in keeping the Hospital dry. Complains of constant griping pain of belly with frequent inclination to go to stool, much straining & little voided except mucus & these symptoms are of four days duration. She had a rigor this morning and now complains of headach. Pulse 79, Skin hot. T: dry. <i>Cat<sup>m</sup> reg<sup>r</sup></i> <i>Cap<sup>t</sup> Ol. Ricini ℥ifs. Decoct Hord pro potus.</i> 6 P.M. Severely griped and purged since she took the oil. Headach. P: 110. T: dry in the centre. Has been talking incoherently. <i>F.V.S. brach ad ℥xx – Capt Pilul Sub Mur Hyd. Ant. et Opii ij in hor iv repetend. Potus ad libit.</i> 13 <sup>th</sup> Purging checked, but she has been uneasy & restless during the night. Pulse 80 & soft. T: still dry – nausea. Blood drawn last night exhibits a thin inflammatory crust. <i>Cont. Pilul et Potus</i> 6 P.M. Tenesmus and purging much relieved but she still complains of headach Pulse 100, sk hot. T: still dry. <i>Capt. Solut Sulph Magnes cum Ant. Tart: ℥ij tertia q.q. hor. Omit<sup>r</sup> Pilul.</i> 14 <sup>th</sup> Stools frequent but without tenesmus – Headach continues. Tongue white & dry – thirst. <i>Int<sup>r</sup> Solut. Aper: Rep<sup>r</sup> Pilul.</i>

#42		<p>6 P.M. In every respect better, the headach is relieved &amp; the purging has ceased – <i>Omit med.</i></p> <p>15 No return of Dysenteric symptoms and she feels much better. <i>Capiat Infus Gentianæ Co: ʒij ter in die</i> Let her have Fresh Soup from preserved meat pt i daily.</p> <p>16<sup>th</sup> The griping and purging returned and caused a restless night, there is now lassitude, sickness at stomach and thirst. <i>Hab. Pilul ex Pulv: Ipecac Co. gr xv</i> <i>Int Infus Gent. Co.</i></p> <p>6 P.M. Purging &amp; griping relieved but nausea continues. <i>Rep<sup>r</sup> Pilul et Hab Haust Salin Efferves.</i></p> <p>17<sup>th</sup> June Stools still frequent, scanty and slimy. Complains of pain at Epigastric and umbilical region. Pulse 78, T: clean, nausea relieved. <i>Capt. Infus. Sennæ cum Magnes Sulphate ʒij.</i> <i>Foveat. region. abd. Aq Calid. Bibat ad lib. Decoct. Avenæ</i></p> <p>6 P.M. Purging less frequent stools more natural. P 78, T: moist &amp; clean. heat nat. complains of soreness under the sternum. <i>Hab. Haust Anodyn</i></p> <p>18<sup>th</sup> Slept none, complains this morning of difficulty in breathing with sense of faintness and exhaustion – no purging – Pulse 78, T: moist &amp; clean Heat natl. She refuses medicine and some Sago also.</p> <p>6 P.M. Is sullen &amp; refuses medicine. Pule Heat &amp; T. natural. Let her having nothing but thin Gruel.</p> <p>19<sup>th</sup>. 6 P.M. Dysenteric symptoms have in a slight degree returned – pain at Epigast. &amp; sense of faintness. App<sup>te</sup> gone – thirst. <i>Rx. Ext. Hyosciam gr x Pulv. Ipecac gr viij</i> <i>Sub Mur Hyd gr vj ft mass. in Pilul v formand – ij 4<sup>ta</sup> qq hor. sumend.</i></p> <p>20<sup>th</sup> The Pills afforded but little relief – she has had frequent scanty stools with nausea, tenesmus &amp; griping. <i>Hab. Infus Aper et rep<sup>r</sup> Pilul h.s.</i></p> <p>6 P.M. Griping &amp; purging continues tho the stools have been more free. <i>Rx. Pulv Ipecac gr xxxvj Rhei Pulv gr xxiv</i> <i>Opii Colat gr xij ft mass. in Pil xvij</i> <i>Dividend: Dua Sexta q.q hor sumend p.r.n.</i> <i>Omit alia</i></p> <p>21st Has taken the pills with great relief. She is now free from pain or purging. Let her continue.</p> <p>22<sup>nd</sup> Being now quite free from complaint – Let her be discharged but to take for a few days an <i>Infus Quassia.</i></p> <p>22<sup>nd</sup> June Discharged Cured</p>	
Hysteria	32	Sarah Elliot Æt: 33 Single 16 June At Sea	Seized this morning with a Fit; apparently of an Hysterical nature attended with loss of sense and violent convulsions requiring the efforts of several women to restrain her – used the <i>Sp<sup>r</sup> Ammon</i> externally & on her being able to swallow an Anodyn Antispasmodic draught was prescribed. On recovering a little she informed me that during the night she had been attacked with severe purging and vomiting, the former accompanied with straining. She at the same

#43		<p>6 P.M.</p> <p>17<sup>th</sup></p> <p>17 June 6 p.m.</p> <p>18<sup>th</sup></p> <p>19<sup>th</sup> 6 P.M.</p> <p>20<sup>th</sup></p> <p>21<sup>st</sup></p> <p>21<sup>st</sup> June Discharged Cured</p>	<p>time stated that she has been long subject to <i>procidencia ani</i> which at present is down.  Pulse 80. T: moist. Heat natl. <i>Catamenia suppressa fuerunt per duos menses sed nulla gravita est.</i>  <i>Capt Ol: Ricini ℥j ex Aq Menth.</i>  Let her use warm fomentations.</p> <p>Complains now of soreness of abdomen. The prolapsed portion of intestine was returned and afforded much relief.  <i>Capt Haust Anodyn cum Tinct Opii g<sup>ss</sup> xxx</i></p> <p>Had a fit during the night and two this morning, her ideas are confused &amp; wandering – still complains of abdomen &amp; back, she has had frequent calls to stool with tenesmus. P 82. T: moist – headach.  <i>Infus. Aper. ℥iv</i>  <i>Foveat. regioni abdomen. Aq Calid.</i></p> <p>Experienced much relief from the fomentations, the griping and purging continues – no return of fit.  <i>Rx Infus Sennæ ℥ij Menth. Pip. g<sup>ss</sup> ij ft Haust stat sumend.</i></p> <p>Is considerably better tho' she did not sleep much. Pulse natural. T: cleaner, no return of fit &amp; her mind is now quite collected – purging abated.  <i>Null med. Decoct. Hord et avenæ ad libit:</i></p> <p>Rather worse this evening, having been griped &amp; purged severely during the day. Pulse &amp; Heat natl. Tongue still white, but moist. <i>Capt. Haust Anodyn.</i></p> <p>Passed a good night and is now nearly well. <i>Omit. Med:</i></p> <p>Being now in her usual state of health let her be discharged.</p>
-----	--	--	---





## General Remarks

During the month of January the Ship was preparing at Deptford for the reception of the Prisoners. On the 7<sup>th</sup> of February they had all embarked, and on the 17<sup>th</sup> we got under weigh from Woolwich, but meeting with adverse winds in the Channel did not clear the Land's end before the 29<sup>th</sup>. This month proved extremely changeable, several severe frosts and snow storms occurring about the beginning, but towards its termination the weather became mild and seasonable - 48° was the mean temperature. The usual intertropical weather was experienced in March and April; on the 1<sup>st</sup> of the latter month we crossed the Equator in Long. 23° West, and on the 30<sup>th</sup> had got as far to the Southward as 39.40 - 75° was the mean temperature of both months.

In running to the Eastward during May & June, we kept in a parallel of Lat. of from 39° to 42° - Westerly winds for the most part prevailing, with cloudy and occasionally rainy weather. The mean temperature of May was 53° and that of June 50° ½, on the 27<sup>th</sup> we anchored in the Derwent and on the 4<sup>th</sup> of July, the whole of the Prisoners (ninety-nine women and eighteen children) were landed, being one more than the original number.

The women continued free from sickness, at least of any note or importance during the passage. Soon after their embarkation, many complained, having catarrhal complaints, slight Rheumatism, Cyanche, &c which I ascribed to the state of the weather & the dampness between decks at the time but these soon yielded to the usual remedies. On getting out; Sea Sickness was nearly general, and with some, protracted and severe - in all, it was attended with great torpor of the bowels, indeed obstinate constipation was a troublesome symptom for the first month or six weeks, the usual purgative medicines proving of little avail, in such cases I consider the Croton oil worthy of trial as from the smallest of bulk in which it could be administered and its drastic qualities - no doubt but it would prove effectual - as they became accustomed to the motion of the ship, mode of living &c the sickness gradually subsided.

Dysentery made its appearance occasionally but particularly towards the end of the passage, generally however in a mild and tractable form and might be traced to suppressed perspiration or previous irregularities in the alvine excretions - the symptoms generally yielded to Saline aperients followed by Sudorifics, Opium, Calomel, &c and in no instance was it necessary to push the latter remedy to salivation.

Hysteria and complaints connected with irregularities of the Uterine System were next in frequency, in the treatment of which careful attention was paid to the state of the secretion and prima viæ, consequently aperients and purgatives were chiefly relied on.

Scorbutic symptoms were detected in two instances but by the timely use of the Lemon Juice with Sugar and a suitable diet the disease was arrested in its progress and did not spread farther.

To the preserved meats, and other medical comforts when judiciously used I ascribe the greatest benefit on such a voyage, particularly in a prophylactic point of view.

Constant attention during the voyage, was paid to cleanliness in the persons as well as Berths, sleeping places and clothing of the Prisoners - Ventilation and dryness between decks was also promoted to the utmost of my power, for which purpose the boards of the lower bed places were frequently raised during the day, windsails kept in both hatchways and the hanging stove moved from place to place where most necessary, in the Hospital it was found particularly serviceable, as from its situation in the bow of the ship there was generally much moisture from leaks, particularly in bad weather.

Prior to the Prisoners being landed they were mustered on board by the Lieut. Governor who remarked their general healthy appearance.

James Gilchrist  
Surgeon Superintendent.